

## Salticidae of North America, including Mexico

David B. Richman<sup>1</sup>, Bruce Cutler<sup>2</sup> and David E. Hill<sup>3</sup>

<sup>1</sup> Department of Entomology, Plant Pathology and Weed Science, New Mexico State University, Las Cruces, NM 88003, *email* rdavid@nmsu.edu

<sup>2</sup> Department of Ecology and Evolutionary Biology, University of Kansas, 1200 Sunnyside Avenue, Lawrence, KS 66045-7534, *email* dbronx@ku.edu

<sup>3</sup> 213 Wild Horse Creek Drive, Simpsonville, SC 29680-6513, *email* platycryptus@yahoo.com


### Introduction

This list, including the known salticids of Canada, the continental United States, and Mexico, is based on current literature and on earlier lists (Richman & Cutler, 1978, 1988), as well as previously unpublished records available to the authors. We have not included specific page and illustration numbers. Reference dates (*e.g.*, 1904b) generally correspond to those listed in Platnick (2011), although not all references (*e.g.*, Paquin *et al.*, 2010) can be found in his catalog. We have tried to mention primarily key references and those with good descriptions and/or illustrations, but have not included all references for those species with multiple synonyms, especially if they have numerous Old World citations.

Canadian Provinces, United States state names, and Mexican state names are abbreviated, with the Canadian localities based on the Canada Post abbreviations, United States localities based on the Zip Code abbreviations and for Mexico we used a list of standard abbreviations (three letters) from the Wikipedia Template site (Wikipedia 2011) on the Internet (Table 1, Figure 1). The distributions are, of course, necessarily incomplete and should be revised periodically. Hawaii, which has its own relatively limited native and introduced fauna, is not included.

**Table 1.** Abbreviations for Provinces and States in Canada, the Continental United States and Mexico.

CANADA		District of Columbia	DC	North Dakota	ND	Colima	COL
Alberta	AB	Florida	FL	Ohio	OH	Federal District	DIF
British Columbia	BC	Georgia	GA	Oklahoma	OK	Durango	DUR
Manitoba	MB	Idaho	ID	Oregon	OR	Guanajuato	GUA
New Brunswick	NB	Illinois	IL	Pennsylvania	PA	Guerrero	GRO
Newfoundland and Labrador	NL	Indiana	IN	Rhode Island	RI	Hidalgo	HID
Northwest Territories	NT	Iowa	IA	South Carolina	SC	Jalisco	JAL
Nova Scotia	NS	Kansas	KS	South Dakota	SD	Mexico State	MEX
Nunavut	NU	Kentucky	KY	Tennessee	TN	Michoacán	MIC
Ontario	ON	Louisiana	LA	Texas	TX	Morelos	MOR
Prince Edward Island	PE	Maine	ME	Utah	UT	Nayarit	NAY
Quebec	QC	Maryland	MD	Vermont	VT	Nuevo León	NLE
Saskatchewan	SK	Massachusetts	MA	Virginia	VA	Oaxaca	OAX
Yukon	YT	Michigan	MI	Washington	WA	Puebla	PUE
UNITED STATES (excluding Hawaii)		Minnesota	MN	West Virginia	WV	Querétaro	QUE
Alabama	AL	Mississippi	MS	Wisconsin	WI	Quintana Roo	ROO
Alaska	AK	Missouri	MO	Wyoming	WY	San Luis Potosí	SLP
Arizona	AZ	Montana	MT	<b>MEXICO</b>		Sinaloa	SIN
Arkansas	AR	Nebraska	NE	Aguascalientes	AGU	Sonora	SON
California	CA	Nevada	NV	Baja California Norte	BCN	Tabasco	TAB
Colorado	CO	New Hampshire	NH	Baja California Sur	BCS	Tamaulipas	TAM
Connecticut	CT	New Jersey	NJ	Campeche	CAM	Tlaxcala	TLA
Delaware	DE	New Mexico	NM	Chiapas	CHP	Veracruz	VER
		New York	NY	Chihuahua	CHH	Yucatan	YUC
		North Carolina	NC	Coahuila	COA	Zacatecas	ZAC



**Figure 1.** States and provinces plotted on an enhanced satellite image of North America from space. See Table 1 for a key to abbreviated place names. The background image, based on an observer directly over Texas, shows ground cover in the month of July. The background image was generated with the *NASA World Wind 1.4* mapping tool (<http://worldwind.arc.nasa.gov/download.html>).

Genus ***Acragas*** Simon 1900

***Acragas hieroglyphicus*** (Peckham & Peckham, 1896)

*Amycus hieroglyphicus* Peckham & Peckham, 1896

*Acragas hieroglyphicus* Galiano, 1968c

MEX: TAB

Genus ***Admestina*** Peckham & Peckham, 1888

***Admestina archboldi*** Piel, 1992

USA: FL, GA, LA, MS, TX




***Admestina tibialis*** (C. L. Koch, 1846)

*Maevia tibialis* C. L. Koch, 1846

*Admestina tibialis* Simon, 1901a

*Admestina tibialis* Paquin *et al.*, 2010

CAN: NS, ON, QC; USA: CT, FL, LA, MD, PA, NY, TN, TX, VA



***Admestina wheeleri*** Peckham & Peckham, 1888

*Admestina tibialis* Peckham & Peckham, 1909

*Admestina wheeleri* Paquin *et al.*, 2010

CAN: MN, ON, QC; USA: AR, CT, KS, MA, MI, MN, NY, SD, WI

Genus ***Alcmena*** C. L. Koch, 1846

***Alcmena amabilis*** C. L. Koch, 1846

*Attus amabilis* Walckenaer, 1847a

*Dendryphantes amabilis* Simon, 1864

"MEXICO"

Genus ***Amycus*** C. L. Koch, 1846

***Amycus flavolineatus*** C. L. Koch, 1846

*Attus flavolineatus* Walckenaer, 1847a

"MEXICO"

Genus ***Anasaitis*** Bryant, 1950

***Anasaitis canosa*** (Walckenaer, 1837)

*Attus canosus* Walckenaer, 1837

*Attus magnus* Walckenaer, 1837

*Attus auratus* Hentz, 1846

*Menemerus cruciferus* Keyserling, 1885

*Prostheclina cambridgei* Peckham & Peckham, 1888

*Prostheclina aurata* Banks, 1893a

*Pellenes auratus* Simon, 1901a

*Stoides aurata* Peckham & Peckham, 1909

*Corythalia aurata* Bryant, 1940

*Stoides canosa* Chamberlin & Ivie, 1944

*Corythalia canosa* Richman & Cutler, 1978

*Corythalia canosa* Richman & Cutler, 1978

*Anasaitis canosa* Edwards, 1999b

USA: AL, AR, FL, GA, LA, MS, OK, SC, TX; MEX: TAM

### Genus *Anicius* Chamberlin, 1925c

*Anicius dolius* Chamberlin, 1925c


MEX: JAL, MIC



### Genus *Ashtabula* Peckham & Peckham 1894

*Ashtabula glauca* Simon 1901a

MEX: GUA, MOR



### Genus *Attidops* Banks, 1905a

*Attidops cinctipes* (Banks, 1900a)

*Icius cinctipes* Banks, 1900a

*Ballus cinctipes* Edwards, 1980

*Attidops cinctipes* Edwards, 1999a

USA: FL, LA, MS, TX; MEX: TAM?, VER?




*Attidops cutleri* Edwards, 1999a

USA: TX; MEX: TAB, probable immature TAM



*Attidops nickersoni* Edwards, 1999a

USA: FL



*Attidops youngii* (Peckham & Peckham, 1888)

*Ballus youngii* Peckham & Peckham, 1888

*Attidops youngii* Edwards, 1999a

*Attidops youngii* Paquin et al., 2010

CAN: ON, QC; USA: CT, KS, MD, MI, NY, PA, TX, VA

### Genus *Bagheera* Peckham & Peckham, 1896

*Bagheera kiplingi* Peckham & Peckham, 1896

*Bagheera kiplingi* Maddison, 1996

MEX: OAX



*Bagheera prosper* (Peckham & Peckham, 1901a)

*Dendryphantes prosper* Peckham & Peckham, 1901a

*Metaphidippus maxillosus* F. O. Pickard-Cambridge, 1901a

*Bagheera prosper* Maddison, 1996

USA: TX; MEX: VER

Genus ***Beata*** Peckham & Peckham 1895***Beata hispida*** (Peckham & Peckham, 1901c)*Homalattus hispidus* Peckham & Peckham, 1901c*Beata hispida* Maddison, 1996

MEX: ROO

***Beata wickhami*** (Peckham & Peckham, 1894)

This species is placed in the wrong genus.

*Icius wickhami* Peckham & Peckham, 1894*Icius floridanus* Banks, 1895e*Icius pleuralis* Banks, 1896e*Beata wickhami* Edwards, 1980*Beata wickhami* Richman, 1989

USA: FL

Genus ***Bellota*** Peckham & Peckham, 1892***Bellota micans*** Peckham & Peckham, 1909*Bellota micans* Galiano, 1972a

USA: TX

***Bellota wheeleri*** Peckham & Peckham, 1909*Bellota wheeleri* Galiano, 1972a

USA: TX

Genus ***Bianor*** not in North America: see ***Sibianor***Genus ***Bredana*** Gertsch, 1936a***Bredana alternata*** Gertsch, 1936a



USA: TX

***Bredana complicata*** Gertsch, 1936a

USA: TX

Genus ***Chalcoscirtus*** Bertkau, 1880b***Chalcoscirtus alpicola*** (L. Koch, 1876b)*Euophrys alpicola* L. Koch, 1876b*Icius montanus* Banks, 1896a*Chalcoscirtus montanus* Peckham & Peckham, 1909*Chalcoscirtus montanus* Emerton, 1909*Chalcoscirtus alpicola* Prószyński, 1987*Chalcoscirtus alpicola* Paquin *et al.*, 2010

CAN: AB, BC, NL, SK, YT; USA: AK, CO, NH, UT, WY

***Chalcoscirtus carbonarius*** Emerton, 1917*Chalcoscirtus carbonarius* Paquin *et al.*, 2010

CAN: AB, YT; USA: AK, MT

***Chalcoscirtus diminutus* (Banks, 1896c)**

According to Prószyński this is neither *Euophrys* nor *Chalcoscirtus*, nor is it *Anasaitis* or *Corythalia*.

*Icius diminutus* Banks, 1896c


*Corythalia delicatula* Gertsch & Mulaik, 1936a

*Corythalia delicatula* Chamberlin & Ivie, 1944

*Euophrys diminuta* Kaston, 1948

*Chalcoscirtus diminutus* Edwards, 2003a

USA: AZ, CA, FL, GA, KS, MO, MN, NM, NY, SC, TX

***Chalcoscirtus glacialis* Caporiacco, 1935b**

*Phintella micans* Caporiacco, 1935b

*Evophrys elongata* Caporiacco, 1935b

*Chalcoscirtus glacialis* Paquin et al., 2010

CAN: YT; USA: AK

**Genus *Chapoda* Peckham & Peckham, 1896*****Chapoda inermis* (F. O. Pickard-Cambridge, 1901a)**

*Sidusa inermis* F. O. Pickard-Cambridge, 1901a

*Chapoda inermis* Simon, 1903a

MEX: TAB

**Genus *Cheliferoides* F. O. Pickard-Cambridge, 1901a*****Cheliferoides longimanus* Gertsch, 1936a**

Platnick, 1984a states that *C. longimanus* is not a true *Cheliferoides*, but belongs to the *Bellota* group.

USA: AZ, FL, TX

***Cheliferoides segmentatus* F. O. Pickard-Cambridge, 1901a**

*Cheliferoides segmentatus* Platnick, 1984a

USA: AZ, TX?; MEX: NLE, OAX, TAM, VER

**Genus *Chinattus* Logunov, 1999a*****Chinattus parvulus* (Banks, 1895e)**

*Saitis parvulus* Banks, 1895e

*Habrocestum parvulum* Peckham & Peckham, 1909

*Habrocestum parvulum* Richman, 1981

*Chinattus parvulus* Edwards, 2003a

*Chinattus parvulus* Paquin et al., 2010

CAN: ON, QC; USA: AL, AR, DC, FL, GA, IL, NY, NC, OH, TN, VA

**Genus *Cobanus* F. O. Pickard-Cambridge, 1900*****Cobanus perditus* (Banks, 1898b)**

*Helorus perditus* Banks, 1898b

*Cobanus perditus* F. O. Pickard-Cambridge, 1900

MEX: NAY



Genus ***Corythalia*** C. L. Koch, 1850***Corythalia binotata*** (F. O. Pickard-Cambridge, 1901a)*Sidusa binotata* F. O. Pickard-Cambridge, 1901a*Corythalia binotata* Simon, 1903a

MEX: VER

***Corythalia conspecta*** (Peckham & Peckham, 1896)*Escambia conspecta* Peckham & Peckham, 1896*Sidusa conspecta* F. O. Pickard-Cambridge, 1901a*Corythalia conspecta* Kraus, 1955b

USA: AZ?; MEX: TAB, VER

***Corythalia cristata*** (F. O. Pickard-Cambridge, 1901a)*Sidusa cristata* F. O. Pickard-Cambridge, 1901a*Corythalia cristata* Simon, 1903a

MEX: TAB

***Corythalia excavata*** (F. O. Pickard-Cambridge, 1901a)*Sidusa excavata* F. O. Pickard-Cambridge, 1901a*Corythalia excavata* Simon, 1903a

"MEXICO"

***Corythalia opima*** (Peckham & Peckham, 1885b)*Jotus opimus* Peckham & Peckham, 1885b*Dynamius opimus* Simon, 1888b*Sidusa fulvoguttata* F. O. Pickard-Cambridge, 1901a*Sidusa opima* F. O. Pickard-Cambridge, 1901a*Corythalia opima* Simon, 1901a

USA: AZ?; MEX: NAY

Genus ***Cotinusa*** Simon, 1900b***Cotinusa distincta*** (Peckham & Peckham, 1888)*Sadala distincta* Peckham & Peckham, 1888*Cotinusa distincta* Simon, 1901a*Cotinusa distincta* Maddison, 1987

MEX: CHP

Genus ***Cylistella*** Simon, 1901a***Cylistella adjacens*** (O. Pickard-Cambridge, 1896a)*Coccorchestes adjacens* O. Pickard-Cambridge, 1896a*Cylistella adjacens* Petrunkevitch, 1911

MEX: TAB

***Cylistella scarabaeoides*** (O. Pickard-Cambridge, 1894a)*Coccochestes scarabaeoides* O. Pickard-Cambridge, 1894a*Cylistella scarabaeoides* Petrunkevitch, 1911*Cylistella scarabaeoides* Chickering, 1946


MEX: TAB

Genus ***Cyllodania*** Simon, 1902d***Cyllodania* sp.**

USA: AZ

Genus ***Dendryphantes*** C. L. Koch, 1837b***Dendryphantes nigromaculatus*** (Keyserling, 1885)*Icius nigromaculata* Keyserling, 1885*Dendryphantes jeffersoni* Emerton, 1909*Eris nigromaculata* Kaston, 1973*Dendryphantes nigromaculatus* Prószyński, 1976*Dendryphantes nigromaculatus* Paquin et al., 2010

CAN: BC, NL, NT, QC, YT; USA: CO, ID, ME, NH, NM, UT

***Dendryphantes pugnax*** (C. L. Koch, 1846)

This species belongs in a different genus.

*Hyllus pugnax* C. L. Koch, 1846*Attus pugnax* Walckenaer, 1847a*Dendryphantes pugnax* Petrunkevitch, 1911

"MEXICO"

***Dendryphantes strenuous*** (C. L. Koch, 1846)


This species belongs in a different genus.

*Hyllus strenuous* C. L. Koch, 1846*Attus strenuous* Walckenaer, 1847a*Dendryphantes strenuous* Petrunkevitch, 1911

"MEXICO"

Genus ***Eris*** C. L. Koch, 1846***Eris bulbosa*** (Karsch, 1880c)*Philaeus bulbosus* Karsch, 1880c*Paraphidippus bulbosus* Hoffmann, 1976

"MEXICO"

***Eris flava*** (Peckham & Peckham, 1888)*Dendryphantes flavus* Peckham & Peckham, 1888, 1909*Dendryphantes armatus* Banks, 1909b*Metaphidippus flatus* Prószyński, 1971e*Eris flava* Kaston, 1973 (in part)

*Dendryphantes flavus* Prószyński, 1976

*Eris flavus* Maddison, 1986

*Eris flava* Paquin et al., 2010

CAN: ON; USA: AR, FL, GA, IL, LA, MA, MD, MI, NC, NE, NY, SC, TX, VA, WI, VA



#### *Eris floridana* (Banks, 1904c)

*Dendryphantes floridanus* Peckham & Peckham, 1888, 1909

*Metaphidippus floridanus* Prószyński, 1971e

*Eris floridana* Maddison 1986, 1996

USA: NY, NJ, OH, AR, VA, NC, AL, FL, TX

#### *Eris militaris* (Hentz, 1845)

*Attus militaris* Hentz, 1845

*Plexippus albovittatus* C. L. Koch, 1846

*Eris aurigera* C. L. Koch, 1846

*Euophrys humilis* C. L. Koch, 1846

*Icius albovittatus* Keyserling, 1885

*Philaeus militaris* Peckham & Peckham, 1888

*Dendryphantes militaris* Emerton, 1891

*Icius moestus* Banks, 1892a

*Dendryphantes marginatus* Simon, 1901a

*Dendryphantes louisianus* Chamberlin, 1924a

*Phidippus molinor* Chamberlin, 1925c

*Metaphidippus marginatus* Muma, 1943

*Paraphidippus marginatus* Chickering, 1944

*Paraphidippus marginata* Kaston, 1948

*Eris marginata* Kaston, 1973

*Eris militaris* Maddison, 1986

*Eris militaris* Paquin et al., 2010

CAN: AB, BC, MB, NB, NS, NT, ON, QC, SK, YT; USA: AK, AR,

CA, CO, CT, FL, GA, IA, ID, IL, KS, LA, MA, MI, ME, MN, MO, MS,

MT, NC, ND, NE, NH, NJ, NM, NY, OH, OK, OR, PA, SC, SD, TN,

TX, UT, WI, WV, WY



#### *Eris rufa* (C. L. Koch, 1846)

*Plexippus rufus* C. L. Koch, 1846

*Paraphidippus pineus* Kaston, 1945a, 1948

*Eris pinea* Kaston, 1973

*Eris rufa* Edwards, 2004

*Eris rufa* Paquin et al., 2010

CAN: ON; USA: AZ, CT, MA



#### *Eris tricolor* (C. L. Koch, 1846)

This may be the same species as *Paraphidippus tricolor*.

*Plexippus tricolor* C. L. Koch, 1846

*Paraphidippus tricolor* F. O. Pickard-Cambridge, 1901a

*Dendryphantes tricolor* Petrunkevitch, 1911

*Eris tricolor* Prószyński, 1971e

"MEXICO"



***Eris trimaculata* (Banks, 1898b)***Philaeus trimaculatus* Banks, 1898b*Paraphidippus trimaculatus* F. O. Pickard-Cambridge, 1901a*Dendryphantes trimaculatus* Petrunkevitch, 1911*Eris trimaculata* Prószyński, 1971e

MEX: NAY

Genus ***Euophrys*** C. L. Koch, 1834***Euophrys banksi* Roewer, 1951**


This species is placed in the wrong genus.

*Euophrys obscura* Banks, 1898b*Euophrys banksi* Roewer, 1951 (replacement)


MEXICO

***Euophrys monadnock* Emerton, 1891***Euophrys monadnock* Peckham & Peckham, 1909*Euophrys nearctica* Kaston, 1938c*Euophrys monadnock* Prószyński, 1976*Euophrys monadnock* Paquin & Dupérré, 2003*Euophrys monadnock* Paquin *et al.*, 2010

CAN: AB, BC, MB, NB, NS, ON, SK, QC; USA: CA, ME, MI, MN, NH, WI

Genus ***Evarcha*** Simon, 1902a***Evarcha hoyi* (Peckham & Peckham, 1883)***Attus hoyi* Peckham & Peckham, 1883*Hasarius hoyi* Peckham & Peckham, 1888*Pellenes hoyi* Peckham & Peckham, 1909*Evarcha falcata hoyi* Proszynski, 1976*Evarcha falcata* Richman & Cutler, 1978(apparently not *Araneus falcatus* Clerck 1758)*Evarcha hoyi* Edwards, 1980*Evarcha hoyi* Marusik & Logunov, 1998*Evarcha hoyi* Paquin & Dupérré, 2003*Evarcha hoyi* Paquin *et al.*, 2010


CAN: NB, NL, NS, ON, QC; USA: CT, IA, ME, MI, MN, MT, ND, NH, NJ, NY, OH, PA, VA, VT, WI, WV

***Evarcha proszynskii* Marusik & Logunov, 1998**

There is a series of published misidentifications for this now recognized separate species.

*Evarcha proszynskii* Paquin *et al.*, 2010

CAN: AB, BC, MB, NL, NT, ON, SK, YT; USA: AK, AZ, CA, CO, ID, MT, ND, NM, SD, UT, WA, WY

Genus ***Freya*** C. L. Koch, 1850***Freya maculatipes* (F. O. Pickard-Cambridge, 1901a)***Cyrene maculatipes* F. O. Pickard-Cambridge, 1901a

*Freya maculatipes* Simon, 1903a

*Freya maculatipes* Galiano, 2001

MEX: TAB



***Freya prominens*** (F. O. Pickard-Cambridge, 1901a)

*Cyrene prominens* F. O. Pickard-Cambridge, 1901a

*Freya prominens* Simon, 1903a

MEX: TAB

***Freya regia*** (Peckham & Peckham, 1896)

*Heraclea regia* Peckham & Peckham, 1896

*Cyrene regia* F. O. Pickard-Cambridge, 1901a

*Freya regia* Simon, 1903a

MEX: TAB



***Freya perelegans*** Simon, 1902

*Freya perelegans* Galiano, 1963a

*Freya perelegans* Ruiz & Brescovit, 2007a

USA: FL, TX



### Genus ***Frigga*** C. L. Koch, 1850

***Frigga pratensis*** (Peckham & Peckham, 1885b)

*Hyllus pratensis* Peckham & Peckham, 1885b

*Cytaea concinna* Peckham & Peckham, 1885b

*Cyrene pratensis* F. O. Pickard-Cambridge, 1901a

*Phiale pratensis* Simon, 1903a

*Cyrene dolosa* Banks, 1909a

*Phiale dolosa* Petrunkevitch, 1911

*Phiale olomegae* Kraus, 1955b

*Frigga pratensis* Galiano, 1979b


MEX: SLP



### Genus ***Fuentes*** Peckham & Peckham, 1894

***Fuentes yucatan*** Ruiz & Brescovit, 2007b

MEX: YUC



### Genus ***Ghelna*** Maddison, 1996

***Ghelna barrowsi*** (Kaston, 1973)

*Metaphidippus barrowsi* Kaston, 1973

*Ghelna barrowsi* Maddison, 1996

USA: AR, GA, KS, MD, TX, WV



***Ghelna canadensis*** (Banks, 1897)

*Icius canadensis* Banks, 1897

*Dendryphantes canadensis* Peckham & Peckham, 1909

*Dendryphantes castaneus* (not *Attus castaneus* Hentz, 1846)

Emerton, 1911

*Metaphidippus canadensis* Kaston, 1973



*Ghelna canadensis* Maddison, 1996  
*Ghelna canadensis* Paquin & Dupérré, 2003  
*Ghelna canadensis* Paquin *et al.*, 2003  
 CAN: NL, ON, QC; USA: IA, IL, KS, MA, MN, NC, PA, TN, WI



*Ghelna castanea* (Hentz, 1846)  
*Attus castaneus* Hentz, 1846  
*Dendryphantes castaneus* Peckham & Peckham, 1909  
*Metaphidippus castaneus* Kaston, 1973  
*Ghelna castanea* Maddison, 1996  
 USA: FL, MD, MS, NC, VA



*Ghelna sexmaculata* (Banks, 1895e)  
*Icius sexmaculatus* Banks, 1895e  
*Icius sexmaculatus* Peckham & Peckham, 1909  
*Metaphidippus sexmaculatus* Kaston, 1973  
*Ghelna sexmaculatus* Maddison, 1996.  
 USA: DC, FL, MD, TN, TX



### Genus *Habronattus* F. O. Pickard-Cambridge, 1901a


*Habronattus abditus* Griswold, 1987a  
 MEX: NAY




*Habronattus agilis* (Banks, 1893a)  
*Habrocestum auratum* Peckham & Peckham, 1888  
 (misidentification, not *Attus auratum* Hentz, 1846)  
*Habrocestum agilis* Banks, 1893a  
*Pellenes auratus* Peckham & Peckham, 1901c  
*Pellenes agilis* Peckham & Peckham, 1909  
*Habronattus agilis* Chamberlin & Ivie, 1944  
*Habronattus agilis* Kaston, 1948  
*Habronattus agilis* Griswold, 1987a  
 USA: CT, MA, ME, NJ, NY, NC, VA



*Habronattus alachua* Griswold, 1987a  
 USA: FL



*Habronattus altanus* (Gertsch, 1934d)  
*Pellenes altanus* Gertsch, 1934d  
*Habronattus altanus* Levi, 1951  
*Habronattus altanus* Griswold, 1987a  
*Habronattus altanus* Paquin *et al.*, 2010  
 CAN: AB, MB, ON, SK; USA: AZ, CO, MT, NM, ND, SD, UT, WY;  
 MEX: CHH



*Habronattus americanus* (Keyserling, 1885)  
*Ephippus americanus* Keyserling, 1885  
*Pellenes speciosus* Banks, 1904b  
*Pellenes nigripes* Chamberlin & Ivie, 1941b  
*Habronattus americanus* Levi & Levi, 1951

*Habronattus americanus* Griswold, 1987a

*Habronattus americanus* Paquin et al., 2010

CAN: AB, BC, MB, ON, SK; USA CA, CO, ID, MN, NV, OR, UT, WY

***Habronattus amicus* (Peckham & Peckham, 1909)**

*Pellenes amicus* Peckham & Peckham, 1909


*Pellenes mundus* Peckham & Peckham, 1909

*Pellenes umatillus* Peckham & Peckham, 1909

*Habronattus amicus* Paquin et al., 2010

*Habronattus amicus* Griswold, 1987a

CAN: AB, SK; USA: CA, CO, NM, OR, WA, WY



***Habronattus ammophilus* (Chamberlin, 1924b)**

*Pellenes ammophilus* Chamberlin, 1924b

*Pellenes polius* Chamberlin, 1924b

*Habronattus ammophilus* Griswold, 1987a

MEX: BCN, BCS



***Habronattus anepsius* (Chamberlin, 1924b)**

*Pellenes anepsius* Chamberlin, 1924b

*Habronattus anepsius* Griswold, 1987a

MEX: BCS, SON

***Habronattus aztecarius* (Banks, 1898b)**

*Habrocestum aztecum* Banks, 1898b

*Pellenes aztecarius* Peckham & Peckham, 1901c

*Habronattus aztecarius* Griswold, 1987a

MEX: NAY, SIN



***Habronattus ballatoris* Griswold, 1987a**

USA: CA

***Habronattus banksi* (Peckham & Peckham, 1901b)**

*Pellenes banksi* Peckham & Peckham, 1901b

*Habronattus perfidus* F. O. Pickard-Cambridge, 1901a

*Pellenes cambridgei* Kraus, 1955b

*Habronattus banksi* Griswold, 1987a

MEX: CHP, TAB, VER, YUC

***Habronattus borealis* (Banks, 1895e)**

*Habrocestum borealis* Banks, 1895e

*Pellenes borealis* Peckham & Peckham, 1901c, 1909

*Habronattus borealis* Chickering, 1944

*Habronattus borealis* Griswold, 1987a

*Habronattus borealis* Paquin & Dupérré, 2003

*Habronattus borealis* Paquin et al., 2010

CAN: MB, NB, NS, ON, QC; USA: AR, IL, IN, KS, ME, MA, MI, NE, NH, NJ, NY, PA, WI



***Habronattus brunneus* (Peckham & Peckham, 1901c)**

*Pellenes brunneus* Peckham & Peckham, 1901c, 1909

*Habronattus brunneus insignis* Bryant, 1942a

*Habronattus brunneus* Prószyński, 1976

*Habronattus brunneus* Griswold, 1987a

USA: FL, GA




***Habronattus bulbipes*** (Chamberlin & Ivie, 1941b)

*Pellenes bulbipes* Chamberlin & Ivie, 1941b

*Habronattus bulbipes* Griswold, 1987a

USA: CA



***Habronattus calcaratus*** (Banks, 1904a)

*Habrocestum peregrinus* Peckham & Peckham, 1888

(in part, not *peregrinus* Peckham & Peckham, 1883)

*Pellenes calcaratum* Banks, 1904a

*Pellenes calcaratus* Peckham & Peckham, 1909

*Habronattus peregrinus* Chickering, 1944 (in part)

*Habronattus calcaratus* Chamberlin & Ivie, 1944

*Habronattus calcaratus* Kaston, 1945a, 1948

*Habronattus calcaratus* Griswold, 1987a (including *H. c.*

*agricola* Griswold and *H. c. maddisoni* Griswold)

*Habronattus calcaratus* Paquin et al., 2010

CAN: ON, QC; USA: CT, FL, IL, KS, ME, MA, MN, NE, NY, OK, SD,

TN, TX




***Habronattus californicus*** (Banks, 1904a)

*Pellenes californicum* Banks, 1904a

*Pellenes californicus* Peckham & Peckham, 1909

*Habronattus californicus* Griswold, 1987a


USA: CA



***Habronattus cambridgei*** Bryant, 1948a

*Habronattus cambridgei* Griswold, 1987a

MEX: CHP, GRO, JAL, MIC, MOR, NAY, OAX, PUB, SLP, TAB,  
VER



***Habronattus captiosus*** (Gertsch, 1934d)

*Pellenes captiosus* Gertsch, 1934d

*Habronattus captiosus* Griswold, 1987a

*Habronattus captiosus* Paquin et al., 2010

CAN: AB, BC, MB, ON, YT; USA: MI, MN, WI



***Habronattus carolinensis*** (Peckham & Peckham, 1901c)

*Pellenes carolinensis* Peckham & Peckham, 1901c, 1909

*Habronattus tachypodus* Chamberlin & Ivie, 1944

*Habronattus carolinensis* Griswold, 1987a

USA: FL, GA, SC



***Habronattus carpus*** Griswold, 1987a

MEX: NAY, SIN



***Habronattus ciboneyanus* Griswold, 1987a**

MEX?

Originally described from Cuba.

***Habronattus clypeatus* (Banks, 1895e)***Habrocestum clypeatum* Banks, 1895e*Pellenes clypeatus* Peckham & Peckham, 1901c, 1909*Habronattus clypeatus* Prószyński, 1976*Habronattus clypeatus* Griswold, 1987a

USA: AZ, CO, NM, UT, WY; MEX: SLP, TAM

***Habronattus cockerelli* (Banks, 1901b)***Pellenes cockerelli* Banks, 1901b*Habronattus cockerelli* Prószyński, 1976*Habronattus cockerelli* Griswold, 1987a

USA: CO, NM


***Habronattus coecatus* (Hentz, 1846)***Attus coronatus* Hentz, 1846 (preoccupied, Walckenaer,1805 = *Evarcha flammata* Clerck)*Attus coecatus* Hentz, 1846*Attus cristatus* Hentz, 1846*Habrocestum coronatum* Peckham & Peckham, 1888*Habrocestum coecatum* Peckham & Peckham, 1888*Habrocestum cristatum* Peckham & Peckham, 1888*Pellenes coecatus* Peckham & Peckham, 1901c*Pellenes cristatus* Peckham & Peckham, 1901c*Pellenes coronatus* Peckham & Peckham, 1909*Habronattus coronatus* Chamberlin & Ivie, 1944*Habronattus coronatus* Kaston, 1945a, 1948*Habronattus coecatus* Richman & Cutler, 1978*Habronattus coecatus* Oehler, 1980*Habronattus coecatus* Griswold, 1987a

USA: AL, AR, FL, GA, IL, KS, KY, LA, MA, MS, MO, NJ, NY, NC,


OK, PA, SC, TN, TX, VA, DC; MEX: SLP, TAM

***Habronattus cognatus* (Peckham & Peckham, 1901c)***Pellenes cognatus* Peckham & Peckham, 1901c*Habronattus agilis* (not *agilis* Banks, 1893) Chickering, 1944*Habronattus cognatus* Griswold, 1987a*Habronattus cognatus* Paquin et al., 2010

CAN: AB, MB, ON, SK; USA: CO, IL, IN, KS, MI, MN, NM, NY, OK, TX, WY; MEX: COA, VER

***Habronattus conjunctus* (Banks, 1898b)***Habrocestum conjunctus* Banks, 1898b*Pellenes birgei* Peckham & Peckham, 1901c*Pellenes conjunctus* Peckham & Peckham, 1901c*Pellenes arizonensis* Banks, 1904aPellenes elegans Peckham & Peckham, 1909 (as synonym of *birgei* Peckham & Peckham, 1901c)

*Habronattus elegans* Richman, 1965 (not *elegans* Peckham & Peckham, 1901c)  
*Pellenes politus* Peckham & Peckham, 1901c, 1909  
*Habronattus conjunctus* Griswold, 1987a  
 USA: AZ, CA, NV, NM, UT; MEX: BCN, BCS, CHH, SON



***Habronattus contingens*** (Chamberlin, 1925c)  
*Pellenes contingens* Chamberlin, 1925c  
*Habronattus contingens* Griswold, 1987a  
 MEX: AGU, JAL, MIC, NAY, SIN

***Habronattus cuspidatus*** Griswold, 1987a  
*Habronattus cuspidatus* Paquin et al., 2010  
 CAN: AB, SK; USA: CO, IA, KS, MT, NE, ND, SD, WY

***Habronattus decorus*** (Blackwall, 1846a)  
*Salticus decorus* Blackwall, 1846a  
*Attus roseus* Hentz, 1846  
*Attus splendens* Peckham & Peckham, 1883  
*Pellenes nigriceps* Keyserling, 1885  
*Habrocestum splendens* Peckham & Peckham, 1888  
*Pellenes splendens* Peckham & Peckham, 1901c  
*Pellenes roseus* Emerton, 1909  
*Pellenes roseus* Peckham & Peckham, 1909  
*Pellenes decorus* Banks, 1910  
*Habronattus decorus* Chickering, 1944  
*Habronattus decorus* Kaston, 1945a, 1948  
*Habronattus decorus* Griswold, 1987a  
*Habronattus decorus* Paquin & Dupérré, 2003  
*Habronattus decorus* Paquin et al., 2010  
 CAN: AB, BC, MB, NB, NS, ON, QC, SK; USA: CT, FL, IA, KS, KY, MA, ME, MI, MN, NH, NJ, NY, OR, PA, SC, VT, WI




***Habronattus delectus*** (Peckham & Peckham, 1909)  
*Pellenes delectus* Peckham & Peckham, 1909  
*Habronattus delectus* Griswold, 1987a  
 USA: TX

***Habronattus divaricatus*** (Banks, 1898b)  
*Habrocestum divaricatum* Banks, 1898b  
*Pellenes divaricatus* Peckham & Peckham, 1901c  
*Habronattus divaricatus* Griswold, 1987a  
 MEX: BCN, BCS




***Habronattus dorothaeae*** (Gertsch & Mulaik, 1936a)  
*Pellenes dorothaeae* Gertsch & Mulaik, 1936a  
*Habronattus dorothaeae* Griswold, 1987a  
 USA: TX; MEX: TAM

***Habronattus dossenus*** Griswold, 1987a  
 USA: AZ, NM; MEX: CHH, SON



***Habronattus elegans* (Peckham & Peckham, 1901c)***Pellenes elegans* Peckham & Peckham, 1901c*Habronattus elegans* Griswold, 1987a


USA: CA; MEX: BCN

***Habronattus fallax* (Peckham & Peckham, 1909)***Habrocestum viridipes* F. O. Pickard-Cambridge, 1901a(misidentification, not *Attus viridipes* Hentz, 1846)*Pellenes fallax* Peckham & Peckham, 1909*Habronattus fallax* Griswold, 1987a



USA: TX; MEX: CHH, GRO, HID, JAL, MIC, MOR, NLE, PUE, SLP, SIN, TAM, VER

***Habronattus festus* (Peckham & Peckham, 1901c)***Pellenes festus* Peckham & Peckham, 1901c*Pellenes griseus* Peckham & Peckham, 1901c, 1909*Pellenes brunneus* (not *P. brunneus* Peckham & Peckham, 1901c) Peckham & Peckham, 1909*Habronattus festus* Griswold, 1987a


USA: AZ, CA, CO, ID, NV, NM, UT, WY

***Habronattus formosus* (Banks, 1906a)***Pellenes formosus* Banks, 1906a*Pellenes clypeatus* Peckham & Peckham, 1909(incorrect synonymy, not *clypeatum* Banks, 1895e)*Habronattus formosus* Griswold, 1987a

USA: AZ, CA

***Habronattus forticulus* (Gertsch & Mulaik, 1936a)***Pellenes forticulus* Gertsch & Mulaik, 1936a*Habronattus forticulus* Griswold, 1987a

USA: TX; MEX: CHH, NLE

***Habronattus georgiensis* (Chamberlin & Ivie, 1944)***Habronattus elegans georgiensis* Chamberlin & Ivie, 1944*Pellenes elegans georgiensis* Roewer, 1954*Habronattus georgiensis* Griswold, 1987a

USA: AL, FL, GA

***Habronattus geronimo* Griswold, 1987a**


USA: AZ, NM; MEX: BCS, CHH, NAY, SON

***Habronattus gigas* Griswold, 1987a**

MEX: GUADALUPE IS—BCN

***Habronattus hallani* (Richman, 1973)***Pellenes hallani* Richman, 1973*Habronattus hallani* Griswold, 1987a

USA: AZ, CA, TX; MEX: BCN, SON




***Habronattus hirsutus* (Peckham & Peckham, 1888)**

*Habrocestum hirsutum* Peckham & Peckham, 1888  
*Pellenes hirsutus* Peckham & Peckham, 1901c, 1909  
*Pellenes dolosus* Peckham & Peckham, 1901c, 1909  
*Pellenes mimula* Chamberlin & Gertsch, 1929  
*Pellenes mimulus* Roewer, 1954  
*Habronattus hirsutus* Prószyński, 1976  
*Habronattus hirsutus* Griswold, 1987a  
*Habronattus hirsutus* Paquin *et al.*, 2010  
CAN: BC; USA: AZ, CA, CO, ID, KS, MT, NV, NM, OK, OR, TX, UT,  
WA, WY; MEX: BCN, BCS, SON

***Habronattus huastecanus* Griswold, 1987a**

MEX: TAM

***Habronattus icenoglei* (Griswold, 1979)**


*Pellenes icenoglei* Griswold, 1979  
*Habronattus icenoglei* Griswold, 1987a  
USA: AZ, CA, NM; MEX: ZAC

***Habronattus iviei* Griswold, 1987a**


MEX: OAX

***Habronattus jucundus* (Peckham & Peckham, 1909)**

*Pellenes jucundus* Peckham & Peckham, 1909  
*Pellenes philipi* Gertsch & Jellison, 1939  
*Habronattus philipi* Levi & Levi, 1951  
*Habronattus jucundus* Griswold, 1987a  
*Habronattus jucundus* Paquin *et al.*, 2010  
CAN: BC; USA: CA, MT, OR, WY

***Habronattus kawini* (Griswold, 1979)**

*Pellenes kawini* Griswold, 1979  
*Habronattus kawini* Griswold, 1987a  
USA: CA; MEX: BCN

***Habronattus klauserii* (Peckham & Peckham, 1901c)**

*Pellenes klauserii* Peckham & Peckham, 1901c  
*Pellenes klauserii* Banks, 1904a  
*Pellenes brunneus* (not *P. brunneus* Peckham & Peckham, 1901) Peckham & Peckham, 1909  
*Habronattus klauserii* Griswold, 1987a  
USA: AZ, CA, CO, NM, OK, TX; MEX: CHH, SON

***Habronattus leuceres* (Chamberlin, 1925c)**

*Pellenes leuceres* Chamberlin, 1925c  
*Habronattus leuceres* Griswold, 1987a  
USA: AL

***Habronattus mataxus* Griswold, 1987a**

USA: TX; MEX: TAM, VER

***Habronattus mexicanus* (Peckham & Peckham, 1896)**

*Habrocestum mexicanum* Peckham & Peckham, 1896  
*Habrocestum belligerum* Peckham & Peckham, 1896  
*Habrocestum latens* Peckham & Peckham, 1896  
*Pellenes mexicanus* Peckham & Peckham, 1901c  
*Pellenes latens* Peckham & Peckham, 1901c  
*Habronattus latens* F. O. Pickard-Cambridge, 1901a  
*Pellenes belligerus* Peckham & Peckham, 1901c  
*Habronattus belligerus* F. O. Pickard-Cambridge, 1901a  
*Pellenes hondurasus* Roewer, 1951  
*Habronattus mexicanus* Prószyński, 1976  
*Habronattus mexicanus* Griswold, 1987a  
 USA: TX; MEX: CHP, DIF, GRO, HID, JAL, MEX, NLE, OAX, PUE,  
 QUE, SLP, SLP, VER, YUC

***Habronattus moratus* (Gertsch & Mulaik, 1936a)**

*Pellenes moratus* Gertsch & Mulaik, 1936a  
*Habronattus moratus* Griswold, 1987a  
 USA: TX; MEX: NLE

***Habronattus mustaciata* (Chamberlin & Ivie, 1941b)**

*Pellenes mustaciata* Chamberlin & Ivie, 1941b  
*Habronattus mustaciatus* Griswold, 1987a  
 USA: CA

***Habronattus nahuatlantis* Griswold, 1987a**

MEX: DIF, PUE

***Habronattus nemoralis* (Peckham & Peckham, 1901c)**

*Pellenes nemoralis* Peckham & Peckham, 1901c, 1909  
*Habronattus nemoralis* Griswold, 1987a  
 USA: AZ

***Habronattus neomexicanus* (Chamberlin, 1925c)**

*Pellenes neomexicanus* Chamberlin, 1925c  
*Habronattus neomexicanus* Griswold, 1987a  
 USA: NM

***Habronattus notialis* Griswold, 1987a**

USA: FL, MS, NC, SC

***Habronattus ocala* Griswold, 1987a**

USA: FL

***Habronattus ophrys* Griswold, 1987a**

*Habronattus ophrys* Paquin et al., 2010  
 CAN: BC; USA: CA, OR

***Habronattus orbus*** Griswold, 1987a

USA: AR, KS, MO, OH, SC, TX, VA

***Habronattus oregonensis*** (Peckham & Peckham, 1888)*Habrocestum oregonense* Peckham & Peckham, 1888*Habrocestum oregonensis* Simon, 1903a*Pellenes oregonensis* Peckham & Peckham, 1901c, 1909*Habronattus oregonensis* Griswold, 1987a*Habronattus oregonensis* Paquin et al., 2010

CAN: AB, BC; USA: AZ, CA, MT, NV, OR, UT, WA

***Habronattus peckhami*** (Banks, 1921)*Pellenes peckhami* Banks, 1921*Pellenes eleganoides* Chamberlin & Ivie, 1941b*Pellenes eleganoides suranus* Chamberlin & Ivie, 1941b*Habronattus peckhami* Griswold, 1987a

USA: CA

***Habronattus pochtecanus*** Griswold, 1987a

MEX: JAL

***Habronattus pugillis*** Griswold, 1987a


USA: AZ; MEX: NAY, SON

***Habronattus pyrrithrix*** (Chamberlin, 1924b)*Pellenes pyrrithrix* Chamberlin, 1924b*Pellenes coecatus* Richman, 1965, Richman & Roth, 1976 (not *coecatus* Hentz, 1846)*Habronattus pyrrithrix* Griswold, 1987a

USA: AZ, CA; MEX: BCA, SIN, SON

***Habronattus renidens*** Griswold, 1987a

MEX: OAX

***Habronattus sabulosus*** (Peckham & Peckham, 1901c)*Pellenes sabulosus* Peckham & Peckham, 1901c*Habronattus sabulosus* Griswold, 1987a

USA: GA

***Habronattus sansoni*** (Emerton, 1915b)*Pellenes sansoni* Emerton, 1915b*Pellenes kubai* Griswold, 1979*Habronattus sansoni* Griswold, 1987a*Habronattus sansoni* Paquin et al., 2010

CAN: AB, BC; USA: CA, CO, OR, UT, WA, WY

***Habronattus schlingeri*** (Griswold, 1979)*Pellenes schlingeri* Griswold, 1979*Habronattus schlingeri* Griswold, 1987a

USA: CA; MEX: BCN

***Habronattus signatus* (Banks, 1900a)***Habrocestum signatum* Banks, 1900a*Pellenes signatus* Peckham & Peckham, 1901c, 1909*Pellenes angelus* Chamberlin, 1924b*Habronattus signatus* Griswold, 1987a

USA: AZ, CA, UT; MEX: BCN, SON

***Habronattus sugillatus* Griswold, 1987a**

USA: AZ, TX; MEX: DUR

***Habronattus superciliosus* (Peckham & Peckham, 1901c)***Pellenes superciliosus* Peckham & Peckham, 1901c, 1909*Habronattus superciliosus* Griswold, 1987a

USA: AZ

***Habronattus tarascanus* Griswold, 1987a**


MEX: MIC

***Habronattus tarsalis* (Banks, 1904a)***Pellenes tarsalis* Banks, 1904a*Pellenes hutchinsoni* Peckham & Peckham, 1909*Pellenes tarsalis* Peckham & Peckham, 1909*Habronattus tarsalis* Griswold, 1987a*Habronattus tarsalis* Prószyński, 2002

USA: AZ, CA, NV, OR, UT

***Habronattus texanus* (Chamberlin, 1924a)***Pellenes texanus* Chamberlin, 1924a*Pellenes rutherfordi* Gertsch & Mulaik, 1936a*Habronattus rutherfordi* Kaston, 1948*Habronattus texanus* Griswold, 1987a*Habronattus texanus* Paquin et al., 2010

CAN: MB, ON, SK; USA: AR, CT, GA, KS, MI, MN, ND, OK, TN, TX; MEX: TAM

***Habronattus tlaxcalanus* Griswold, 1987a**

MEX: PUE

***Habronattus tranquillus* (Peckham & Peckham, 1901c)***Pellenes tranquillus* Peckham & Peckham, 1901c*Pellenes scotsdalei* Peckham & Peckham, 1909*Habronattus tranquillus* Griswold, 1987a

USA: AZ, CA, NM, TX; MEX: BCN, SON



***Habronattus trimaculatus*** Bryant, 1945b  
*Habronattus trimaculatus* Griswold, 1987a  
 USA: FL




***Habronattus tuberculatus*** (Gertsch & Mulaik, 1936a)  
*Pellenes tuberculatus* Gertsch & Mulaik, 1936a  
*Habronattus tuberculatus* Griswold, 1987a  
 USA: AZ, CO, NM, TX



***Habronattus ustulatus*** (Griswold, 1979)  
*Pellenes ustulatus* Griswold, 1979  
*Habronattus ustulatus* Griswold, 1987a  
 USA: AZ, CA, NV, NM; MEX: BCN, CHH



***Habronattus velivolus*** Griswold, 1987a  
 MEX: JAL, NAY



***Habronattus venatoris*** Griswold, 1987a  
 USA: CO, NM, SD, WY



***Habronattus viridipes*** (Hentz, 1846)  
*Attus viridipes* Hentz, 1846  
*Attus peregrinus* Peckham & Peckham, 1883  
*Habrocestum peregrinum* Peckham & Peckham, 1888  
*Habrocestum viridipes* Peckham & Peckham, 1888  
*Pellenes peregrinus* Peckham & Peckham, 1901c, 1909  
*Pellenes howardi* Peckham & Peckham, 1901c  
*Pellenes viridipes* Peckham & Peckham, 1909  
*Habronattus peregrinus* Chickering, 1944  
*Habronattus viridipes* Kaston, 1945a, 1948  
*Habronattus viridipes* Prószyński, 1976  
*Habronattus viridipes* Griswold, 1987a  
*Habronattus viridipes* Paquin & Dupérré, 2003  
*Habronattus viridipes* Paquin *et al.*, 2003  
 CAN: NS, ON, QC; USA: CT, FL, IL, KS, ME, MI, MN, NJ, NY, PA,  
 SC, TX, WI, VT



***Habronattus waughi*** (Emerton, 1926)  
*Pellenes waughi* Emerton, 1926  
*Habronattus waughi* Griswold, 1987a  
*Habronattus waughi* Paquin & Dupérré, 2003  
*Habronattus waughi* Paquin *et al.*, 2010  
 CAN: NB, NS, QC

***Habronattus zapotecanus*** Griswold, 1987a  
 MEX: GRO, OAX

***Habronattus zebranus*** F. O. Pickard-Cambridge, 1901a*Habronattus zebranus* Griswold, 1987a

MEX: GRO, MOR, NAY

Genus ***Hakka*** Berry & Prószyński 2001***Hakka himeshimensis*** (Dönitz & Strand, in Bösenberg & Strand, 1906)*Menemerus himeshimensis* Dönitz & Strand, in Bösenberg & Strand, 1906*Hakka himeshimensis* Berry & Prószyński, 2001*Hakka himeshimensis* Kaldari, Edwards & Walton, 2011

USA: MA, NJ

Apparently introduced; also found in Hawaii; several Old World synonyms.

Genus ***Hasarius*** Simon, 1871***Hasarius adansonii*** (Audouin, 1825)*Attus adansonii* Audouin, 1825*Hasarius adansonii* Simon, 1871*Hasarius adansonii* Peckham & Peckham, 1886*Sidusa borealis* Banks, 1904a*Sidusa borealis* Peckham & Peckham, 1909*Nebridia borealis* Kaston, 1945a*Hasarius adansonii* Prószyński & Deeleman-Reinhold, 2010

Numerous other synonyms and references.

USA: MA, NY, VA, introduced into HI; MEX: JAL

Not established in the United States.

Genus ***Hentzia*** Marx, 1883***Hentzia alamosa*** Richman, 2010

USA: TX

***Hentzia chekika*** Richman, 1989

USA: FL; also found in Bahamas and Cuba

***Hentzia fimbriata*** (F. O. Pickard-Cambridge, 1901a)*Anoka fimbriata* F. O. Pickard-Cambridge, 1901a*Anoka grenada* F. O. Pickard-Cambridge, 1901a(not *Attus grenada* Peckham & Peckham, 1894)*Wala fimbriata* Petrunkevitch, 1911*Hentzia fimbriata* Richman, 1989, 2010

USA: AZ; MEX: CAM, COL, NAY, OAX, SLP, VER, YUC

***Hentzia grenada*** (Peckham & Peckham, 1894)*Anoka grenada* Peckham & Peckham, 1894*Wala grenada* Banks, 1904c*Wala grenada* Peckham & Peckham, 1909

*Hentzia grenada* Richman, 1989

USA: FL, GA

### ***Hentzia mitrata* (Hentz, 1846)**

*Attus mitratus* Hentz, 1846

*Attus morigerus* Hentz, 1846

*Maevia sulphurea* C. L. Koch, 1846

*Maevia pallida* C. L. Koch, 1846

*Icius mitratus* Peckham & Peckham, 1888

*Anoka mitrata* Peckham & Peckham, 1894

*Wala mitrata* Peckham & Peckham, 1909

*Hentzia mitrata* Chickering, 1944

*Hentzia mitrata* Kaston, 1948

*Hentzia mitrata* Richman, 1989

*Hentzia mitrata* Maddison, 1996

*Hentzia mitrata* Paquin & Dupérré, 2003

*Hentzia mitrata* Paquin et al., 2010

CAN: ON, QC; USA: AL, AR, CT, DC, FL, GA, IL, IA, KS, LA, MD,

MA, MD, MI, MN, MS, MO, NJ, NY, NC, OH, PA, SC, TX, VA, WV,

WI



### ***Hentzia palmarum* (Hentz, 1832)**

*Epibelemum palmarum* Hentz, 1832

*Attus marginatus* Walckenaer, 1837

*Attus ambiguus* Walckenaer, 1837

*Icius palmarum* Peckham & Peckham, 1888

*Anoka palmarum* Peckham & Peckham, 1894

*Wala palmarum* Peckham & Peckham, 1909

*Hentzia palmarum* Chickering, 1944

*Hentzia palmarum* Richman, 1989, 2010

*Hentzia palmarum* Maddison, 1996

*Hentzia palmarum* Paquin et al., 2010

CAN: MB, NB, NS, ON, QC; USA: AL, AR, CT, DE, DC, FL, GA,

IL, IN, IA, KS, KY, LA, MD, MA, MI, MN, MS, MO, NE, NJ, NY,

NC, OK, PA, SC, TX, VA, WI; MEX: TAM



### ***Hentzia pima* Richman, 1989**

This may be an aberrant female of *H. fimbriata*.

USA: AZ



### ***Hentzia poenitens* (Chamberlin, 1924b)**

*Wala poenitens* Chamberlin, 1924b

*Hentzia poenitens* Roewer, 1954

*Hentzia poenitens* Richman, 1989

MEX: SON



## Genus ***Hypaeus*** Simon, 1900d

### ***Hypaeus benignus* (Peckham & Peckham, 1885b)**

*Triptolemus benignus* Peckham & Peckham, 1885b

*Amicus benignus* Peckham & Peckham, 1896

- Amycus majorii* Peckham & Peckham, 1896  
*Amycus benignus* F. O. Pickard-Cambridge, 1901a  
*Lyssomonea saphes* Chamberlin & Ivie, 1936a  
*Hypaeus benignus* Galiano, 1968c  
 MEX: TAB

### Genus *Icius* Simon, 1876a

The genus *Icius* probably does not exist in the New World and the few species left from changes made by Edwards (1980) will probably be reassigned as specialists get to them. This includes the following species:

- Icius ildefonsus*** Chamberlin, 1924b

MEX: BCN

### Genus *Lyssomanes* Hentz, 1845

- Lyssomanes burrera*** Jiménez & Tejas, 1993

MEX: BCS

- Lyssomanes deinognathus*** F. O. Pickard-Cambridge, 1900

*Lyssomanes deinognathus* Galiano, 1980a  
 MEX: TAB

- Lyssomanes diversus*** Galiano, 1980a

MEX: NLE

- Lyssomanes elegans*** F. O. Pickard-Cambridge, 1900

*Lyssomanes zeteki* Chickering, 1946  
*Lyssomanes wiedenmeyeri* Schenkel, 1953a  
*Lyssomanes elegans* Galiano, 1980a  
 MEX: TAB

- Lyssomanes jemineus*** Peckham, Peckham & Wheeler, 1889

*Lyssomanes jemineus* F. O. Pickard-Cambridge, 1900  
*Lyssomanes spinifer* F. O. Pickard-Cambridge, 1900  
*Lyssomanes femineus* Simon, 1901a  
*Lyssomanes jemineus* Galiano, 1962b, 1980a.  
 MEX: JAL, SLP, VER

- Lyssomanes malinche*** Galiano, 1980a

MEX: HID

- Lyssomanes mandibulatus*** F. O. Pickard-Cambridge, 1900

*Lyssomanes mandibulatus* Galiano, 1980a  
*Lyssomanes mandibulatus* Logunov & Marusik, 2003b  
 MEX: TAB


- Lyssomanes pescadero*** Jiménez & Tejas, 1993

MEX: BCS



***Lyssomanes placidus*** Peckham, Peckham & Wheeler, 1889

*Lyssomanes placidus* F. O. Pickard-Cambridge, 1900  
"MEXICO"

***Lyssomanes spiralis*** F. O. Pickard-Cambridge, 1900

*Lyssomanes spiralis* Galiano, 1980a  
MEX: CHP

***Lyssomanes temperatus*** Galiano, 1980a

MEX: COL

***Lyssomanes unicolor*** (Taczanowski, 1871)


*Jelskia unicolor* Taczanowski, 1871  
*Lyssomanes beebei* Crane, 1943  
*Lyssomanes banksi* Chickering, 1946  
*Lyssomanes shropshirei* Chickering, 1946  
*Lyssomanes unicolor* Galiano, 1962b, 1980a  
*Lyssomanes unicolor* Logunov, 2002  
MEX: OAX

***Lyssomanes viridis*** (Walckenaer, 1837)

*Attus viridis* Walckenaer, 1837  
*Tetragnatha lutea* Walckenaer, 1841  
*Lyssomanes viridis* Hentz, 1845  
*Lyssomanes viridis* Peckham, Peckham & Wheeler, 1889  
*Lyssomanes viridis* Simon, 1901a  
*Lyssomanes viridis* Galiano, 1962b, 1980a  
*Lyssomanes viridis* Wanless, 1980d  
USA: AL, AR, FL, GA, LA, NC, SC, TX, VA

Genus ***Maevia*** C. L. Koch, 1846***Maevia expansa*** Barnes, 1955


USA: FL, GA

***Maevia hobbsae*** (emendation of *hobbsi*) Barnes, 1955

*Paramaevia hobbsi* Barnes, 1958  
USA: FL, NC

***Maevia inclemens*** (Walckenaer, 1837)

*Attus inclemens* Walckenaer, 1837  
*Attus ictericus* Walckenaer, 1837 (in part)  
*Attus protervus* Walckenaer, 1837  
*Attus aspergatus* Walckenaer, 1837  
*Attus vittatus* Hentz, 1846  
*Attus niger* Hentz, 1846  
*Plexippus undatus* C. L. Koch, 1846  
*Maevia penicillata* C. L. Koch, 1846  
*Astia vittata* Peckham & Peckham, 1888



*Maevia vittata* Emerton, 1891

*Maevia vittata* Peckham & Peckham, 1901a, 1909

*Maevia vittata* Chickering, 1944

*Maevia inclemens* Barnes, 1955

*Maevia inclemens* Paquin & Dupérré, 2003

*Maevia inclemens* Paquin *et al.*, 2010

This represents a little more than half the synonymies and citations listed by Platnick.

CAN: MB, ON, QC; USA: AL, AR, CT, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, MI, MO, MN, NE, NJ, NY, PA, SC, TX, VA, WI, WV



***Maevia intermedia*** Barnes, 1955

USA: AL, FL, GA, SC, TN

***Maevia michelsoni*** Barnes, 1955

*Paramaevia michelsoni* Barnes, 1958

*Maevia michelsoni* Hill, 1979

USA: FL


***Maevia poultoni*** Peckham & Peckham, 1901a

*Plexippus vittatus* Banks, 1906b (not *Attus vittatus* Hentz, 1846)

*Maevia poultoni* Barnes, 1955

*Paramaevia poultoni* Barnes, 1958

USA: AZ, TX, MEX: TAM



### Genus ***Marchena*** Peckham & Peckham, 1909

***Marchena minuta*** (Peckham & Peckham, 1888)

*Cytaea minuta* Peckham & Peckham, 1888

*Marchena sissonii* Peckham & Peckham, 1909

*Sitticus synopticus* Chamberlin, 1925c

*Marchena sissonii* Chamberlin & Ivie, 1941b

*Marchena minuta* Maddison, 1987

USA: CA, ID, MT, NV, OR, WA



### Genus ***Marpissa*** C. L. Koch, 1846

***Marpissa bina*** (Hentz, 1846)

*Attus binus* Hentz, 1846

*Menemerus binus* Emerton, 1891

*Pseudicius binus* Peckham & Peckham, 1894

*Hyctia bina* Peckham & Peckham, 1909

*Hyctia bina* Chickering, 1944

*Hyctia bina* Kaston, 1948

*Marpissa binus* Barnes, 1958

*Marpissa bina* Prószyński, 1976

USA: FL, GA, NC



***Marpissa bryantae*** (Jones, 1945)

*Hyctia bryantae* Jones, 1945

*Marpissa bryantae* Logunov, 1999c


USA: TX



*Marpissa dentoides* Barnes, 1958

*Marpissa dentoides* Logunov, 1999c

USA: FL, GA, MA, NC, NY, TN



*Marpissa formosa* (Banks, 1892a)

*Icius formosus* Banks, 1892a

*Marpissa formosa* Barnes, 1958

*Marpissa formosa* Prószyński, 1976

*Marpissa formosa* Logunov, 1999c

*Marpissa formosa* Paquin & Dupérré, 2003

*Marpissa formosa* Paquin et al., 2010

CAN: ON, QC; USA: AL, IA, IL, IN, KS, LA, ME, MN, MS, NC, NJ, NY, OH, OK, PA, TN, TX



*Marpissa grata* (Gertsch, 1936a)

*Hyctia grata* Gertsch, 1936a

*Marpissa grata* Barnes, 1958

*Marpissa wallacei* Barnes, 1958

*Marpissa grata* Logunov, 1999c

*Marpissa grata* Paquin et al., 2010

CAN: ON; USA: FL, IA, MI, MN



*Marpissa lineata* (C. L. Koch, 1846)

*Maevia lineata* C. L. Koch, 1846

*Attus quadrilineatus* Peckham & Peckham, 1883

*Icius lineatus* Peckham & Peckham, 1889

*Menemerus lineatus* Emerton, 1891

*Fuentes lineatus* Simon, 1903a

*Onondaga lineata* Peckham & Peckham, 1909

*Marpissa lineata* Barnes, 1958

*Marpissa lineata* Logunov, 1999c

*Marpissa lineata* Paquin et al., 2010

CAN: ON; USA: FL, GA, IA, IL, KS, MA, MI, MN, MO, MS, NJ, NM, NY, OH, PA, SD, TN, TX



*Marpissa minor* F. O. P. Cambridge, 1901a


MEX: TAB



*Marpissa obtusa* Barnes, 1958

*Marpissa obtusa* Logunov, 1999c

USA: TX



*Marpissa pikei* (Peckham & Peckham, 1888)

*Hyctia pikei* Peckham & Peckham, 1888, 1894, 1909

*Hyctia pikei* Kaston, 1948

*Marpissa pikei* Barnes, 1958

*Marpissa pikei* Prószyński, 1976

*Marpissa pikei* Logunov, 1999c



*Marpissa pikei* Paquin et al., 2010

CAN: ON; USA: AL, AR, AZ, CT, FL, GA, IA, KS, LA, MI, MN, MS, NC, NJ, NM, NY, OH, SC, TX, VA, WI

***Marpissa robusta*** (Banks, 1906b)

*Hyctia robusta* Banks, 1906b

*Hyctia robusta* Peckham & Peckham, 1909

*Marpissa robusta* Barnes, 1958

*Marpissa robusta* Logunov, 1999c

USA: AZ, CA



***Marpissa sulcosa*** Barnes, 1958

*Marpissa sulcosa* Logunov, 1999c

USA: FL, NC, SC

Genus ***Martella*** Peckham & Peckham, 1892

***Martella lineatipes*** F. O. Pickard-Cambridge, 1900

*Sarinda lineatipes* Simon, 1901a

*Martella lineatipes* Galiano, 1964b

MEX: TAB



Genus ***Menemerus*** Simon, 1868b

***Menemerus bivittatus*** (Dufour, 1831)

*Salticus bivittatus* Dufour, 1831

*Attus cinctus* Walckenaer, 1837

*Attus mannii* Peckham & Peckham, 1883

*Menemerus bivittatus* Peckham & Peckham, 1886

*Menemerus melanognathus* Peckham & Peckham, 1888

*Marpissa melanognatha* F. O. Pickard-Cambridge, 1901a

*Menemerus bivittatus* Simon, 1937


*Menemerus bivittatus* Barnes, 1958

*Menemerus bivittatus* Prószyński, 2003

Many more synonyms and citations, especially from the Eastern Hemisphere. See Platnick, 2011 for a complete list.

USA: CA, FL, LA, MN, NC, TX, WV; MEX: BCS, CAM, GRO, JAL, ROO, SIN, SON, TAB, VER

MN and WV records do not represent established populations.



***Menemerus semilimbatus*** (Hahn, 1829)

*Attus semilimbatus* Hahn, 1829

*Menemerus semilimbatus* Simon, 1871

*Menemerus semilimbatus* Peckham & Peckham, 1894

*Menemerus semilimbatus* Barnes, 1958

*Menemerus semilimbatus* Wesolowska, 1999

*Menemerus semilimbatus* Metzner, 1999

*Menemerus semilimbatus* Prószyński, 2003

*Menemerus semilimbatus* Guseinov, 2004


*Menemerus semilimbatus* Manolis & Carmichael, 2010

USA: CA



Genus ***Messua*** Peckham & Peckham, 1896***Messua limbata*** (Banks, 1898b)*Philaeus limbatus* Banks, 1898b*Philaeus consimilis* Banks, 1898b*Dendryphantes limbatus* Peckham & Peckham, 1901a, 1909*Icius exornatus* Peckham & Peckham, 1909*Eris limbata* Prószyński, 1971e*Messua limbata* Maddison, 1996

USA: AZ, TX; MEX: almost certainly in SON, CHH

***Messua pura*** (Bryant, 1948a)*Metaphidippus purus* Bryant, 1948a*Messua pura* Maddison, 1996

MEX: GRO

***Messua tridentata*** (F. O. Pickard-Cambridge, 1901a)*Metaphidippus tridentatus* F.O. Pickard-Cambridge, 1901a*Dendryphantes tridentatus* Petrunkevitch, 1911*Metaphidippus tridentatus* Prószyński, 1971e*Messua tridentata* Maddison, 1996

MEX: GRO, JAL

Genus ***Metacyrba*** F. O. Pickard-Cambridge, 1901a***Metacyrba floridana*** Gertsch, 1934d*Metacyrba floridana* Barnes, 1958*Metacyrba floridana* Edwards, 2006

USA: AZ, FL, GA, LA, MS, TX

***Metacyrba punctata*** (Peckham & Peckham, 1894)*Balmaceda punctata* Peckham & Peckham, 1894*Balmaceda punctata* F. O. Pickard-Cambridge, 1901a*Fuentes punctata* Banks, 1929*Breda punctata* Chickering, 1946*Metacyrba punctata* Barnes, 1958*Metacyrba punctata* Edwards, 2006

USA: FL, TX; MEX: COL, MOR, NAY, ROO, SLP, VER, YUC

***Metacyrba taeniola similis*** (Banks, 1904b)*Metacyrba similis* Banks, 1904b*Metacyrba taeniola* Peckham & Peckham, 1909*Metacyrba taeniola* Barnes, 1958*Metacyrba taeniola similis* Edwards, 2006

USA: AZ, CA, CO, NM, NV, OK, TX, UT; MEX: BCN, BCS, CHH, COA, DUR, SON

***Metacyrba taeniola taeniola*** (Hentz, 1845)*Attus taeniolus* Hentz, 1845*Cyrba taeniola* Peckham & Peckham, 1888

*Fuentes taeniola* Simon, 1903a

*Metacyrba taeniola* Peckham & Peckham, 1909

*Metacyrba taeniola* Barnes, 1958

*Metacyrba taeniola taeniola* Edwards, 2006

USA: AL, AR, DC, DE, FL, GA, KS, LA, MD, MS, NC, NM, PA, SC, TN, TX, VA; MEX: COA, NLE, SLP, TAM



### ***Metacyrba venusta* (Chickering, 1946)**

*Parkella venusta* Chickering, 1946

*Parkella fusca* Chickering, 1946

*Dendryphantes franganilloi* Caporiacco, 1955

*Metacyrba franganilloi* Ruiz & Brescovit, 2005b

*Metacyrba venusta* Edwards, 2006

MEX: CHP, OAX



### Genus ***Metaphidippus*** F. O. Pickard-Cambridge, 1901a

#### ***Metaphidippus apicalis* F. O. Pickard-Cambridge, 1901a**

MEX: TAB



#### ***Metaphidippus carmenensis* (Chamberlin, 1924b)**

*Dendryphantes carmenensis* Chamberlin, 1924b

*Dendryphantes imperialis* Chamberlin, 1924b (in part)

*Dendryphantes chera* Chamberlin, 1924b (in part)

*Metaphidippus carmensis* Maddison, 1996

USA: AZ, CA; MEX: BCN, BCS



#### ***Metaphidippus chera* (Chamberlin, 1924b)**

*Dendryphantes chera* Chamberlin, 1924b

*Metaphidippus chera* Maddison, 1996

USA: AZ, CA, NV, NM, OK, TX, UT; MEX: BCN, BCS, CHH, COA, DUR, NLE, SLP, SON, TAM, ZAC



#### ***Metaphidippus diplacis* (Chamberlin, 1924b)**

*Dendryphantes diplacis* Chamberlin, 1924b

*Metaphidippus franciscanus* Schenkel, 1951

*Metaphidippus diplacis* Richman & Cutler, 1978

*Metaphidippus diplacis* Maddison, 1996

USA: CA; MEX: BCN



#### ***Metaphidippus dubitabilis* (Peckham & Peckham, 1896)**

*Dendryphantes dubitabilis* Peckham & Peckham, 1896

*Metaphidippus dubitabilis* F. O. Pickard-Cambridge, 1901a

MEX: VER




#### ***Metaphidippus emmiltus* Maddison, 1996**

USA: CA, NM, OK

***Metaphidippus felix* (Peckham & Peckham, 1901a)**

This species is obviously a *Messua*, but it has never been officially transferred to that genus.


*Dendryphantes felix* Peckham & Peckham, 1901a  
*Metaphidippus felix* F. O. Pickard-Cambridge, 1901a  
 USA: AZ, TX, introduced to Hawaii; MEX: VER

***Metaphidippus gratus* Bryant, 1948a**

MEX: GRO

***Metaphidippus iviei* (Roewer, 1951)**

*Metaphidippus tricolor* Chamberlin & Ivie, 1941b  
 (preoccupied)  
*Dendryphantes iviei* Roewer, 1951  
*Metaphidippus tricolor* Prószyński, 1971e  
*Metaphidippus tricolor* Maddison, 1996  
 USA: CA

***Metaphidippus lanceolatus* F. O. Pickard-Cambridge, 1901a**


*Dendryphantes lanceolatus* Banks, 1909a  
*Metaphidippus lanceolatus* Prószyński, 1971e  
 MEX: GRO

***Metaphidippus longipalpus* F. O. Pickard-Cambridge, 1901a**


*Dendryphantes longipalpus* Petrunkevitch, 1911  
*Metaphidippus longipalpus* Prószyński, 1971e  
 USA: ?

***Metaphidippus manni* (Peckham & Peckham, 1888)**

*Attus imperialis* Peckham & Peckham, 1888 (junior primary homonym of *Attus imperialis* Rossi)  
*Dendryphantes manni* Peckham & Peckham, 1901a  
*Dendryphantes imperialis* Peckham & Peckham, 1909  
*Dendryphantes versicolor* Peckham & Peckham, 1909  
*Dendryphantes diplacis* Chamberlin, 1924b - in part  
*Metaphidippus imperialis* Gertsch, 1935a  
*Metaphidippus versicolor* Chamberlin & Ivie, 1941b  
*Metaphidippus manni* Maddison, 1996  
*Metaphidippus manni* Paquin et al., 2010  
 CAN: BC; USA: AZ, CA, NM, OR, WA; MEX: BCN

***Metaphidippus nigropictus* F. O. Pickard-Cambridge, 1901a**

*Dendryphantes nigropictus* Petrunkevitch, 1911  
*Metaphidippus nigropictus* Prószyński, 1971e  
 MEX: TAB

**Genus *Mexigonus* Edwards, 2003a*****Mexigonus arizonensis* (Banks, 1904a)**

*Sidusa arizonensis* Banks, 1904a  
*Habrocestum belli* Gertsch, 1935a

*Tylogonus arizonensis* Richman & Cutler, 1978

*Tylogonus arizonensis* Richman, 1981

*Mexigonus arizonensis* Edwards, 2003a

USA: AZ, NM; MEX: SON




***Mexigonus dentichelis*** (F. O. Pickard-Cambridge, 1901a)

*Sidusa dentichelis* F. O. Pickard-Cambridge, 1901a

*Tylogonus dentichelis* Simon, 1903a

*Mexigonus dentichelis* Edwards, 2003a

MEX: GRO



***Mexigonus minutus*** (F. O. Pickard-Cambridge, 1901a)

*Sidusa minuta* F. O. Pickard-Cambridge, 1901a

*Sidusa albida* F. O. Pickard-Cambridge, 1901a

*Tylogonus minutus* Simon, 1903a

*Tylogonus minutus* Richman & Cutler, 1978

*Mexigonus minutus* Edwards, 2003a

USA: AZ, CA, NM; MEX: GRO, SON, TAB



***Mexigonus morosus*** (Peckham & Peckham, 1888)

*Astia morosa* Peckham & Peckham, 1888

*Sidusa morosa* Banks, 1904a

*Sittacus claremonti* Peckham & Peckham, 1909

*Habrocestum morosum* Peckham & Peckham, 1909

*Habrocestum inscriptum* Schenkel, 1951

*Sitticus claremonticus* Prószyński, 1976

*Tylogonus morosus* Richman & Cutler, 1978

*Tylogonus morosus* Richman, 1981

*Mexigonus morosus* Edwards, 2003a

USA: AZ, CA

### Genus *Myrmarachne* MacLeay, 1839

***Myrmarachne centralis*** (Peckham & Peckham, 1892)

*Salticus centralis* Peckham & Peckham, 1892

*Toxeus centralis* F. O. Pickard-Cambridge, 1900

*Myrmarachne centralis* Simon, 1901a

*Myrmarachne centralis* Galiano, 1969b

MEX: TAB



***Myrmarachne formicaria*** (DeGeer, 1778)

*Aranea formicaria* DeGeer, 1778

*Myrmarachne formicaria*, Simon 1901a

Numerous synonyms exist for this introduced Palearctic species.

USA: NY, OH, PA



### Genus *Nagaina* Peckham & Peckham, 1896

***Nagaina incunda*** Peckham & Peckham, 1896

*Dendryphantes vegetus* Peckham & Peckham, 1901a

*Metaphidippus flavolineatus* F. O. Pickard-Cambridge, 1901a

*Metaphidippus expallidatus* F. O. Pickard-Cambridge, 1901a  
*Metaphidippus vegetus* F. O. Pickard-Cambridge, 1901a  
*Nagaina incunda* F. O. Pickard-Cambridge, 1901a  
*Beata flavolineata* Simon, 1903a  
*Dendryphantes expallidatus* Petrunkevitch, 1911  
*Nagaina incunda* Maddison, 1996  
 MEX: OAX, ROO, SLP, TAM, VER.

### Genus *Naphrys* Edwards, 2003a

***Naphrys acerba*** (Peckham & Peckham, 1909)  
*Habrocestum acerbum* Peckham & Peckham, 1909  
*Habrocestum acerbum* Richman, 1981  
*Naphrys acerba* Edwards, 2003a  
 USA: NM, TX; MEX: COA, NLE, TAM



***Naphrys bufooides*** (Chamberlin & Ivie, 1944)  
*Habrocestum bufooides* Chamberlin & Ivie, 1944  
*Habrocestum bufooides* Richman, 1981  
*Naphrys bufooides* Edwards, 2003a  
 USA: FL, GA



***Naphrys pulex*** (Hentz, 1846)  
*Attus pulex* Hentz, 1846  
*Euophrys offuscata* C. L. Koch, 1846  
*Amphiraphe obfuscata* C. L. Koch, 1850  
*Cyrba pulex* Keyserling, 1885  
*Saitis x-notata* Keyserling, 1885  
*Saitis pulex* Peckham & Peckham, 1888  
*Habrocestum pulex* Peckham & Peckham, 1909  
*Habrocestum pulex* Chickering, 1944  
*Habrocestum pulex* Kaston, 1948  
*Habrocestum pulex* Prószyński, 1976  
*Habrocestum pulex* Richman, 1981  
*Habronattus pulex* Paquin & Dupérré, 2003  
*Naphrys pulex* Edwards, 2003a  
*Naphrys pulex* Paquin et al., 2010  
 CAN: MB, NL, NS, ON, QC; USA: AL, AR, CT, DC, FL, GA, IL, IN, IA, KS, KY, LA, ME, MI, MN, MS, MO, NE, NH, NJ, NY, NC, OH, OK, PA, SC, TN, TX, VT, VA, WV, WI



***Naphrys xerophila*** (Richman, 1981)  
*Habrocestum xerophilum* Richman, 1981  
*Naphrys xerophila* Edwards 2003  
 FL




### Genus *Neon* Simon, 1876a

***Neon avalonus*** Gertsch & Ivie, 1955  
 USA: CA



***Neon ellamae* Gertsch & Ivie, 1955**


*Neon nellii* Chamberlin & Ivie, 1933  
*Neon ellamae* Paquin *et al.*, 2010  
 (not *Neon nellii* Peckham & Peckham)  
 CAN: MB; USA: CA, IA, KS, MN, ID, UT, OR, WI

***Neon nellii* Peckham & Peckham, 1888**

*Neon nelli* Emerton, 1891, 1902  
*Neon nellii* Peckham & Peckham, 1895, 1909  
*Neon nelli* Chickering, 1944  
*Neon nelli* Kaston, 1948  
*Neon nellii* Gertsch & Ivie, 1955  
*Neon nellii* Paquin & Dupérré, 2003  
*Neon nellii* Paquin *et al.*, 2010  
 CAN: AB, BC, LN, MB, NB, NS, ON, QC, SK; USA: FL, GA, IA, IL, MA, ME, MI, MN, NC, NH, NJ, NM, NY, OH, PA, SD, TN, TX, WI

***Neon pixii* Gertsch & Ivie, 1955**


*Neon pixii* Paquin *et al.*, 2010  
 CAN: BC; USA: CA, OR, SD, UT

***Neon plutonus* Gertsch & Ivie, 1955**

This might be a synonym of *N. ellamae*.  
*Neon plutonus* Paquin *et al.*, 2010  
 CAN: ON; USA: FL, GA, NY, OH

***Neon reticulatus* (Blackwall, 1853)**

*Salticus reticulatus* Blackwall, 1853, 1861a  
*Attus frontalis* Westring, 1861  
*Icius obliquus* Banks, 1895e  
*Neon reticulatus* Logunov, 1998a  
*Neon reticulatus* Paquin *et al.*, 2010  
 There are numerous citations from the Old World- See Platnick, 2011.  
 CAN: BC, YT; USA: AK, AZ, NM, OR, WA

**Genus *Neonella* Gertsch, 1936a*****Neonella camillae* Edwards 2003b**

USA: FL

***Neonella vinnula* Gertsch, 1936a**

*Neonella vinnula* Galiano, 1988b  
*Neonella vinnula* Ruiz, Brescovit & Freitas, 2007  
 USA: FL, GA, NC, TX

**Genus *Nycerella* Galiano, 1982b*****Nycerella delecta* (Peckham & Peckham, 1896)**

*Cyrene delecta* Peckham & Peckham, 1896  
*Cyrene delecta* F. O. Pickard-Cambridge, 1901a  
*Phiale delecta* Simon, 1903a



*Phiale delecta* Petrunkevitch, 1925a

*Phiale delecta* Chickering, 1946

*Phiale interrupta* Chickering, 1946

*Nycerella delecta* Galiano, 1982b

MEX: CHP, GRO, NAY, TAB, VER

### Genus **Pachomius** Peckham & Peckham, 1896

***Pachomius dybowskii*** (Taczanowski, 1871)

*Attus dybowskii* Taczanowski, 1871

*Pachomius dybowskii* Peckham & Peckham, 1896

*Cyrene dybowskii* F. O. Pickard-Cambridge, 1901a

*Phiale dybowskii* Simon, 1903a

*Phiale lineola* Chamberlin & Ivie, 1936a

*Freya nannispina* Chamberlin & Ivie, 1936a

*Tutelina albonotata* Caporiacco, 1947a, 1948a

*Menemerus acostae* Schenkel, 1953a

*Pachomius dybowskii* Galiano, 1994a

MEX: VER



### Genus **Paradamoetas** Peckham & Peckham, 1885

***Paradamoetas carus*** (Peckham & Peckham, 1892)

*Keyserlingella cara* Peckham & Peckham, 1892

*Keyserlingella cara* F. O. Pickard-Cambridge, 1900

*Paradamoetas formicina* Galiano, 1971a

*Paradamoetas cara* Cutler, 1981b, 1982a

MEX: CHP, OAX, SLP, TAB, VER



***Paradamoetas fontanus*** (Levi, 1951)

*Icius fontanus* Levi, 1951

*Icius fontanus* Levi & Field, 1954

*Eris frontosus* Prószyński, 1976

*Paradamoetas fontanus* Richman & Cutler, 1978

*Paradamoetas fontana* Cutler, 1981b

*Paradamoetas fontana* Maddison, 1996

*Paradamoetas fontanus* Paquin *et al.*, 2010

CAN: ON; USA: MN, WI



***Paradamoetas formicinus*** Peckham & Peckham, 1885b

*Paradamoetas formicina* Peckham & Peckham, 1909

*Paradamoetas formicina* Cutler, 1981b, 1982a

USA: TX?; MEX: CHP



### Genus **Paramarpissa** O. Pickard-Cambridge, 1901a


***Paramarpissa albopilosa*** (Banks, 1902a)

*Marpissa albopilosa* Banks, 1902a


*Eremattus albopilosus* Banks, 1904a

*Paramarpissa albopilosa* Logunov & Cutler, 1999

USA: AZ, CA, NM; MEX: SON



**Paramarpissa griswoldi** Logunov & Cutler, 1999  
USA: CA; MEX: (in Platnick, 2011)?



**Paramarpissa laeta** Logunov & Cutler, 1999  
MEX: CHH

**Paramarpissa piratica** (Peckham & Peckham, 1888)  
*Icius piraticus* Peckham & Peckham, 1888  
*Pseudicius piraticus* Peckham & Peckham, 1894, 1909  
*Paramarpissa piratica* Logunov & Cutler, 1999  
USA: AZ, NM, TX; MEX: DIF, JAL

**Paramarpissa sarta** Logunov & Cutler, 1999  
MEX: MIC, NAY, PUE

**Paramarpissa tibialis** F. O. Pickard-Cambridge, 1901a  
*Paramarpissa tibialis* Logunov & Cutler, 1999  
MEX: TAB

### Genus **Paraphidippus** F. O. Pickard-Cambridge, 1901a

**Paraphidippus aurantius** (Lucas, 1833b)  
*Salticus aurantius* Lucas, 1833b  
*Attus chrysis* Walckenaer, 1837  
*Attus iris* Walckenaer, 1837  
*Attus multicolor* Hentz, 1845  
*Plexippus orichalceus* C. L. Koch, 1846  
*Philaeus chrysis* Peckham & Peckham, 1888  
*Dendryphantes multicolor* Peckham & Peckham, 1888  
*Phidippus orichalceus* Peckham & Peckham, 1896  
*Phidippus fraternus* Banks, 1898b  
*Philaeus multicolor* Banks, 1898b  
*Paraphidippus chrysis* F. O. Pickard-Cambridge, 1901a  
*Paraphidippus multicolor* F. O. Pickard-Cambridge, 1901a  
*Paraphidippus aureus* F. O. Pickard-Cambridge, 1901a  
*Parnaeus chrysis* Peckham & Peckham, 1909  
*Paraphidippus aurantius* Chickering, 1946  
*Dendryphantes aurantia* Kraus, 1955b  
*Eris aurantia* Prószyński, 1971e  
*Dendryphantes multicolor* Prószyński, 1976  
*Eris aurantia* Kaston, 1973  
*Eris aurantia* Oehler, 1980  
*Eris aurantia* Maddison, 1996  
*Paraphidippus aurantius* Edwards, 2004

There are several other synonyms. This variable species has been described and redescribed many times.


USA: DE, FL, IL, KS, KY, MD, MO, NE, AZ, NM, SC, TX, VA; MEX: CHH, DIF, GRO, NAY, SLP



The AZ and MEX records may represent a different species.

***Paraphidippus basalis* (Banks, 1904a)**

- Phidippus basalis* Banks, 1904a
- Phidippus basalis* Peckham & Peckham, 1909
- Dendryphantes basalis* Petrunkevitch, 1911
- Phidippus basalis* Prószyński, 1971e
- Paraphidippus basalis* Edwards, 2004
- USA: AZ, NM; MEX: SON



***Paraphidippus disjunctus* (Banks, 1898b)**

- Phidippus disjunctus* Banks, 1898b
- Paraphidippus disjunctus* F. O. Pickard-Cambridge, 1901a
- Dendryphantes disjunctus* Petrunkevitch, 1911
- Eris disjuncta* Prószyński, 1971e
- Paraphidippus disjunctus* Edwards, 2004
- MEX: NAY, TAB



***Paraphidippus fartilis* (Peckham & Peckham, 1888)**

- Philaeus fartilis* Peckham & Peckham, 1888
- Paraphidippus marmoratus* F. O. Pickard-Cambridge, 1901a
- Paraphidippus fartilis* F. O. Pickard-Cambridge, 1901a
- Parnaeus fartilis* Peckham & Peckham, 1909
- Phidippus marmoratus* Banks, 1909a
- Dendryphantes fartilis* Petrunkevitch, 1911
- Dendryphantes marmoratus* Petrunkevitch, 1911
- Dendryphantes marmoratus* Kraus, 1955b
- Eris fartilis* Bonnet, 1956
- Eris fartilis* Prószyński, 1971e
- Eris fartilis* Richman & Cutler, 1988
- Paraphidippus fartilis* Edwards, 2004
- USA: TX; "MEXICO"



***Paraphidippus fulgidus* (C. L. Koch, 1846)**

- Phidippus fulgidus* C. L. Koch, 1846
- Dendryphantes fulgidus* Petrunkevitch, 1911
- Phidippus fulgidus* Prószyński, 1971e
- Paraphidippus fulgidus* Edwards, 2004
- "MEXICO"



***Paraphidippus funebris* (Banks, 1898b)**

- Phidippus funebris* Banks, 1898b
- Parnaeus funebris* Peckham & Peckham, 1901a
- Dendryphantes funebris* Petrunkevitch, 1911
- Eris funebris* Prószyński, 1971e
- Paraphidippus funebris* Hoffmann, 1976
- Paraphidippus funebris* Edwards, 2004
- MEX: NAY, QUE, SLP, VER



***Paraphidippus fuscipes* (C. L. Koch, 1846)**

- Phidippus fuscipes* C. L. Koch, 1846

*Dendryphantes fascipes* Roewer, 1954  
*Phidippus fuscipes* Prószyński, 1971e  
*Paraphidippus fuscipes* Edwards, 2004  
 "MEXICO"

***Paraphidippus inermis*** F. O. Pickard-Cambridge, 1901a  
*Dendryphantes inermis* Petrunkevitch, 1911  
*Dendryphantes inermis* Kraus, 1955b  
*Eris inermis* Prószyński, 1971e  
*Paraphidippus inermis* Edwards, 2004  
 MEX: GRO, MOR, VER

***Paraphidippus laniipes*** F. O. Pickard-Cambridge, 1901a  
*Dendryphantes laniipes* Petrunkevitch, 1911  
*Eris laniipes* Prószyński, 1971e  
*Paraphidippus laniipes* Edwards, 2004  
 MEX: JAL

***Paraphidippus mexicanus*** (Peckham & Peckham, 1888)  
*Philaeus mexicanus* Peckham & Peckham, 1888  
*Paraphidippus mexicanus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes merus* Petrunkevitch, 1911 (replacement name, believed preoccupied by *Phidippus mexicanus*).  
*Eris mexicana* Prószyński, 1990  
*Paraphidippus mexicanus* Edwards, 2004  
 "MEXICO"

***Paraphidippus nigropilosus*** (Banks, 1898a)  
*Phidippus nigropilosus* Banks, 1898a  
*Dendryphantes nigropilosus* Petrunkevitch, 1911  
*Eris nigropilosus* Prószyński, 1971e  
*Paraphidippus nigropilosus* Edwards, 2004  
 MEX: NAY

***Paraphidippus nitens*** (C. L. Koch, 1846)  
*Phidippus nitens* C. L. Koch, 1846  
*Attus nitens* Walckenaer, 1847  
*Dendryphantes nitens* Petrunkevitch, 1911  
*Phidippus nitens* Prószyński, 1971e  
*Paraphidippus nitens* Edwards, 2004  
 "MEXICO"

***Paraphidippus tricolor*** (C. L. Koch, 1846)  
 This may be the same species as *Eris tricolor*.  
*Plexippus tricolor* C. L. Koch, 1846  
*Paraphidippus tricolor* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes tricolor* Petrunkevitch, 1911  
*Eris tricolor* Bonnet, 1956  
*Eris tricolor* Prószyński, 1971e  
*Paraphidippus tricolor* Richman & Cutler, 1988  
 "MEXICO"



***Paraphidippus trimaculata* (Banks, 1898a)**

*Philaeus trimaculatus* Banks, 1898a  
*Dendryphantes trimaculatus* Petrunkevitch, 1911  
*Eris trimaculata* Bonnet, 1956  
*Eris trimaculata* Prószyński, 1971e  
*Paraphidippus trimaculatus* Richman & Cutler, 1988  
 "MEXICO"

**Genus *Parnaenus* Peckham & Peckham, 1896*****Parnaenus* sp. (undescribed)**


USA: TX (extreme south)

**Genus *Peckhamia* Simon, 1901*****Peckhamia americana* (Peckham & Peckham, 1892)**

*Myrmecium caliginosum* Walckenaer, 1837, *nomen dubium*  
*Synageles americana* Peckham & Peckham, 1892  
*Peckhamia americana* Peckham & Peckham, 1909  
 USA: AL, AR, AZ, CO, CA, FL, GA, IL, IN, KS, LA, MD, MO, NC, NH, NJ, NY, OK, PA, SC, TN, TX, VA; MEX: TAM  
 Specimens west of the Great Plains belong to an undescribed species (B. Cutler).

***Peckhamia picata* (Hentz, 1846)**


*Synemosyna picata* Hentz, 1846  
*Synageles picata* Peckham & Peckham, 1888, 1892  
*Peckhamia picata* Peckham & Peckham, 1909 in part  
*Peckhamia picata* Kaston, 1948  
*Peckhamia picata* Paquin & Dupérré, 2003  
*Peckhamia picata* Paquin et al., 2010  
 CAN: MB, ON, QC, SK; USA: AL, AR, CT, GA, IA, MA, MI, MN, MO, NH, NJ, NY, SC, SD, TN, TX, VA, WI

***Peckhamia prescotti* Chickering 1946**

*Sarinda fusca* Kraus, 1955b  
*Peckhamia fusca* Galiano, 1965b  
*Peckhamia prescotti* Richman & Cutler, 1988  
 MEX: CAM, CHP, OAX, ROO

***Peckhamia scorpionia* (Hentz, 1846)**

*Synemosyna scorpionia* Hentz, 1846  
*Synemosyna ephippiata* Hentz, 1846  
*Salticus fuligineus* Blackwall, 1846a  
*Synageles scorpionia* Peckham & Peckham, 1888, 1892  
*Peckhamia scorpionea* Simon, 1901a  
*Peckhamia scorpionia* Chickering, 1944  
*Peckhamia scorpionia* Prószyński, 1976  
*Peckhamia scorpionia* Paquin et al., 2010  
 CAN: BC; USA: AZ, FL, KS, MI, MO, NC, NM, TX



***Peckhamia seminola* Gertsch, 1936a**

This may be *Peckhamia americana*.

USA: FL

***Peckhamia variegata* (F. O. Pickard-Cambridge, 1900)**

*Synageles variegata* F. O. Pickard-Cambridge, 1900

*Peckhamia variegata* Simon, 1901a

MEX: CAM, CHP, COL, GRO, HID, MOR, NAY, OAX, ROO, SLP, TAB, TAM, VER, YUC

**Genus *Pelegrina* Franganillo Balboa, 1930*****Pelegrina aeneola* (Curtis, 1892)**

*Dendryphantes aeneolus* Curtis, 1892

*Dendryphantes bifida* Banks, 1895e

*Dendryphantes uteanus* Chamberlin & Gertsch, 1929

*Metaphidippus aeneolus* Chamberlin & Ivie, 1941b

*Metaphidippus aeneolus* Prószyński, 1971e, 1976


*Metaphidippus uteanus* Cutler, 1982c

*Pelegrina aeneola* Maddison, 1996

*Pelegrina aeneola* Paquin et al., 2010

CAN: AB, BC; USA: AZ, CA, CO, ID, MT, ND, NM, NV, OR, SD, UT,

WA, WY; MEX: BCN

***Pelegrina arizonensis* (Peckham & Peckham, 1901a)**

*Dendryphantes arizonensis* Peckham & Peckham, 1901a, 1909

*Dendryphantes glacialis* Scheffer, 1905

*Dendryphantes mimus* Chamberlin, 1925c (in part)

*Metaphidippus arizonensis* Bonnet, 1957

*Metaphidippus glacialis* Bonnet, 1957

*Metaphidippus arizonensis* Prószyński, 1971e, 1976

*Metaphidippus glacialis* Prószyński, 1971e, 1976



*Metaphidippus arizonensis* Cutler & Jennings, 1985

*Pelegrina arizonensis* Maddison, 1996

*Pelegrina arizonensis* Paquin et al., 2010

CAN: AB, SK; USA: AZ, CO, KS, MN, MT, NM, ND, TX; MEX:

DUR, TLA, ZAC

***Pelegrina balia* Maddison, 1996**

USA: AZ, CA, CO, OR, WA

***Pelegrina bicuspidata* (F. O. Pickard-Cambridge, 1901a)**

*Metaphidippus bicuspidatus* F. O. Pickard-Cambridge, 1901a

*Dendryphantes bicuspidatus* Petrunkevitch, 1911

*Dendryphantes bicuspidatus* Roewer, 1954

*Metaphidippus bicuspidatus* Prószyński, 1971e

*Pelegrina bicuspidata* Maddison, 1996

MEX: CHP

***Pelegrina bunites*** Maddison, 1996

USA: AZ; MEX: CHH, DUR, OAX

***Pelegrina chaimona*** Maddison, 1996*Metaphidippus n. sp. nr. verecundus* Jung & Roth, 1974  
USA: AZ; MEX: CHH, NLE***Pelegrina chalceola*** Maddison, 1996*Metaphidippus n. sp. nr. montanus* Jung & Roth, 1974  
USA: AR, AZ, CO, IL, NM, TX***Pelegrina clavator*** Maddison, 1996


MEX: NLE, SLP, TAM, VER

***Pelegrina clemata*** (Levi & Levi, 1951)*Metaphidippus clematus* Levi & Levi, 1951  
*Dendryphantes clematus* Roewer, 1954  
*Metaphidippus clematus* Prószyński, 1971e  
*Pelegrina clemata* Maddison, 1996  
*Pelegrina clemata* Paquin *et al.*, 2010  
CAN: AB, BC, SK; USA: CA, CO, ID, MT, NV, NM, OR, UT, WA, WY***Pelegrina dithalea*** Maddison, 1996

USA: AZ


***Pelegrina edrilana*** Maddison, 1996

MEX: DIF, OAX, SLP

***Pelegrina exigua*** (Banks, 1892a)*Dendryphantes exigua* Banks, 1892a  
*Dendryphantes flavipedes* Emerton, 1913b  
(misidentification)  
*Dendryphantes virginis* Chamberlin, 1925d  
*Metaphidippus virginis* Muma, 1944  
*Metaphidippus exiguis* Kaston, 1945a, 1948, 1973  
*Pelegrina exiguous* Breene *et al.*, 1993  
*Pelegrina exigua* Maddison, 1996  
*Pelegrina exigua* Paquin *et al.*, 2010  
CAN: ON; USA: AL, AR, CT, DC, GA, IL, KS, KY, MD, MA, MO, MS, NJ, NY, NC, SC, TN, TX, VA, WV***Pelegrina flaviceps*** (Kaston, 1973)*Metaphidippus flaviceps* Kaston, 1973, 1977  
*Pelegrina flaviceps* Maddison, 1996  
*Pelegrina flaviceps* Paquin & Dupérré, 2003  
*Pelegrina flaviceps* Paquin *et al.*, 2010  
CAN: NB, ON, QC; USA: ME, MI, NH, NY, PA, VT, WV

***Pelegrina flavipes*** (Peckham & Peckham, 1888)

*Dendryphantes flavipedes* Peckham & Peckham, 1888,  
1909 (plural adjective forbidden by ICBN)  
*Dendryphantes flavipedes* Emerton, 1909  
*Dendryphantes flavipedes* Kaston, 1938a  
*Metaphidippus flavipedes* Chickering, 1944  
*Metaphidippus flavipedes* Kaston, 1948, 1973  
*Metaphidippus flavipedes* Prószyński, 1971e  
*Dendryphantes flavipedes* Prószyński, 1976  
*Pelegrina flavipedes* Maddison, 1996  
*Pelegrina flavipes* Paquin & Duperré, 2003  
*Pelegrina flavipes* Paquin et al., 2010  
CAN: AB, BC, MB, NL, NT, NS, ON, PE, QC, SK, YT; USA: CO, ID,  
IL, ME, MI, MN, MT, NM, NC, WA, WI, WY

***Pelegrina furcata*** (F. O. Pickard-Cambridge, 1901a)

*Metaphidippus furcatus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes furcatus* Peckham and Peckham, 1909  
*Dendryphantes mimus* Chamberlin 1925c  
*Metaphidippus furcatus* Prószyński, 1971e  
*Metaphidippus mimus* Jung & Roth, 1974  
*Pelegrina furcatus* Maddison, 1996  
USA: AZ, CO, NM, TX; MEX: CHP, CHH, DIF, GRO, HID, NLE,  
PUE, PQ, VER

***Pelegrina galathea*** (Walckenaer, 1837)

*Attus galathea* Walckenaer, 1826, 1837  
*Attus nubilis* Hentz, 1846  
*Attus parvus* Hentz, 1846  
*Euophrys leucophaea* C. L. Koch, 1846  
*Frigga leucophaea* C. L. Koch, 1850  
*Icius crassiventer* Keyserling, 1885  
*Dendryphantes ornatus* Banks, 1892a  
*Dendryphantas hondurensis* Peckham & Peckham, 1896  
(in part)  
*Metaphidippus digitatus* F. O. Pickard-Cambridge, 1901a  
*Beata digitata* Simon, 1903a  
*Dendryphantes capitatus* Peckham & Peckham, 1909  
*Metaphidippus galathea* Chamberlin & Ivie, 1944  
*Metaphidippus galathea* Kaston, 1948, 1973  
*Dendryphantes galathea* Roewer, 1954  
*Phidippus galathea* Prószyński, 1971e  
*Metaphidippus galathea* Prószyński, 1976  
*Metaphidippus galathea* Oehler, 1980  
*Metaphidippus galathea* Richman & Cutler, 1988  
*Metaphidippus galathea* Breene et al., 1993  
*Pelegrina galathea* Maddison, 1996  
*Pelegrina galathea* Paquin et al., 2010  
CAN: NS, ON; USA: AL, AR, CO, CT, DE, DC, FL, GA, IL, IN, KS,  
KY, LA, MA, MI, MO, MS, NE, NH, NJ, NM, NY, NC, OH, OK, PA,  
RI, SC, TN, TX, VT, VA, WV; MEX: CHP, CHH, COA, NLE, SLP,



TAM, VER

***Pelegrina helenae* (Banks, 1921)**



- Dendryphantes helenae* Banks, 1921  
*Dendryphantes sausalitanus* Chamberlin, 1925c  
*Metaphidippus helenae* Gertsch, 1934d  
*Metaphidippus helenae* Prószyński, 1971e  
*Metaphidippus helenae* Cutler & Jennings, 1985  
*Pelegrina helenae* Maddison, 1996  
*Pelegrina helenae* Paquin *et al.*, 2010  
CAN: BC; USA: CA, OR, ID, UT, WA, WY

***Pelegrina huachuca* Maddison, 1996**

- USA: AZ

***Pelegrina insignis* (Banks, 1892a)**


- Dendryphantes insignis* Banks, 1892a  
*Metaphidippus insignis* Kaston, 1948, 1973  
*Dendryphantes capitatus* Roewer, 1954  
*Metaphidippus insignis* Cutler, 1980  
*Pelegrina insignis* Maddison, 1996  
*Pelegrina insignis* Paquin & Dupérré, 2003  
*Pelegrina insignis* Paquin *et al.*, 2010  
CAN: AB, MB, NB, ON, QC, SK; USA: CO, CT, IA, IL, ME, MA, MI, MN, MT, NJ, NY, ND, VT, WI, WY

***Pelegrina kastoni* Maddison, 1996**

- USA: AZ, NM; MEX: CHH

***Pelegrina montana* (Emerton, 1891)**

- Dendryphantes montanus* Emerton, 1891  
*Dendryphantes montanus* Peckham & Peckham, 1909  
*Metaphidippus montanus* Chickering, 1944  
*Metaphidippus montanus* Kaston, 1973  
*Dendryphantes montanus* Prószyński, 1971e  
*Metaphidippus montanus* Cutler, 1980  
*Pelegrina montana* Maddison, 1996  
*Pelegrina montana* Paquin & Dupérré, 2003  
*Pelegrina montana* Paquin *et al.*, 2010  
CAN: AB, BC, MB, NL, NS, NT, ON, QC, YT; USA: AK, CO, ID, MT, NH, NM, NY, UT, VT, VA, WY

***Pelegrina morelos* Maddison, 1996**

- MEX: MOR


***Pelegrina neoleonis* Maddison 1996**

- MEX: HID, NLE, OAX, SLP



***Pelegrina ochracea* (F. O. P. Cambridge, 1901a)**

*Metaphidippus ochraceus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes ochraceus* Petrunkevitch, 1911  
*Dendryphantes ochraceus* Roewer, 1954  
*Metaphidippus ochraceus* Prószyński, 1971e  
*Pelegrina ochracea* Maddison, 1996  
 MEX: CHP, OAX

***Pelegrina orestes* Maddison, 1996**

USA: AZ, NM; MEX: CHH, OAX

***Pelegrina pallidata* (F. O. Pickard-Cambridge, 1901a)**

*Metaphidippus pallidatus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes pallidatus* Petrunkevitch, 1911  
*Dendryphantes pallidatus* Roewer, 1954  
*Metaphidippus pallidatus* Prószyński, 1971e  
*Pelegrina pallidata* Maddison, 1996  
 MEX: CHP

***Pelegrina peckhamorum* (Kaston, 1973)**


*Metaphidippus peckhamorum* Kaston, 1973, 1977  
*Pelegrina peckhamorum* Maddison, 1996  
 USA: AR, MA, NJ, NY, TN, TX

***Pelegrina pervaga* (Peckham & Peckham, 1909)**

*Dendryphantes pervagus* Peckham & Peckham, 1909  
*Metaphidippus pervagus* Bonnet, 1957  
*Metaphidippus pervagus* Prószyński, 1971e  
*Pelegrina pervaga* Maddison, 1996  
 USA: KS, NE, OK, TX

***Pelegrina proterva* (Walckenaer, 1837)**

*Attus protervus* Walckenaer, 1837  
*Attus capitatus* Hentz, 1845  
*Attus hebes* Hentz, 1846  
*Attus octavus* Hentz, 1846  
*Salticus borealis* Blackwall, 1846a  
*Attus aestivalis* Peckham & Peckham, 1883  
*Attus pinus* Peckham & Peckham, 1883  
*Ergane taeniata* Keyserling, 1885  
*Dendryphantes capitatus* Peckham & Peckham, 1888, 1909  
*Eris octavus* Peckham & Peckham, 1888  
*Dendryphantes aestivalis* Emerton, 1891  
*Dendryphantes exiguum* Banks, 1892a  
*Habrocestum latens* Banks, 1892a  
*Dendryphantes octavus* Banks, 1901b  
*Metaphidippus capitatus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes aestivalis* Emerton, 1902  
*Dendryphantes capitatus* Peckham & Peckham, 1909  
*Dendryphantes atopodon* Chamberlin, 1925d  
*Metaphidippus capitatus* Muma, 1943



*Metaphidippus protervus* Chamberlin & Ivie, 1944

*Metaphidippus capitatus* Chickering, 1944

*Metaphidippus octavus* Kaston, 1945a

*Metaphidippus protervus* Kaston, 1948, 1973

*Metaphidippus capitatus* Prószyński, 1971e, 1976

*Dendryphantes capitatus* Prószyński, 1976

*Metaphidippus protervus* Prószyński, 1976

*Metaphidippus protervus* Oehler, 1980


*Pelegrina proterva* Maddison, 1996

*Pelegrina proterva* Paquin & Dupérré, 2003

*Pelegrina proterva* Paquin *et al.*, 2010

Described and re-described many times.

CAN: AB, BC, MB, NB, NS, ON, QC, SK; USA: AL, CO, CT, GA, IA, IL, IN, KS, KY, ME, MD, MA, MI, MO, MN, MT, NE, NH, NJ, NY, NC, ND, OH, PA, RI, SC, SD, TX, VT, VA, WV, WI



***Pelegrina sabinema*** Maddison, 1996

USA: AZ, NM, TX

***Pelegrina sandaracina*** Maddison, 1996

MEX: CAM, CHP, NAY, OAX, YUC

***Pelegrina tillandsiae*** (Kaston, 1973)

*Metaphidippus tillandsiae* Kaston, 1973

*Pelegrina tillandsiae* Maddison, 1996

USA: FL, LA, MS, NC, TX

***Pelegrina tristis*** Maddison, 1996

USA: AZ

***Pelegrina variegata*** (F. O. Pickard-Cambridge, 1901a)

*Metaphidippus variegatus* F. O. Pickard-Cambridge, 1901a

*Beata variegata* Simon, 1903a

*Beata variegata* Chickering, 1946

*Pelegrina variegata* Maddison, 1996

MEX: CAM, CHP, CHH, COL, DIF, GRO, JAL, MOR, NLE, OAX, SLP, TAM, YUC

***Pelegrina verecunda*** (Chamberlin & Gertsch, 1930)

*Sassacus uteanus* Chamberlin & Gertsch, 1929 (in part)

*Dendryphantes verecundus* Chamberlin & Gertsch, 1930

*Metaphidippus verecundus* Jung & Roth, 1974

*Pelegrina verecunda* Maddison, 1996

USA: AZ, CA, NM, UT; MEX: CHH, DUR?

***Pelegrina yucatecana*** Maddison, 1996

MEX: YUC

Genus ***Pellenes*** Simon, 1876a

There are probably several undescribed species of *Pellenes* in the Western USA. This genus is in serious need of revision.

***Pellenes apacheus* Gertsch (in Lowrie & Gertsch), 1955**  
USA: AZ

***Pellenes cinctipes* (Banks, 1898b)**

Probably a *Habronattus*.

*Habrocestum cinctipes* Banks, 1898b

*Pellenes cinctipes* Peckham & Peckham, 1901c  
"MEXICO"

***Pellenes corticolens* Chamberlin, 1924b**

Probably a *Habronattus*.

"MEXICO"

***Pellenes crandalli* Gertsch (in Lowrie & Gertsch), 1955**  
USA: AZ

***Pellenes grammaticus* Chamberlin, 1925c**  
USA: AZ

***Pellenes ignifrons* (Grube, 1861)**

*Attus ignifrons* Grube, 1861

*Pellenes ignifrons* Kulczyński, 1895d

*Pellenes laggani* Peckham & Peckham, 1909

*Pellenes laggani* Levi, 1951

*Pellenes ignifrons* Prószyński, 1971e, 1976, 1979

*Pellenes ignifrons* Izmailova, 1989

*Pellenes ignifrons* Logunov, Marusik & Rakov, 1999

*Pellenes ignifrons* Paquin *et al.*, 2010

CAN: AB, BC, ON, YT; USA: WY

Also known from Russia and Mongolia.



***Pellenes lapponicus* (Sundevall, 1833a)**

*Attus lapponicus* Sundevall, 1833a

*Attus riciniatus* Simon 1868b

*Pellenes lapponicus* Simon, 1876a

*Habrocestum montanum* Emerton, 1894

*Pellenes montanus* Peckham & Peckham, 1901c, 1909


*Pellenes montanus* Paquin & Dupérré, 2003

*Pellenes montanus* Paquin *et al.*, 2010

*Pellenes lapponicus* Edwards & Jennings, 2011

CAN: AB, BC, NS, ON, QC, SK, YT; USA: CO, ME

Also known from the Palearctic. See PECKHAMIA 86.1, 2010.



***Pellenes levii* Gertsch (in Lowrie & Gertsch), 1955**

*Pellenes levii* Prószyński, 1976

*Pellenes levii* Paquin *et al.*, 2010


CAN: YT; USA: CA, WY

***Pellenes limatus*** Peckham & Peckham, 1901c*Pellenes townsendi* Peckham & Peckham, 1901c*Pellenes limatus* Peckham & Peckham, 1909*Pellenes limatus* Lowrie & Gertsch, 1955


USA: CA, AZ, TX

***Pellenes longimanus*** Emerton, 1913b*Pellenes longimanus* Kaston, 1948

USA: FL, NJ, NY

***Pellenes peninsulae*** Emerton, 1925*Pellenes peninsulae* Paquin et al., 2010

CAN: NB, NS

***Pellenes washonus*** Gertsch (in Lowrie & Gertsch), 1955*Pellenes washonus* Prószyński, 1976

USA: CA

***Pellenes wrighti*** Gertsch (in Lowrie & Gertsch), 1955*Pellenes wrighti* Prószyński, 1976*Pellenes wrighti* Paquin et al., 2010


CAN: MB, ON, SK; USA: IL, IN, KS, MI, MN, WI

**Genus *Phanias* F. O. Pickard-Cambridge, 1901a**

This genus is in need of revision, as Maddison, 1996, only listed the species that were known to belong to the genus at the time.

***Phanias albeolus*** (Chamberlin & Ivie, 1941b)*Metaphidippus albeolus* Chamberlin & Ivie, 1941b*Metaphidippus albeolus* Prószyński, 1971e*Phanias albeolus* Maddison, 1996*Phanias albeolus* Paquin et al., 2010

CAN: BC; USA: CA

***Phanias concoloratus*** (Chamberlin & Gertsch, 1930)*Dendryphantes concoloratus* Chamberlin & Gertsch, 1930*Metaphidippus concoloratus* Richman & Cutler, 1978*Phanias concoloratus* Maddison, 1996

USA: CA

***Phanias dominatus*** (Chamberlin & Ivie, 1941b)*Metaphidippus dominatus* Chamberlin & Ivie, 1941b*Phanias dominatus* Maddison, 1996

USA: CA

***Phanias flavostriatus*** F. O. Pickard-Cambridge, 1901a  
MEX: GRO

***Phanias furcifera*** (Gertsch, 1936a)

*Metaphidippus furcifera* Gertsch, 1936a  
*Metaphidippus furciferus* Prószyński, 1971e  
*Phanias furcifera* Maddison, 1996  
USA: AZ



***Phanias furcillatus*** (F. O. Pickard-Cambridge, 1901a)  
*Metaphidippus furcillatus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes furcillatus* Petrunkevitch, 1911  
*Metaphidippus furcillatus* Prószyński, 1971e  
*Phanias furcillatus* Maddison, 1996  
MEX: GRO



***Phanias harfordi*** (Peckham & Peckham, 1888)  
*Pseudicius harfordii* Peckham & Peckham, 1888  
*Dendryphantes hartfordi* Banks, 1904b  
*Metaphidippus hartfordi* Chamberlin & Ivie, 1941b  
*Phanias harfordii* Maddison, 1996  
USA: CA, WA



***Phanias monticola*** (Banks, 1895e)  
*Icius monticolus* Banks, 1895e  
*Pseudicius monticolus* Peckham & Peckham, 1909  
*Phanias monticola* Maddison, 1996  
USA: CA, CO



***Phanias neomexicanus*** (Banks, 1901b)  
*Icius neomexicanus* Banks, 1901b  
*Dendryphantes neomexicanus* Peckham & Peckham, 1909  
*Metaphidippus neomexicanus* Richman & Cutler, 1978  
*Phanias neomexicanus* Maddison, 1996  
USA: NM



### Genus ***Phiale*** C. L. Koch, 1846

This genus is in need of revision.

***Phiale bisignata*** (F. O. Pickard-Cambridge, 1901a)  
*Cyrene bisignata* F. O. Pickard-Cambridge, 1901a

*Phiale bisignata* Simon, 1903a  
"MEXICO"



*Phiale hieroglyphica* (F. O. Pickard-Cambridge, 1901a)  
*Cyrene hieroglyphica* F. O. Pickard-Cambridge, 1901a  
*Phiale hieroglyphica* Simon, 1903a  
MEX: TAB



*Phiale mediocava* (F. O. Pickard-Cambridge, 1901a)  
*Cyrene mediocava* F. O. Pickard-Cambridge, 1901a  
*Phiale mediocava* Petrunkevitch, 1911  
MEX: TAB



*Phiale simplicicava* (F. O. Pickard-Cambridge, 1901a)  
*Cyrene simplicicava* F. O. Pickard-Cambridge, 1901a  
*Phiale simplicicava* Simon, 1903a  
*Phiale simplicicava* Petrunkevitch, 1925a  
MEX: GRO



### Genus *Phidippus* C. L. Koch, 1846

*Phidippus adonis* Edwards, 2004  
MEX: MOR



*Phidippus adumbratus* Gertsch, 1934d  
*Phidippus chumash* "Pinter" in Kaston, 1972a (in part),  
*nomen nudum*  
*Phidippus adumbratus* Prószyński, 1971e  
*Phidippus adumbratus* Edwards, 2004  
USA: CA



*Phidippus albulatus* F. O. Pickard-Cambridge, 1901a  
*Phidippus tyrrellii* Peckham & Peckham, 1909 (in part-  
incorrectly synonomized)  
*Phidippus albulatus* Edwards, 2004  
MEX: GRO, VER



*Phidippus amans* Edwards, 2004  
MEX: HID, VER




*Phidippus apacheanus* Chamberlin & Gertsch, 1929  
*Phidippus insolens* (not Hentz) Peckham & Peckham  
1901a, 1909 (in part)  
*Phidippus bardus* Peckham & Peckham, 1901a, *nomen  
oblitum*  
*Dendryphantes insolens* Simon, 1901a  
*Phidippus ferrugineous* Scheffer, 1904b  
*Phidippus apacheanus* Levi & Field, 1954  
*Phidippus insolens* Prószyński, 1971e  
*Phidippus apacheanus* Prószyński, 1976  
*Phidippus ferrugineus* Edwards, 1977



***Phidippus apacheanus* Edwards, 2004**

USA: AL, AR, AZ, CA, CO, DC, FL, GA, ID, KS, LA, MA, MN, MO, MS, MT, NE, NM, NV, NY, NC, OK, SC, TX, UT, WI, WY; MEX: DUR, SON

***Phidippus ardens* Peckham & Peckham, 1901a**

*Phidippus ardens* Peckham & Peckham, 1909

*Dendryphantes ardens* Petrunkevitch, 1911

*Phidippus ardens* Prószyński, 1971e

*Phidippus ardens* Edwards, 2004

USA: AZ, CA, CO, ID, KS, NM, NV, OK, UT, WA; MEX: CHH, DUR, SON

***Phidippus arizonensis* (Peckham & Peckham, 1883)**

*Attus arizonensis* Peckham & Peckham, 1883

*Phidippus arizonensis* Peckham & Peckham, 1888, 1909

*Phidippus obscurus* Peckham & Peckham, 1888

*Phidippus tuberculatus* F. O. Pickard-Cambridge, 1901a

*Phidippus arizonensis* F. O. Pickard-Cambridge, 1901a

*Phidippus arizonensis* Banks, 1910

*Dendryphantes obscurus* Petrunkevitch, 1911

*Dendryphantes tuberculatus* Petrunkevitch, 1911

*Phidippus arizonensis* Prószyński, 1971e

*Phidippus arizonensis* Edwards, 2004

USA: NM, TX; MEX: CHH, DUR, GUA, GRO, HID, JAL, MOR, NLE, SLP, TAM, VER


Not known to occur in Arizona! Type specimen probably mislabeled.

***Phidippus asotus* Chamberlin & Ivie, 1933a**

*Phidippus asotus* Prószyński, 1971e

*Phidippus asotus* Edwards, 2004

USA: AZ, CA, CO, NM, NV, OK, TX, UT; MEX: CHH, SON

***Phidippus audax* (Hentz, 1845)**

*Salticus variegatus* Lucas, 1833b, *nomen oblitum*

*Attus morsitans* Walckenaer, 1837, 1847a, *nomen oblitum*

Edwards, 2004, considered this to be a *nomen dubium*.

*Attus audax* Hentz, 1845

*Phidippus smaragdifer* C. L. Koch, 1846

*Phidippus togatus* C. L. Koch, 1846

*Phidippus alchymista* C. L. Koch, 1846

*Phidippus rufimanus* C. L. Koch, 1846

*Phidippus lunulatus* C. L. Koch, 1846

*Phidippus dubiosus* C. L. Koch, 1846

*Phidippus mundulus* C. L. Koch, 1846

*Phidippus personatus* C. L. Koch, 1846


*Phidippus elegans* C. L. Koch, 1846

*Phidippus electus* C. L. Koch, 1846

*Phidippus concinnatus* C. L. Koch, 1846

*Attus tripunctatus* Peckham & Peckham, 1883

*Phidippus audax* Peckham & Peckham, 1886, 1909



*Phidippus rauterbergii* Peckham & Peckham, 1888  
*Phidippus mexicanus* Peckham & Peckham, 1888  
*Philaeus farneus* Peckham & Peckham, 1888  
*Phidippus tripunctatus* Emerton, 1891  
*Megatimus severus* Thorell, 1891  
*Megatimus severus* Workman & Workman, 1894  
*Phidippus howardii* Peckham & Peckham, 1896  
*Phidippus howardi* F. O. Pickard-Cambridge, 1901a  
*Phidippus mexicanus* F. O. P. – Cambridge, 1901a  
*Dendryphantes morsitans* Simon, 1901a  
*Dendryphantes severus* Simon, 1901a  
*Dendryphantes variegatus* Simon, 1901a  
*Phidippus variegatus* Peckham & Peckham, 1909  
*Phidippus howardi* Peckham & Peckham, 1909  
*Phidippus farneus* Peckham & Peckham, 1909  
*Dendryphantes audax* Petrunkevitch, 1911  
*Dendryphantes farneus* Petrunkevitch, 1911  
*Dendryphantes howardi* Petrunkevitch, 1911  
*Dendryphantes mexicanus* Petrunkevitch, 1911  
*Dendryphantes rauterbergi* Petrunkevitch, 1911  
*Phidippus audax* Bryant, 1942c  
*Phidippus audax* Chickering, 1944  
*Phidippus bryantae* Kaston, 1945a  
*Phidippus audax* Kaston, 1948  
*Phidippus audax* Prószyński, 1971e, 1976, 2002  
*Phidippus farneus* Prószyński, 1971e  
*Phidippus howardi* Prószyński, 1971e  
*Phidippus mexicanus* Prószyński, 1971e  
*Phidippus rauterbergi* Prószyński, 1971e, 1976  
*Phidippus audax* Oehler, 1980  
*Phidippus audax* Breen, et al. 1993  
*Phidippus audax* Maddison, 1996  
*Phidippus audax* Edwards, 2004  
*Phidippus audax* Wunderlich, 2008f  
*Phidippus audax* Paquin et al., 2010  
 CAN: ON, SK; USA: AL, AZ, CA, CO, CT, DC, DE, FL, GA, ID, IL, IN, KS, LA, MA, MD, MI, MN, MO, MS, NE, NH, NJ, NM, NY, NC, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VA, WA, WI, WV, WY, introduced to Hawaii; MEX: NLE, SLP, TAM, VER  
 This variable species has probably the largest number of synonyms of any strictly North American species, with C. L. Koch (1846) giving it no less than 11 different names, none of which was *audax*!

***Phidippus aureus*** Edwards, 2004  
 USA: CA


***Phidippus bidentatus*** F. O. Pickard-Cambridge, 1901a  
*Phidippus foveolatus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes bidentatus* Petrunkevitch, 1911  
*Dendryphantes foveolatus* Petrunkevitch, 1911  
*Dendryphantes bidentatus* Kraus, 1955b



- Dendryphantes chilamae* Kraus, 1955b  
*Dendryphantes lyratus* Kraus, 1955b  
*Phidippus bidentatus* Prószyński, 1971e  
*Phidippus chilamae* Prószyński, 1971e  
*Phidippus lyratus* Prószyński, 1971e  
*Phidippus foveolatus* Richman & Cutler, 1988  
*Phidippus bidentatus* Edwards, 2004  
*Phidippus bidentatus* Edwards & Richman, 2005 (first record from U. S.)  
 USA: TX; MEX: CHP, MOR, OAX, VER, YUC



- Phidippus boei*** Edwards, 2004  
 USA: CA; MEX: BCN, BCS



- Phidippus borealis*** Banks, 1895e  
*Phidippus altanus* Gertsch, 1934d  
*Phidippus altanus* Chickering, 1944  
*Phidippus altanus* Levi, 1951  
*Phidippus altanus* Levi & Field, 1954  
*Phidippus altanus* Prószyński, 1971e  
*Phidippus borealis* Edwards, 1977, 2004  
*Phidippus borealis* Paquin & Dupérré, 2003  
*Phidippus borealis* Paquin et al., 2010  
 CAN: AB, BC, MB, NL, NT, ON, QC, SK, YT; USA: AK, CO, ID, ME, MI, MN, MT, NH, NY, SD, UT, WA, WI, WY



- Phidippus californicus*** Peckham & Peckham, 1901a  
*Phidippus californicus* Peckham & Peckham, 1909  
*Phidippus coccineus* Peckham & Peckham, 1909  
*Phidippus coccineus* Gardner, 1965  
*Phidippus workmani* Richman 1965, Richman & Roth, 1976 (not *P. workmani* Peckham & Peckham, 1901a)  
*Phidippus californicus* Prószyński, 1971e  
*Phidippus coccineus* Prószyński, 1976  
*Phidippus californicus* Edwards, 2004  
 USA: AZ, CA, NM, OR, TX, UT; MEX: BCN, BCS, CHH, SIN, SON

- Phidippus cardinalis*** (Hentz, 1845)  
*Attus cardinalis* Hentz, 1845  
*Attus rufus* Hentz, 1846  
*Phidippus bivittatus* C. L. Koch, 1846  
*Attus mccooki* Peckham & Peckham, 1883  
*Attus cardinalis* Peckham & Peckham, 1883  
*Phidippus cardinalis* Peckham & Peckham, 1888, 1909  
*Phidippus mccooki* Peckham & Peckham, 1888, 1909  
*Phidippus ruber* Emerton, 1891  
*Phidippus aureopilosus* F. O. Pickard-Cambridge, 1901a  
*Dendryphantes ruber* Simon, 1901a  
*Dendryphantes cardinalis* Simon, 1901a  
*Phidippus oaklandensis* Tullgren, 1901a  
*Dendryphantes aureopilosus* Petrunkevitch, 1911



*Dendryphantes mccooki* Petrunkevitch, 1911

*Phidippus mccooki* Kaston, 1948

*Phidippus cardinalis* Wallace, 1950

*Phidippus cardinalis* Prószyński, 1971e

*Phidippus aureopilosus* Prószyński, 1971e


*Phidippus maccoocki* Prószyński, 1971e

*Phidippus mccooki* Prószyński, 1976

*Phidippus cardinalis* Breen *et al.*, 1993

*Phidippus cardinalis* Edwards, 2004

USA: AL, AR, CO, CT, DC, FL, GA, IL, KS, LA, MA, MD, MO, MS, NM, NC, NY, OH, OK, PA, RI, SC, TN, TX, VA, WV; MEX: OAX



***Phidippus carneus*** Peckham & Peckham, 1896

*Phidippus montivagus* Peckham & Peckham, 1901a

*Phidippus carneus* F. O. Pickard-Cambridge, 1901a

*Dendryphantes carneus* Petrunkevitch, 1911

*Phidippus carneus* Prószyński, 1971e

*Phidippus reederi* Gertsch & Riechert, 1976

*Phidippus carneus* Edwards, 2004

USA: AZ, CO, NM, TX; MEX: AGU, BCN, CHH, COA, GUA, JAL, SON, ZAC

***Phidippus carolinensis*** Peckham & Peckham, 1909

*Phidippus obscurus* Peckham & Peckham, 1901a (not *P. obscurus* Peckham & Peckham, 1888 = *Attus arizonensis* Peckham & Peckham, 1883)

*Dendryphantes carolinensis* Petrunkevitch, 1911

*Phidippus rauterbergi* Bryant 1942c (not *P. rauterbergi* Peckham & Peckham)

*Phidippus carolinensis* Prószyński, 1971e

*Phidippus carolinensis* Edwards, 2004

USA: KS, OK, TX; MEX: COE

Not known to occur in the Carolinas!



***Phidippus cerberus*** Edwards, 2004

MEX: DIF, HID, JAL, MIC



***Phidippus clarus*** Keyserling, 1885

*Attus rimator* Walckenaer 1837, *nomen dubium*

*Phidippus testaceus* C. L. Koch, 1846 (suppressed by Edwards, 2004)

*Attus podagrosus* Hentz, 1846, *nomen dubium*

*Phidippus coloradensis* Thorell, 1877c, *nomen dubium*

*Attus flavus* Peckham & Peckham 1883, *nomen dubium*


*Phidippus rufus* Peckham & Peckham, 1888

*Phidippus insolens* Peckham & Peckham, 1888 (not *Attus insolens* Hentz, 1845 = *P. princeps* Peckham & Peckham, 1883)

*Phidippus multiformis* Emerton, 1891

*Phidippus princeps* Banks, 1892a

*Phidippus minutus* Banks, 1892a



*Phidippus coloradensis* Peckham & Peckham, 1901a

*Phidippus bilineatus* Tullgren, 1901a

*Phidippus clarconensis* Tullgren, 1901a

*Phidippus clarus* Peckham & Peckham, 1909

*Dendryphantes bilineatus* Petrunkevitch, 1911

*Dendryphantes coloradensis* Petrunkevitch, 1911

*Dendryphantes clarus* Petrunkevitch, 1911

*Phidippus clarus* Muma, 1943

*Phidippus clarus* Chickering, 1944

*Phidippus clarus* Kaston, 1948

*Phidippus clarus* Wallace, 1950

*Phidippus clarus* Prószyński, 1971e

*Phidippus clarus* Richman & Cutler, 1978

*Phidippus clarus* Oehler, 1980

*Phidippus clarus* Breene et al., 1993

*Phidippus clarus* Paquin & Dupérré, 2003

*Phidippus clarus* Edwards, 2004

*Phidippus clarus* Paquin et al., 2010

CAN: ON, QC, SK; USA: AL, AR, AZ, CA, CO, CT, DC, FL, GA, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NY, OH, OK, OR, PA, RI, SC, TN, TX, UT, VA, VT, WA, WI, WV; MEX: JAL



***Phidippus comatus*** Peckham & Peckham, 1901a

*Phidippus femoratus* Peckham & Peckham, 1909

*Phidippus comatus* Peckham & Peckham, 1909

*Dendryphantes comatus* Petrunkevitch, 1911

*Dendryphantes femoratus* Petrunkevitch, 1911

*Phidippus comatus* Bryant, 1942c

*Dendryphantes consimilis* Roewer, 1951

*Phidippus femoratus* Schenkel, 1951

*Phidippus comatus* Prószyński, 1971e

*Phidippus femoratus* Prószyński, 1971e

*Phidippus comatus* Edwards, 2004

*Phidippus comatus* Paquin et al., 2010

CAN: SK; USA: AZ, CA, NM, NV, OR, TX, UT, WA, WY; MEX:

CHH, COA, DUR, GUA, HID



***Phidippus concinnus*** Gertsch, 1934d

*Phidippus concinnus* Prószyński, 1971e

*Phidippus concinnus* Edwards, 2004

USA: CA, ID



***Phidippus cruentus*** F. O. Pickard-Cambridge, 1901a

*Dendryphantes cruentates* Petrunkevitch, 1911

*Phidippus pix* Pinter, 1970

*Phidippus cruentus* Prószyński, 1971e

*Phidippus cruentus* Edwards, 2004

MEX: CHH, DIF, DUR, GUA, JAL, MIC, NAY

***Phidippus cryptus*** Edwards, 2004*Phidippus cryptus* Paquin et al., 2010

CAN: AB, MB, ON, SK; USA: MN, MT, ND

***Phidippus dianthus*** Edwards, 2004

MEX: MOR

***Phidippus felinus*** Edwards 2004



USA: AZ, NM

***Phidippus georgii*** Peckham & Peckham, 1896*Phidippus georgii* Banks, 1898b*Phidippus georgii* F. O. Pickard-Cambridge, 1901a*Phidippus brunneus* F. O. Pickard-Cambridge, 1901a*Dendryphantes deceptus* Petrunkevitch, 1911*Dendryphantes georgii* Petrunkevitch, 1911*Dendryphantes deceptus* Kraus, 1955b*Phidippus deceptus* Prószyński, 1971e*Phidippus georgii* Prószyński, 1971e*Phidippus georgii* Edwards, 2004

MEX: CHH, COL, GUA, GRO, HID, JAL, MOR, NAY, OAX, PUE

***Phidippus insignarius*** C. L. Koch, 1846*Phidippus auctus* C. L. Koch, 1846*Attus nuttallii* Hentz, 1846, *nomen dubium**Philaeus monticola* Banks, 1896e*Phidippus comatus* Peckham & Peckham, 1901a (in part)*Phidippus insignarius* Emerton, 1909*Phidippus insignarius* Peckham & Peckham, 1909*Dendryphantes insignarius* Petrunkevitch, 1911*Phidippus insignarius* Chickering, 1944*Attus fraudulentus* Chamberlin & Ivie 1944, *nomen dubium**Phidippus insignarius* Kaston, 1948*Phidippus insignarius* Prószyński, 1971e, 1976*Phidippus insignarius* Oehler, 1980*Phidippus insignarius* Maddison, 1996*Phidippus insignarius* Edwards, 2004

USA: AR, CO, CT, DC, IA, IL, IN, KS, KY, MA, MD, MI, MN, MO, NC, NE, NJ, NY, OH, OK, PA, TN, VA.

***Phidippus johnsoni*** (Peckham & Peckham, 1883)*Attus johnsoni* Peckham & Peckham 1883*Phidippus bicolor* Keyserling, 1885*Phidippus johnsoni* Peckham & Peckham, 1888*Phidippus arizonensis* Banks, 1898b (not *Attus arizonensis* Peckham & Peckham, 1883)*Phidippus johnsoni* McCook, 1894

*Phidippus johnsoni* Peckham & Peckham, 1909  
*Phidippus formosus* Peckham & Peckham 1909 (not *Attus formosus* Peckham & Peckham, 1883, *nomen dubium*)  
*Dendryphantes johnsoni* Petrunkevitch, 1911  
*Phidippus formosus* Prószyński, 1971e  
*Phidippus johnsoni* Prószyński, 1971e, 1976  
*Phidippus johnsoni* Richman & Cutler, 1978  
*Phidippus johnsoni* Edwards, 2004  
*Phidippus johnsonii* Paquin *et al.*, 2010  
CAN: AB, BC, NT, SK; USA: AZ, CA, CO, ID, MT, NV, OR, SD, UT, WA, WY; MEX: BCN

***Phidippus kastoni*** Edwards, 2004

*Phidippus chumash* Pinter in Kaston, 1972a (in part)  
USA: CA

***Phidippus lynceus*** Edwards, 2004

USA: NV, OR

***Phidippus maddisoni*** Edwards, 2004

MEX: JAL, MIC

***Phidippus mimicus*** Edwards, 2004

MEX: GRO, OAX

***Phidippus morpheus*** Edwards, 2004

USA: AZ, NM; MEX: COA

***Phidippus mystaceus*** (Hentz, 1846)

*Attus mystaceus* Hentz, 1846  
*Phidippus asinarius* C. L. Koch, 1846  
*Phidippus incertus* Peckham & Peckham, 1901a  
*Phidippus mystaceus* Peckham & Peckham, 1909  
*Dendryphantes mystaceus* Petrunkevitch, 1911  
*Phidippus hirsutus* Barrows, 1919b  
*Phidippus incertus* Bryant, 1942c  
*Phidippus hirsutus* Bryant, 1942c  
*Phidippus mystaceus* Muma, 1944  
*Phidippus hirsutus* Kaston, 1948  
*Phidippus hirsutus* Prószyński, 1971e  
*Phidippus mystaceus* Prószyński, 1971e  
*Phidippus mystaceus* Richman & Cutler, 1978  
*Phidippus mystaceus* Oehler, 1980  
*Phidippus mystaceus* Edwards, 2004  
USA: AL, AR, CO, CT, DC, FL, GA, IL, KS, KY, MD, MO, NC, NJ, NY, OH, OK, SC, TN, TX, VA

***Phidippus nikites*** Chamberlin & Ivie, 1935b

*Phidippus apacheanus* Gardner, 1965 (not *Phidippus apacheanus* Chamberlin & Gertsch, 1929)  
*Phidippus nikites* Prószyński, 1971e, 1976



*Phidippus nikites* Edwards, 2004

USA: CA, ID, NV, OR; MEX: BCN

***Phidippus octopunctatus* (Peckham & Peckham, 1883)**

*Attus octopunctatus* Peckham & Peckham, 1883

*Attus opifex* McCook, 1883

*Phidippus opifex* Peckham & Peckham, 1888, 1909

*Phidippus octopunctatus* Peckham & Peckham, 1888, 1909

*Phidippus opifex* McCook, 1894

*Parnaeus griseus* Peckham & Peckham, 1901a

*Phidippus octopunctatus* Banks 1910

*Dendryphantes octopunctatus* Petrunkevitch, 1911

*Dendryphantes opifex* Petrunkevitch, 1911

*Phidippus opifex* Gardner, 1965 (may be incorrectly ascribed)

*Phidippus octopunctatus* Prószyński, 1971e

*Dendryphantes opifex* Prószyński, 1976

*Phidippus octopunctatus* Richman & Cutler, 1978

*Phidippus octopunctatus* Edwards, 2004

USA: AZ, CA, CO, IA, KS, MO, MT, NE, NM, NV, SD, TX, UT, WA;


MEX: CHH, JAL, MOR, SLP, SON



***Phidippus olympus* Edwards, 2004**

*Phidippus johnsoni* Jung & Roth, 1974 (misidentification)

USA: AZ, NM



***Phidippus otiosus* (Hentz, 1846)**

*Attus otiosus* Hentz, 1846

*Attus pulcher* Walckenaer, 1837 (suppressed on usage)

*Attus pulcher pallida* Walckenaer, 1837

*Attus peregrinus* Walckenaer, 1837 (suppressed on usage)

*Phidippus carolinus* C. L. Koch, 1846

*Phidippus otiosus* Peckham & Peckham, 1888, 1909 (in part)

*Dendryphantes carolinus* Petrunkevitch, 1911

*Dendryphantes otiosus* Petrunkevitch, 1911

*Phidippus dorsalis* Bryant, 1942c (in part)

*Phidippus pulcher* Chamberlin & Ivie, 1944

*Phidippus carolinus* Prószyński, 1971e

*Phidippus dorsalis* Prószyński, 1971e


*Phidippus otiosus* Prószyński, 1971e

*Phidippus pulcher* Richman, 1978

*Phidippus otiosus* Edwards, 2004

USA: AL, AR, DC, FL, GA, LA, MD, MI (intercepted), MN

(intercepted on plants from FL), MO, MS, NC, SC, TN, TX, VA



***Phidippus phoenix* Edwards, 2004**


USA: AZ, CA; MEX: BCN, BCS



***Phidippus pius* Scheffer, 1905**

*Phidippus pius* Peckham & Peckham, 1909

*Phidippus pius* Chickering, 1944



*Phidippus abboti* Chamberlin & Ivie, 1944

*Dendryphantes diabolus* Kraus, 1955b

*Phidippus abboti* Prószyński, 1971e

*Phidippus diabolus* Prószyński, 1971e

*Phidippus pius* Prószyński, 1971e

*Phidippus volcano* Gertsch & Riechert, 1976

*Phidippus pius* Edwards, 1977

*Phidippus pius* Edwards, 2004

USA: AL, AZ, FL, GA, IL, IN, KS, LA, MI, MN, MO, MS, NC, NM, OK, PA, SC, TN, TX, VA; MEX: COA



***Phidippus pomatus*** Edwards, 2004

MEX: COL, DIF, GUA, JAL, MIC

***Phidippus princeps*** (Peckham & Peckham, 1883)

*Attus insolens* Hentz, 1845 (suppressed for lack of usage)

*Phidippus castrensis* C. L. Koch, 1846 (suppressed for lack of usage)

*Attus princeps* Peckham & Peckham, 1883

*Philaeus princeps* Peckham & Peckham, 1888

*Phidippus brunneus* Emerton, 1891

*Phidippus insolens* Peckham & Peckham, 1901a

*Phidippus princeps* Peckham & Peckham, 1901a, 1909

*Dendryphantes castrensis* Simon, 1901a

*Phidippus insolens* Peckham & Peckham, 1909

*Phidippus brunneus* Peckham & Peckham, 1909

*Phidippus brunneus* Emerton, 1909

*Dendryphantes princeps* Petrunkevitch, 1911

*Dendryphantes brunneus* Petrunkevitch, 1911

*Phidippus dorsalis* Bryant, 1942c (in part, not *Phidippus dorsalis* Bryant, 1942c = *Attus otiosus* Hentz 1846)

*Phidippus brunneus* Chickering, 1944

*Phidippus excubitor* Chamberlin & Ivie, 1944 (rejected synonymy)

*Phidippus princeps* Kaston, 1945a, 1948

*Phidippus castrensis* Prószyński, 1971e

*Phidippus princeps* Prószyński, 1971e, 1976


*Phidippus princeps* Oehler, 1980

*Phidippus princeps* Paquin & Dupérré, 2003

*Phidippus princeps* Edwards, 2004

*Phidippus princeps* Paquin et al., 2010

CAN: MB, NS, ON, QC, SK; USA: AL, AR, CT, GA, IA, IL, IN, KS, KY, LA, MA, MD, MI, MN, MO, MS, NH, NJ, NY, NC, OH, OK, PA, RI, SC, TN, TX, UT, VA, VT, WI, WV



***Phidippus pruinosus*** Peckham & Peckham, 1909

*Dendryphantes pruinosus* Petrunkevitch, 1911

*Phidippus pruinosus* Prószyński, 1971e

*Phidippus pruinosus* Edwards, 2004

USA: TX



***Phidippus pulcherrimus*** Keyserling, 1885

*Phidippus pulcherrimus* Petrunkevitch, 1911  
*Phidippus pulcherrimus* Prószyński, 1971e  
*Phidippus pulcherrimus* Edwards, 2004  
 USA: AL, FL, GA, SC

***Phidippus purpuratus*** Keyserling, 1885


*Phidippus albomaculatus* Keyserling, 1885  
*Phidippus galathea* Peckham & Peckham, 1888 (not *Attus galathea* Walckenaer, 1837 = *Pelegrina galathea*)  
*Phidippus mystaceus* Emerton, 1891 (not *Attus mystaceus* Hentz 1846)  
*Phidippus galathea* Peckham & Peckham, 1901a  
*Phidippus mystaceus* Emerton, 1902  
*Phidippus purpuratus* Peckham & Peckham, 1909  
*Dendryphantes purpuratus* Petrunkevitch, 1911  
*Phidippus purpuratus* Comstock, 1912  
*Phidippus purpuratus* Chickering, 1944  
*Phidippus purpuratus* Prószyński, 1971e, 1976  
*Phidippus purpuratus* Paquin & Dupérré, 2003  
*Phidippus purpuratus* Edwards, 2004  
*Phidippus purpuratus* Paquin et al., 2010  
 CAN: AB, BC, MB, NS, ON, QC, SK: USA: AR, CT, DC, FL, KS, ME, MD, MA, MI, MN, MO, MT, NE, NH, NY, ND, PA, SC, VA, VT, WI, WY

***Phidippus putnami*** (Peckham & Peckham, 1883)

*Attus putnami* Peckham & Peckham, 1883  
*Phidippus gracilis* Keyserling, 1885  
*Plexippus putnami* Peckham & Peckham, 1888, 1909  
*Phidippus otiosus* Peckham & Peckham, 1909 (not *Attus otiosus* Hentz, 1846)  
*Dendryphantes putnami* Petrunkevitch, 1911  
*Phidippus putnami* Bryant, 1942c  
*Phidippus putnami* Muma, 1944  
*Phidippus putnami* Prószyński, 1971e  
*Phidippus putnami* Oehler, 1980  
*Phidippus putnami* Edwards, 2004  
 USA: AL, AR, DC, GA, IL, IN, KS, KY, LA, MD, MO, MS, NC, NE, NJ, OH, OK, PA, SC, TN, TX, VA, WV

***Phidippus regius*** C. L. Koch, 1846

*Phidippus purpurifer* C. L. Koch, 1846  
*Attus regius* Walckenaer, 1847a  
*Salticus sagraeus* Lucas, 1857a  
*Attus mineatus* Peckham & Peckham, 1883  
*Phidippus mineatus* Peckham & Peckham, 1888, 1909  
*Dendryphantes regius* Simon, 1901a  
*Dendryphantes miniatus* Petrunkevitch, 1911  
*Dendryphantes variegatus limbatus* Franganillo Balboa, 1930  
*Phidippus audax* Bryant, 1940



- Phidippus regius* Bryant, 1943b  
*Phidippus tullgreni* Wallace, 1950  
*Phidippus miniatus* Prószyński, 1971e  
*Phidippus regius* Prószyński, 1971e  
*Phidippus regius* Richman, 1977  
*Phidippus tullgreni* Richman & Cutler, 1978  
*Phidippus regius* Edwards, 2004

USA: AL, FL, GA, ME (intercepted in leather from Dominican Republic), MS, NC, SC, VA




***Phidippus richmani* Edwards, 2004.**

USA: FL

***Phidippus texanus* Banks, 1906b**

- Phidippus albomaculatus* Peckham & Peckham, 1888  
 (preoccupied Keyserling, 1885)  
*Phidippus texanus* Banks, 1906b  
*Phidippus texanus* Peckham & Peckham, 1909  
*Dendryphantes texanus* Petrunkevitch, 1911  
*Phidippus peritus* Gertsch, 1934d  
*Phidippus texanus* Bryant, 1942c  
*Phidippus peritus* Prószyński, 1971e  
*Phidippus texanus* Prószyński, 1971e  
*Phidippus texanus* Edwards, 1977  
*Phidippus texanus* Breene et al., 1993  
*Phidippus texanus* Edwards, 2004  
 USA: AR, CO, KS, MO, MT, NE, NM, ND, OK, TX; MEX: COA, TAM



***Phidippus tigris* Edwards 2004**

USA: AZ



***Phidippus toro* Edwards 1978**

- Phidippus toro* Edwards 2004  
 USA: AZ; MEX: CHH, NLE, TAM



***Phidippus tux* Pinter, 1970**

- Phidippus tux* Edwards, 2004  
 USA: AZ; MEX: JAL, NAY, SON



***Phidippus tyrannus* Edwards, 2004**

USA: AZ, NM, TX; MEX: AGU, CHH

***Phidippus tyrelli* Peckham & Peckham, 1901a**

- Phidippus tyrelli* Banks, 1901b  
*Phidippus tyrelli* Peckham & Peckham, 1909  
*Dendryphantes tyrelli* Petrunkevitch, 1911  
*Phidippus pogonopus* Chamberlin, 1925c  
*Phidippus kaibabensis* Gertsch, 1934d  
*Phidippus kailabensis* Prószyński, 1971e  
*Phidippus pogonopus* Prószyński, 1971e

*Phidippus tyrelli* Prószyński, 1971e, 1976

*Phidippus montivagus* Richman & Cutler, 1978 (not

*Phidippus montivagus* Peckham & Peckham 1901a =

*Phidippus carneus*, Peckham & Peckham, 1896)

*Phidippus tyrelli* Edwards, 2004

*Phidippus tyrellii* Paquin et al., 2010

CAN: BC; USA: AZ, CA, CO, ID, MT, NM, OR, UT, WY; MEX: SON



*Phidippus ursulus* Edwards, 2004

USA: NM

*Phidippus venus* Edwards, 2004

MEX: VER

*Phidippus vexans* Edwards, 2004

USA: NM, TX

*Phidippus whitmani* Peckham & Peckham, 1909

*Phidippus paludatus* C. L. Koch, 1846 (suppressed for lack of usage)

*Phiale modesta* C. L. Koch, 1846 (suppressed for lack of usage)

*Phidippus rufus* Peckham & Peckham, 1888 (not *Attus rufus* Hentz, 1846 = *Attus cardinalis* Hentz, 1846)

*Phidippus whitmani* Peckham & Peckham, 1909

*Phidippus whitmani* Emerton, 1909

*Dendryphantes whitmani* Petrunkevitch, 1911

*Phidippus whitmani* Chickering, 1944

*Phidippus whitmani* Kaston, 1945a, 1948.

*Phidippus whitmani* Prószyński, 1971e, 1976

*Phidippus whitmani* Paquin & Dupérré, 2003

*Phidippus whitmani* Edwards, 2004

*Phidippus whitmanii* Paquin et al., 2010

CAN: MB, NL, NS, ON, QC; USA: AL, AR, CT, DC, DE, FL, GA, IA,

IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, ND, NE, NH,

NJ, NY, NC, OH, OK, PA, RI, SC, TN, TX, VA, WI



*Phidippus workmani* Peckham & Peckham, 1901a

*Phidippus workmani* Peckham & Peckham, 1909

*Dendryphantes workmanni* Petrunkevitch, 1911


*Phidippus workmani* Prószyński, 1971e, 1976

*Phidippus xeros* Edwards, 1978

*Phidippus workmani* Edwards, 2004

USA: FL, GA

Not known from Arizona, the supposed type locality.



*Phidippus zethus* Edwards, 2004

MEX: JAL, NAY

***Phlegra hentzi* (Marx, 1890)**

*Attus leopardus* Hentz, 1846 (preoccupied by Walckenaer, 1837)

*Attus hentzi* Marx, 1890 (replacement name for *Attus leopardus*)

*Phlegra leoparda* Emerton, 1891

*Phlegra leopardus* Peckham & Peckham, 1909

*Phlegra fasciata* Chickering, 1944 (not *Attus faciatus* Hahn, 1826)


*Phlegra fasciata* Chamberlin & Ivie, 1944

*Phlegra fasciata* Kaston, 1948

*Phlegra hentzi* Logunov & Koponen, 2002

*Phlegra hentzi* Paquin *et al.*, 2010


CAN: ON; USA: AR, FL, KS, MA, MN, MO, OH, SC, TX, WI

Genus ***Platycryptus*** Hill, 1979***Platycryptus arizonensis* (Barnes, 1958)**

*Metacyrba arizonensis* Barnes, 1958

*Platycryptus arizonensis* Edwards, 2006

USA: AZ, CA, NM, UT

***Platycryptus californicus* (Peckham & Peckham, 1888)**

*Marpusa californica* Peckham & Peckham, 1888

*Marpissa melanura* F. O. Pickard-Cambridge, 1901a

*Marpissa californica* Petrunkevitch, 1911


*Metacyrba californica* Barnes, 1958

*Platycryptus californica* Hill, 1979

*Platycryptus californicus* Edwards, 2006

*Platycryptus californicus* Paquin *et al.*, 2010

CAN: BC; USA: AZ, CA, CO, ID, MT, OR, UT, WA; MEX: BCN

***Platycryptus magnus* (Peckham & Peckham, 1894)**

*Marpusa magna* Peckham & Peckham, 1894

*Marpusa broadwayi* Peckham & Peckham, 1894

*Marpissa magna* F. O. Pickard-Cambridge, 1901a

*Marpissa broadwayi* Simon, 1901a

*Menemerus delus* Chamberlin & Ivie, 1936a

*Naubolus aureocomosus* Mello-Leitão, 1943b

*Marpissa magna* Chickering, 1946

*Marpissa broadwayi* Galiano, 1981a

*Platycryptus broadwayi* Edwards, Rinaldi & Ruiz, 2005

*Platycryptus magnus* Edwards, 2006

MEX: TAB

***Platycryptus undatus* (DeGeer, 1778)**


*Aranea undata* DeGeer, 1778

*Attus cunctator* Walckenaer, 1837

*Attus milberti* Walckenaer, 1837

*Attus undatus* Walckenaer, 1837

*Attus lento* Walckenaer, 1837



*Salticus sundevalli* Blackwall, 1846a  
*Attus familiaris* Hentz, 1846  
*Attus rupicola* Hentz, 1846, *nomen dubium*  
*Marpissa undata* C. L. Koch, 1846  
*Marpissa conspersa* C. L. Koch 1846  
*Marpissa varia* C. L. Koch, 1846  
*Dendryphantes undatus* Simon, 1864  
*Dendryphantes conspersa* Simon, 1864  
*Dendryphantes varia* Simon, 1864  
*Marptusa familiaris* Peckham & Peckham, 1888  
*Marptusa familiaris* Emerton, 1891  
*Marptusa rupicola* Banks, 1892a  
*Marpissa familiaris* F. O. Pickard-Cambridge, 1901a  
*Marpissa undata* Simon, 1901a  
*Marptusa familiaris* Emerton, 1902  
*Marpissa undata* Peckham & Peckham, 1909  
*Marpissa undata* Comstock, 1912  
*Marpissa undata* Chickering, 1944  
*Marpissa rupicola* Bryant, 1945b  
*Marpissa undata* Kaston, 1948  
*Metacyrba undata* Barnes, 1958  
*Metacyrba undata* Shear, 1967  
*Platycryptus undatus* Hill, 1979  
*Metacyrba undata* Oehler, 1980  
*Platycryptus undatus* Paquin & Dupérré, 2003  
*Platycryptus undatus* Edwards, 2006  
*Platycryptus undatus* Paquin *et al.*, 2010  
 CAN: MB, NS, ON, QC; USA: AL, AR, CT, DC, FL, GA, IA, IL, KS,  
 KY, LA, MA, MD, MI, MN, MO, MS, NC, NE, NJ, NY, OK, PA, SC,  
 TN, TX, VA, WI, WV

### Genus *Plexippus* C. L. Koch, 1846

#### *Plexippus fannae* (Peckham & Peckham, 1896)

This species is placed in the wrong genus.

*Menemerus fannae* Peckham & Peckham, 1896

*Thotmes fannae* F. O. Pickard-Cambridge, 1901a

*Plexippus fannae* Petrunkevitch, 1911

MEX: GRO



#### *Plexippus paykulli* (Audouin, 1826)

*Attus paykulli* Audouin, 1826


*Plexippus paykulli* Peckham & Peckham, 1886

*Menemerus paykulli* Peckham & Peckham, 1888

*Plexippus paykulli* Prószyński, 2003

Many more synonyms and citations for this cosmopolitan species. See Platnick 2011 for complete list.

USA: FL, GA, NM, SC, TX; MEX: BCS, SIN, SLP, GRO



#### *Plexippus seladonicus* C. L. Koch, 1846

"MEXICO"

**Plexippus taeniatus** C. L. Koch, 1846  
"MEXICO"

### Genus **Poultonella** Peckham & Peckham, 1909

**Poultonella alboimmaculata** (Peckham & Peckham, 1883)  
*Attus alboimmaculatus* Peckham & Peckham, 1883  
*Dendryphantes alboimmaculatus* Peckham & Peckham, 1888  
*Poultonella alboimmaculata* Peckham & Peckham, 1909  
*Poultonella alboimmaculata* Cokendolpher & Horner, 1978  
 USA: IA, KS, NM, NY, OK, TX, VA

**Poultonella nuecesensis** Cokendolpher & Horner, 1978  
 USA: TX

### Genus **Pseudeuophrys** Dahl, 1912b

**Pseudeuophrys erratica** (Walckenaer, 1826)  
*Attus erraticus* Walckenaer, 1826  
*Attus miser* Simon, 1868b  
*Euophrys erratica* O. Pickard-Cambridge, 1881a  
*Pseudeuophrys callida* Dahl, 1912b  
*Pseudeuophrys erratica* Źabka & Prószyński, 1998  
 USA: NJ, NY

This is an Old World species that was introduced to the US. There are numerous synonyms and references. See Platnick, 2011 for a complete list.

### Genus **Pseudicius** Simon, 1885d

**Pseudicius siticulosus** Peckham & Peckham, 1909  
 This species is almost certainly not a *Pseudicius*.  
*Pseudicius siticulosus* Maddison, 1996.  
 USA: AZ, CA, KS, NM



### Genus **Rhetenor** Simon, 1902d

It is the senior author's opinion that this genus – including an apparent undescribed species from Baja California – represents an extreme of *Zygodallus* Peckham & Peckham, 1895.

**Rhetenor texanus** Gertsch, 1936a  
 USA: TX

### Genus **Salticus** Latreille, 1804b

**Salticus austiniensis** Gertsch, 1936a  
*Epiblemmum albocinctum* Peckham & Peckham, 1896  
*Salticus albocinctum* F. O. Pickard-Cambridge, 1901a  
*Salticus albocinctum* Simon, 1901a  
*Salticus albocinctus* Peckham & Peckham, 1909



(preoccupied by *Salticus albocinctus* C. L. Koch, 1846)

*Salticus austinensis* Gertsch, 1936a

USA: KS, OK, TX; MEX: ?



***Salticus palpalis*** (Banks, 1904b)

*Epiblemmum palpalis* Banks, 1904b

*Salticus palpalis* Peckham & Peckham, 1909


USA: AZ, CA; MEX: BCN, SON?

***Salticus peckhamae*** (Cockerell, 1897)

*Icius peckhamae* Cockerell, 1897

*Salticus peckhamae* Peckham & Peckham, 1909

USA: NM, TX



***Salticus scenicus*** (Clerck, 1757)

*Araneus scenicus* Clerck, 1757

*Salticus scenicus* Latreille, 1804b

*Epiblemmum faustum* Hentz, 1832

*Epiblemmum scenicum* Emerton, 1891

*Salticus scenicus* Peckham & Peckham, 1909

*Salticus scenicus* Paquin et al., 2010

Many other synonymies primarily in Old World literature.

CAN: AB, BC, MB, NB, NL, NS, ON, QC, SK; USA: AR, CA, CO,

CT, GA, IA, IL, KS, MI, MN, NJ, NY, OR, PA, WI; MEX: SON?

### Genus ***Sarinda*** Peckham & Peckham, 1892

***Sarinda cutleri*** (Richman, 1965)

*Myrmarachne cutleri* Richman, 1965

*Sarinda cutleri* Galiano, 1969a

USA: AZ, CA; MEX: SON?



***Sarinda hentzi*** (Banks, 1913)

*Myrmarachne albocinctus* C. L. Koch, 1846 is probably a synonym.

*Salticus ephippiatus* Peckham & Peckham, 1888, 1892

(not *Synemosyna ephippiata* Hentz, 1845)

*Myrmarachne hentzi* Banks, 1913

*Myrmarachne ephippiata* Kaston, 1938d

*Myrmarachne hentzi* Kaston, 1948


*Sarinda hentzi* Galiano, 1965b

*Sarinda hentzi* Jackowska & Prószyński, 1975

*Sarinda hentzi* Oehler, 1980

*Sarinda hentzi* Breene et al., 1993

USA: AR, AZ, CT, FL, GA, KS, MA, MO, NY, SC, TX; MEX: SON?



### Genus ***Sassacus*** Peckham & Peckham, 1895

***Sassacus alboguttatus*** (F. O. Pickard-Cambridge, 1901a)

*Homalattoides alboguttatus* F. O. Pickard-Cambridge, 1901a

*Sassacus alboguttatus* Simon, 1903a

*Sassacus alboguttatus* Richman, 2008



MEX: CHP, DIF, GRO, MOR, NAY, SON

***Sassacus aztecus*** Richman, 2008

MEX: MOR, NAY, SON



***Sassacus barbipes*** (Peckham & Peckham, 1888)

*Eris barbipes* Peckham & Peckham, 1888

*Eris barbipes* F. O. P. - Cambridge, 1901a

*Ashtabula nigricans* F. O. P. - Cambridge, 1901a

*Sassacus barbipes* Peckham & Peckham, 1909

*Sassacus barbipes* Richman, 2008

MEX: COL, GUA, GRO, JAL, MEX, MOR, NAY, NLE, OAX, SON

Not found in CA as reported by the Peckhams, 1909.

***Sassacus cyaneus*** (Hentz, 1846)

*Attus ceruleus* Walckenaer, 1837, *nomen dubium*

*Attus cyaneus* Hentz, 1846

*Homalattus septentrionalis* Keyserling, 1885

*Homalattus cyaneus* Peckham & Peckham, 1888

*Rhene cyanea* Peckham & Peckham, 1895

*Agassa georgiana* Simon, 1901a

*Agassa cyanea* Peckham & Peckham, 1909

*Agassa cerulea* Chamberlin & Ivie, 1944

*Agassa cyanea* Kaston, 1948

*Agassa cyanea* Breene et al., 1993

*Sassacus cyaneus* Richman, 2008

*Sassacus cyaneus* Paquin et al., 2010

CAN: NB; USA: AL, AR, CT, FL, GA, IL, IA, MA, MO, MS, NE, NJ, NY, NC, OH, PA, SC, TX, VA., WV, WI



***Sassacus lirios*** Richman, 2008

This species belongs to the mostly South American *Sassacus arcuatus* Group and as such is almost certainly not a true *Sassacus*. This needs to be resolved. At least one other species of this group is known from Mexico, based on a specimen from the American Museum of Natural History in New York.

MEX: HIL, ROO, SLP, VER



***Sassacus paiutus*** (Gertsch, 1934d)

*Metaphidippus paiutus* Gertsch, 1934d

*Metaphidippus paiutus* Prószyński, 1971e

*Sassacus paiutus* Maddison, 1996

*Sassacus paiutus* Richman, 2008

USA: AZ, CA, UT, BCN



***Sassacus papenhoei*** Peckham & Peckham, 1895

*Sassacus papenhoei* Peckham & Peckham, 1909

*Sassacus smaragdinus* Barrows, 1919b

*Sassacus vanduzeei* Chamberlin, 1924b

*Sassacus uteanus* Chamberlin & Gertsch, 1929

*Pseudicius lecontei* Barrows, 1940

*Sassacus papenhoei* Levi & Field, 1954

*Sassacus papenhoei* Kaston, 1972b  
*Sassacus papenhoei* Richman & Cutler, 1978  
*Sassacus papenhoei* Cutler, 1981b  
*Sassacus papenhoei* Breene et al., 1993  
*Sassacus papenhoei* Maddison, 1996  
*Sassacus papenhoei* Richman, 2008  
*Sassacus papenhoei* Paquin et al., 2010  
CAN: BC; USA: AL, AZ, AR, CA, CO, DC, ID, IL, IA, KS, LA, MD,  
MI, MN, MS, MO, MT, NE, NV, NM, NC, OK, OR, SC, TN, TX, UT,  
VA, WA, WI, WY; MEX: BCN, CHH, COA, DIF, DUR, GUA, JAL,  
MOR, NLE, OAX, PUE, SON, TLA, ZAC



*Sassacus samalayucae* Richman, 2008

MEX: CHH



*Sassacus vitis* (Cockerell, 1894b)

*Dendryphantes vitis* Cockerell, 1894b  
*Icius vitis* Peckham & Peckham, 1909  
*Dendryphantes melanomerus* Chamberlin, 1924b  
*Dendryphantes apachecus* Chamberlin, 1925c  
*Dendryphantes mathetes* Chamberlin, 1925c  
*Metaphidippus vitis* Gertsch, 1934d  
*Metaphidippus vitis* Prószyński, 1971e  
*Metaphidippus mathetes* Richman & Cutler, 1978  
*Sassacus vitis* Hill, 1979  
*Metaphidippus vitis* Maddison, 1996  
*Dendryphantes melanomerus* Jiménez-Jiménez, 2007c  
*Sassacus vitis* Richman, 2008  
*Sassacus vitis* Paquin et al., 2010  
CAN: AB, BC; USA: AZ, CA, FL, ID, KS, MT, NM, OK, OR, TX, UT,  
WA, WY; MEX: BCN, BCS, CHP, CHH, HID, JAL, MOR, NAY, NLE,  
OAX, PUE, ROO, SLP, SIN, SON, TAB, TAM, VER


### Genus *Semiopyla* Simon, 1901a

*Semiopyla cataphracta* Simon, 1901a  
*Semiopyla biimpressa* Simon, 1901a  
*Semiopyla biimpressa* Galiano, 1963a  
*Semiopyla cataphracta* Galiano, 1963a  
*Semiopyla cataphracta* Cutler, 1971b  
*Semiopyla cataphracta* Galiano, 1985b  
MEX: CAM, CHP?



### Genus *Sibianor* Logunov, 2001a


*Sibianor aemulus* (Gertsch, 1934d)  
*Sassacus aemulus* Gertsch, 1934d  
*Sassacus aemulus* Levi & Field, 1954  
*Bianor aemulus* Maddison, 1978  
*Sibianor aemulus* Logunov, 2001a  
*Sibianor aemulus* Paquin & Dupérré, 2003



*Sibianor aemulus* Paquin et al., 2010  
CAN: AB, MB, ON, QC, SK; USA: MN, WI

### Genus *Sidusa* Peckham & Peckham, 1895

*Sidusa nigrina* F. O. Pickard-Cambridge, 1901a  
MEX: GRO



### Genus *Sitticus* Simon, 1901a

*Sitticus ammophilus* (Thorell, 1875b)  
*Attus ammophilus* Thorell, 1875b, 1875c  
*Attus vilis* Kulczyński, 1895a  
*Sitticus vilis* Simon, 1901a  
*Sitticus ammophilus* Reimoser, 1919  
*Sitticus vilis* Prószyński, 1975, 1976, 1987  
*Sitticus ammophilus* Prószyński, 1987  
*Sitticus ammophilus* Wesolowska, 1996  
*Sibianor ammophilus* Paquin et al., 2010  
CAN: ON (introduced)




*Sitticus caetus* (Peckham & Peckham, 1888)  
*Attus caetus* Peckham & Peckham, 1888  
*Sitticus caetus* Simon, 1901a  
"MEXICO"




*Sitticus concolor* (Banks, 1895c)  
*Attus concolor* Banks, 1895c  
*Euophrys concolor* Petrunkevitch, 1911  
*Sitticus cursor* Barrows, 1919b  
*Sitticus floridanus* Gertsch & Mulaik, 1936a  
*Sitticus floridanus* Chamberlin & Ivie, 1944  
*Sitticus floridanus* Kaston, 1948  
*Sitticus cursor* Levi & Field, 1954  
*Sitticus cursor* Prószyński, 1973a, 1975, 1976  
*Sitticus concolor* Maddison, 1996  
USA: AL, AR, CT, FL, GA, IA, KS, MO, MS, NE, NJ, NY, SC; MEX:?



*Sitticus cutleri* Prószyński, 1980  
*Sitticus cutleri* Prószyński, 1976, *nomen nudum*  
*Sitticus cutleri* Prószyński, 1980  
*Sitticus gertschi* Prószyński, 1980  
*Sitticus cutleri* Nenilin, 1984b  
*Sitticus cutleri* Paquin et al., 2010  
CAN: AB, NL, NT, SK; USA: MN, UT



*Sitticus dorsatus* (Banks, 1895e)  
*Attus dorsatus* Banks, 1895e  
*Sitticus absolutus* Gertsch & Mulaik, 1936a  
*Sitticus callidus* Gertsch & Mulaik, 1936a  
*Sitticus hansii* Schenkel, 1951



*Sitticus absolutus* Prószyński, 1973a  
*Sitticus dorsatus* Richman 1979  
*Sitticus dorsatus* Breene et al., 1993  
*Sitticus dorsatus* Paquin et al., 2010  
 CAN: BC; USA: CA, KS, ND, NM, TX, UT

***Sitticus fasciger* (Simon, 1880b)**

*Attus fasciger* Simon, 1880b  
*Attus godlewskii* Kulczyński, 1895d  
*Sitticus barnesi* Cutler, 1965  
*Sitticus fasciger* Prószyński, 1968c  
*Sitticus fasciger* Paquin & Dupérré, 2003  
*Sitticus fasciger* Paquin et al., 2010


There are numerous citations for this introduced species from Asia. See Platnick 2011.

CAN: BC, MB, ON, QC; USA: IL, KS, MI, MN, NH, NJ, NY, PA, WI, WV




***Sitticus finschi* (L. Koch, 1879b)**

*Attus finschi* L. Koch, 1879b  
*Euophrys cruciata* Emerton, 1891  
*Sitticus finschi* Kulczyński, 1908b  
*Euophrys cruciatus* Peckham & Peckham, 1909  
*Sitticus finschi* Levi, 1951  
*Sitticus finschi* Prószyński, 1968c  
*Sitticus finschi* Izmailova, 1989  
*Sitticus finschi* Logunov, 1991, 1992c  
*Sitticus finschi* Paquin & Dupérré, 2003  
*Sitticus finschii* Paquin et al., 2010  
 CAN: AB, BC, MB, NB, NL, QC, SK, YT; USA: AK, MN, NH, WY



***Sitticus floricola palustris* (Peckham & Peckham, 1883)**

*Attus palustris* Peckham & Peckham, 1883, 1888  
*Attus palustris* Emerton, 1891  
*Attus sylvestris* Emerton, 1891  
*Attus palustris* Emerton, 1902  
*Sittacus palustris* Peckham & Peckham, 1909  
*Sitticus palustris* Chickering, 1944  
*Sitticus palustris* Kaston, 1948  
*Sitticus floricola palustris* Prószyński, 1980  
*Sitticus palustris* Maddison, 1996  
*Sitticus palustris* Logunov & Kronestedt, 1997  
*Sitticus floricola palustris* Paquin & Dupérré, 2003  
*Sitticus palustris* Paquin et al., 2010  
 CAN: AB, BC, MB, NB, NL, NS, NT, ON, PE, QC, SK, YT; USA: CA, CT, IA, MA?, ME, MN, NH, NY, WI



***Sitticus juniperi* Gertsch & Riechert, 1976**

USA: NM



***Sitticus magnus*** Chamberlin & Ivie, 1944*Sitticus magnus* Prószyński, 1980

USA: GA, NC, SC

***Sitticus palpalis*** (F. O. Pickard-Cambridge, 1901a)*Tomis palpalis* F. O. Pickard-Cambridge, 1901a.*Tomis jonesae* Bryant, 1948a*Tomis jonesi* Roewer, 1954*Sitticus palpalis* Galiano, 1991a

USA: AZ; MEX: JAL

***Sitticus peninsulae*** (Banks, 1898b)*Attus peninsulae* Banks, 1898b*Sitticus peninsulae* Petrunkevitch, 1911

MEX: ?

***Sitticus pubescens*** (Fabricius, 1775)*Aranea pubescens* Fabricius, 1775*Aranea truncorum* Olivier & Olivier, 1789*Sitticus pubescens* Simon, 1901a, 1937*Sitticus pubescens* Bryant, 1941*Sitticus pubescens* Kaston, 1948*Sitticus pubescens* Prószyński, 1987


Numerous Old World synonyms and references. See Platnick, 2011.

USA: MA, NH, NJ

***Sitticus ranieri*** (Peckham & Peckham, 1909)*Sittacus ranieri* Peckham & Peckham, 1909*Sitticus ranieri* Petrunkevitch, 1911*Sitticus ranieri* Levi, 1951*Sitticus haydeni* Levi & Levi, 1951*Sitticus mazamae* Schenkel, 1951*Sitticus lineolatus* Prószyński, 1971b, 1971c*Sitticus ranieri* Kronestedt & Logunov, 2001*Sitticus ranieri* Paquin & Dupérré, 2003*Sitticus ranieri* Paquin *et al.*, 2010


Several other references and synonyms from Old World. See Platnick, 2011.

CAN: AB, BC, MB, NL, NT, QC, SK, YT; USA: AK, OR, WA, WY

***Sitticus rupicola*** (C. L. Koch, 1837b)*Euophrys rupicola* C. L. Koch, 1837b*Sitticus rupicola* Simon, 1937

Many other European synonyms and references.

US: TX? (almost certainly erroneous.)

***Sitticus striatus*** Emerton, 1911*Sitticus striatus* Kaston, 1948*Sitticus striatus* Prószyński, 1976, 1980*Sitticus striatus* Logunov, 2001a*Sitticus striatus* Paquin & Dupérré, 2003

*Sitticus striatus* Logunov, 2004a

*Sitticus striatus* Paquin *et al.*, 2010

CAN: AB, MB, NB, NL, NS, ON, QC, SK; USA: AK, MA, ME, MN, WI



*Sitticus welchi* Gertsch & Mulaik, 1936a

USA: TX

### Genus *Synageles* Simon, 1876a

*Synageles bishopi* Cutler, 1988a

USA: AR, CT, FL, KS, KY, MA, MD, MO, MS, NJ, NM, NY, PA, SC, TN, TX, VA




*Synageles canadensis* Cutler, 1988a

*Synageles canadensis* Paquin & Dupérré, 2006

*Synageles canadensis* Paquin *et al.*, 2010

CAN: BC, NB, NS, ON, QC; USA: MI



*Synageles idahoana* (Gertsch, 1934d)


*Peckhamia idahoana* Gertsch, 1934d

*Gertschia idahoana* Kaston, 1945a

*Synageles idahoana* Richman & Cutler, 1978

*Synageles idahoana* Cutler, 1988a

USA: CA, ID, OR, UT, WY



*Synageles leechi* Cutler, 1988a

*Synageles leechi* Paquin *et al.*, 2010

CAN: BC

*Synageles mexicanus* Cutler, 1988a

USA: AZ, NM; MEX: AGU, COL, DUR, GRO, MIC, MOR, OAX,

PUE, SLP, SON, TAM

*Synageles noxiosus* (Hentz, 1850)

*Synemosyna noxiosa* Hentz, 1850

*Peckhamia scorpiona* Peckham & Peckham, 1909 (in part)

*Gertschia noxiosa* Kaston, 1945a, 1948

*Synageles noxiosa* Oehler, 1980

*Synageles noxiosus* Cutler, 1988a

*Synageles noxiosus* Maddison, 1996

*Synageles noxiosus* Paquin & Dupérré, 2003

*Synageles noxiosus* Paquin *et al.*, 2010

CAN: ON, QC; USA: AZ, CA, CT, DC, FL, GA, KS, IA, LA, MA, MI,

MN, MO, MS, NC, NJ, NM, NV, NY, OK, PA, TN, TX, VA; BCN,

CHH, OAX




*Synageles occidentalis* Cutler, 1988a

*Synageles occidentalis* Paquin *et al.*, 2010

CAN: AB, BC, MB, NB, SK; USA: AZ, CA, CO, IA, ID, IL, MI, MN,

ND, NE, NV, OR, SD, UT, WA, WI



***Synageles venator* (Lucas, 1836d)***Attus venator* Lucas, 1836d*Synageles venator* Simon, 1876a*Synageles venator* Prószyński, 1979*Synageles venator* Paquin & Dupérré, 2003*Synageles venator* Paquin *et al.*, 2010

Many references and a few other synonyms from the Old World for this introduced species.

CAN: QC

Genus ***Synemosyna*** Hentz, 1846***Synemosyna americana* (Peckham & Peckham, 1885a)***Simonella americana* Peckham & Peckham, 1885a, 1886, 1892*Simonella americana* Peckham & Wheeler, 1889*Simonella bicolor* Peckham & Peckham, 1892*Simonella decipiens* O. Pickard-Cambridge, 1896a (male only)*Simonella americana* F. O. Pickard-Cambridge, 1900*Simonella bicolor* F. O. Pickard-Cambridge, 1900*Synemosyna bicolor* Galiano, 1966a*Synemosyna americana* Galiano, 1966a*Synemosyna americana* Cutler 1981a, 1985

MEX: CHP, ROO, TAB, YUC

***Synemosyna decipiens* (O. Pickard-Cambridge, 1896a)***Simonella decipiens* O. Pickard-Cambridge, 1896a (female only)*Simonella decipiens* F. O. Pickard-Cambridge, 1900*Simonella simplex* Chamberlin, 1925d*Synemosyna decipiens* Galiano, 1966a*Synemosyna decipiens* Cutler, 1985

MEX: CAM, CHP, SLP, TAB

***Synemosyna edwardsi* Cutler, 1985**

MEX: ROO

***Synemosyna formica* Hentz, 1846***Myrmecia lunata* Walckenaer, 1837, *nomen oblitum**Myrmecia rubra* Walckenaer, 1837, *nomen oblitum**Janus gibberosus* C. L. Koch, 1846*Saltica gibberosa* Simon, 1864?*Synemosyna formica* Peckham & Peckham, 1883, 1888, 1892, 1909*Synemosyna formica* Emerton, 1891*Myrmecium lunatum* Simon, 1897a*Synemosyna formica* Simon, 1901a*Synemosyna formica* Emerton, 1902*Synemosyna formica* Comstock, 1912*Myrmecium rubrum* Mello-Leitão, 1932b

*Synemosyna lunata* Chamberlin & Ivie, 1944

*Synemosyna formica* Chickering, 1944

*Synemosyna formica* Kaston, 1948

*Synemosyna formica* Galiano, 1966a

*Synemosyna formica* Oehler, 1980

*Synemosyna formica* Paquin *et al.*, 2010

CAN: ON; USA: AR, CT, FL, GA, IA, IL, KS, MN, NH, NJ, PA, SC, TX



***Synemosyna maddisoni*** Cutler, 1985

*Synemosyna maddisoni* Cutler, 1988b

MEX: CHP

***Synemosyna petrunkevitchi*** (Chapin, 1922)

*Simonella petrunkevitchi* Chapin, 1922

*Synemosyna petrunkevitchi* Galiano, 1966a

*Synemosyna petrunkevitchi* Cala-Riquelme, 2010

USA: FL

### Genus **Talavera** Peckham & Peckham, 1909

***Talavera minuta*** (Banks, 1895e)

*Icius minutus* Banks, 1895e

*Saitis minisculus* Banks, 1896c

*Talavera minuta* Peckham & Peckham, 1909

*Talavera minuta* Kaston, 1948

*Talavera minuta* Prószyński, 1976

*Talavera minuta* Oehler, 1980

*Talavera minuta* Logunov, 1992d

*Talavera minuta* Marusik & Logunov, 1996

*Talavera minuta* Źabka & Prószyński, 1998


*Talavera minuta* Logunov & Kronestedt, 2003

*Talavera minuta* Paquin & Dupérré, 2003

*Talavera minuta* Paquin *et al.*, 2010

CAN: AB, BC, MB, NB, NS, NT, ON, QC, SK, YT; USA: CA, CT, KS,

MA, MN, NM, NY, PA, TX, UT, WA



### Genus **Terralonus** Maddison, 1996

***Terralonus banksi*** (Roewer, 1951)

*Fuentes vittatus* Banks, 1901b (preoccupied by Simon)

*Menemerus vittatus* Peckham & Peckham, 1909

*Menemerus banksi* Roewer, 1951

*Menemerus vittatus* Barnes, 1958

*Terralonus vittatus* Maddison, 1996

USA: NM



***Terralonus californicus*** (Peckham & Peckham, 1888)

*Maevia californica* Peckham & Peckham, 1888

*Dendryphantes guttatus* Banks, 1904b


*Dendryphantes californicus* Peckham & Peckham, 1909

*Metaphidippus californicus* Prószyński, 1971e

*Terralonus californicus* Maddison, 1996

*Terralonus californicus* Paquin *et al.*, 2010

CAN: BC; USA: CA



***Terralonus fraternus* (Banks, 1932)**

*Menemerus fraternus* Banks, 1932

*Terralonus fraternus* Maddison, 1996

USA: OK

***Terralonus mylothrurus* (Chamberlin, 1925c)**

*Dendryphantes mylothrurus* Chamberlin, 1925c

*Metaphidippus mylothrurus* Cutler, 1982c

*Terralonus mylothrurus* Maddison, 1996

USA: UT

***Terralonus shaferi* (Gertsch & Riechert, 1976)**

*Metaphidippus shaferi* Gertsch & Riechert, 1976

*Terralonus shaferi* Maddison, 1996

USA: NM

***Terralonus unicus* (Chamberlin & Gertsch, 1930)**

*Dendryphantes unicus* Chamberlin & Gertsch, 1930

*Metaphidippus unicus* Jung & Roth, 1974

*Metaphidippus unicus* Gertsch & Riechert, 1976

*Terralonus unicus* Maddison, 1996

USA: AZ, KS, NM, UT, WY

***Terralonus versicolor* (Peckham & Peckham, 1909)**

*Icius versicolor* Peckham & Peckham, 1909

*Terralonus versicolor* Maddison, 1996

USA: ME (most likely an erroneous locality)

Genus ***Thiodina*** Simon, 1901a

***Thiodina hespera* Richman & Vetter, 2004**

USA: AZ, CA, NM, W TX; MEX: BCS, MOR, SON

***Thiodina puerpera* (Hentz, 1846)**

*Attus irroratus* Walckenaer, 1837, *nomen dubium*

*Attus puerperus* Hentz, 1846

*Attus agrestris* Peckham & Peckham, 1883

*Plexippus puerperus* Emerton, 1902

*Thiodina puerpera* Peckham & Peckham, 1909

*Thiodina irrorata* Chamberlin & Ivie, 1944

*Thiodina puerpera* Oehler, 1980

*Thiodina puerpera* Breene *et al.*, 1993

*Thiodina puerpera* Richman & Vetter, 2004

USA: AL, AR, FL, GA, IN, IL, KS, MD, MN, MO, NC, NJ, OK, PA, SC, TX



***Thiodina sylvana* (Hentz, 1846)**

*Attus iniquies* Walckenaer, 1837, *nomen dubium*  
*Attus sylvanus* Hentz, 1846  
*Attus retiarius* Hentz, 1850  
*Dendryphantes retiarius* Banks, 1898a  
*Plexippus puerperus* Peckham & Peckham, 1885 (not  
*Attus puerperus* Hentz, 1846)  
*Colonus puerperus* F. O. Pickard-Cambridge, 1901a (not  
*Attus puerperus* Hentz, 1846)  
*Metaphidippus retiarius* F. O. Pickard-Cambridge, 1901a  
*Thiodina iniquies* Chamberlin & Ivie, 1944  
*Thiodina puerpera* Simon, 1901a  
*Thiodina sylvana* Peckham & Peckham, 1909  
*Thiodina iniquies* Kraus, 1955b  
*Thiodina sylvana* Oehler, 1980  
*Thiodina sylvana* Breene *et al.*, 1993  
*Thiodina sylvana* Richman & Vetter, 2004  
 USA: AL, AR, DE, FL, GA, IL, IN, KS, LA, MD, MO, MS, NC, NJ,  
 NY, OH, SC, TN, TX, VA; MEX?

Genus ***Tutelina*** Simon, 1901a***Tutelina elegans* (Hentz, 1846)**

*Attus elegans* Hentz, 1846  
*Attus superciliosus* Hentz, 1846  
*Maevia cristata* C. L. Koch, 1846  
*Maevia aurulenta* C. L. Koch, 1846  
*Attus tibialis* Peckham & Peckham, 1883  
*Dendryphantes elegans* Peckham & Peckham, 1888  
*Icius elegans* Emerton, 1891  
*Tutelina elegans* Simon, 1901a  
*Icius elegans* Emerton, 1902  
*Icius elegans* Peckham & Peckham, 1909  
*Icius elegans* Muma, 1943  
*Tutelina elegans* Chickering, 1944  
*Icius elegans* Kaston, 1948  
*Tutelina elegans* Shear, 1967  
*Dendryphantes elegans* Prószyński, 1976  
*Tutelina elegans* Oehler, 1980  
*Tutelina elegans* Paquin *et al.*, 2010  
 CAN: ON; USA: AR, CT, IL, KS, MI, MN, MO, MS, NJ, SC, TX

***Tutelina formicaria* (Emerton, 1891)**


*Icius formicarius* Emerton, 1891, 1909  
*Icius formicarius* Peckham & Peckham, 1909  
*Tutelina formicarius* Chickering, 1944  
*Icius formicarius* Kaston, 1948  
*Dendryphantes formicarius* Prószyński, 1976  
*Tutelina formicaria* Edwards, 1980  
*Tutelina formicaria* Cutler, 1981b  
*Tutelina formicaria* Paquin *et al.*, 2010



CAN: ON; USA: CT, GA, MA, MI, MN, NJ, NY


***Tutelina harti* (Peckham in Emerton, 1891)**

- Icius harti* Peckham in Emerton, 1891
  - Icius harti* Peckham & Peckham, 1909
  - Tutelina harti* Chickering, 1944
  - Icius harti* Kaston, 1948
  - Dendryphantes harti* Prószyński, 1976
  - Tutelina harti* Edwards, 1980
  - Icius harti* Oehler, 1980
  - Tutelina hartii* Paquin & Dupérré, 2003
  - Tutelina hartii* Paquin *et al.*, 2010
- CAN: MB, ON, QC; USA: CT, FL, IL, KS, MN, NE, SC



***Tutelina similis* (Banks, 1895e)**


- Icius similis* Banks, 1895e
  - Icius similis* Peckham & Peckham, 1909
  - Tutelina similis* Chickering, 1944
  - Icius similis* Kaston, 1948
  - Dendryphantes similis* Prószyński, 1976
  - Tutelina similis* Richman & Cutler, 1978
  - Tutelina similis* Paquin & Dupérré, 2003
  - Tutelina similis* Paquin *et al.*, 2010
- CAN: AB, BC, MB, NS, ON, PE, QC, SK; USA: CT, IA, IL, IN, MN, MO, NM, NY, WI, WY



Genus ***Zygoballus*** Peckham & Peckham, 1885

***Zygoballus nervosus* (Peckham & Peckham, 1888)**

- Eris nervosus* Peckham & Peckham, 1888
  - Zygoballus terrestris* Emerton, 1891
  - Zygoballus terrestris* Peckham & Peckham, 1895
  - Eris nervosus* Emerton, 1909
  - Zygoballus nervosus* Peckham & Peckham, 1909
  - Zygoballus nervosus* Petrunkevitch, 1911
  - Zygoballus nervosus* Chickering, 1944
  - Zygoballus nervosus* Kaston, 1948
  - Zygoballus nervosus* Oehler, 1980
  - Zygoballus nervosus* Breene *et al.*, 1993
  - Zygoballus nervosus* Paquin & Dupérré, 2003
  - Zygoballus nervosus* Paquin *et al.*, 2010
- CAN: ON, QC; USA: FL, KS, LA, MN, NY, TX



***Zygoballus rufipes* Peckham & Peckham, 1885b**

- Zygoballus bettini* Peckham & Peckham, 1888, 1895, 1909
- Zygoballus bettini* Emerton, 1891
- Rhane munda* O. Pickard-Cambridge, 1896a
- Zygoballus strenuus* Peckham & Peckham, 1896
- Zygoballus rufipes* F. O. Pickard-Cambridge, 1901a
- Zygoballus bettini* Emerton, 1902
- Zygoballus rufipes* Simon, 1903a



*Zygoballus rufipes* Peckham & Peckham, 1909

*Zygoballus bettini* Comstock, 1912, 1940

*Zygoballus bettini* Chickering, 1944

*Zygoballus bettini* Kaston, 1948

*Eris bettini* Prószyński, 1976

*Zygoballus rufipes* Edwards, 1980

*Zygoballus bettini* Oehler, 1980

*Zygoballus rufipes* Breene *et al.*, 1993

*Zygoballus rufipes* Maddison, 1996

*Zygoballus rufipes* Paquin *et al.*, 2010

CAN: ON; USA: AR, AZ, FL, IL, KS, MA, MN, MO, NY, PA, SC, TX;

MEX: TAB

### ***Zygoballus sexpunctatus* (Hentz, 1845)**

*Attus sexpunctatus* Hentz, 1845

*Zygoballus sexpunctatus* Peckham & Peckham, 1888, 1909

*Zygoballus sexpunctatus* Simon, 1903a

*Zygoballus sexpunctatus* Comstock, 1940

USA: FL, SC, TX



## **Discussion**

For reference, changes to the previous version of this document are listed in Appendix 1.

This list is not final. The authors know of at least a dozen undescribed species for the United States and there are probably many more in Mexico. There may even be a few in Canada, although their fauna is smaller. The genera *Pellenes*, *Peckhamia*, and *Phanias* need to be revised, and there are several undescribed species in the genera *Habronattus*, *Maevia* and *Pelegrina*. One ant-like genus from Molino Basin in the Santa Catalina Mountains of Pima County, Arizona is also undescribed. As noted in the list, many species are still misplaced with respect to genus. In addition, we can expect many new reports related to the distribution of known species in the future, in part the result of human transport, the rapid climate change that is pushing biomes to the north during this interglacial period, and a greater level of general interest in the Salticidae as a group.

For illustrations of North American salticids, many resources, including Wikipedia entries, can now be obtained just by searching for respective scientific names on the Internet. Specifically, we recommend sites referenced below under BugGuide (2011), Maddison (1994), Metzner (2011), and Prószyński (2011). Edwards & Hill (2008) also provide a good illustrated introduction to the most important genera, as well as references to most of the recent revisions of these genera.

## **Acknowledgments**

We thank Joel Hallan for sending us a list of Mexican spiders gleaned by Oscar Franke from Norman Platnick's 2010 World Spider Catalog, and Nadine Dupérré for sending a copy of her recent work on the Canadian spiders. We also thank G. B. Edwards for two records of genera new to the United States, and for his extensive review of the manuscript.

## References

- Audouin, V.** 1825. Explication sommaire des Planches d'Arachnides de l'Egypte et de la Syrie, publiees par Jules-Cesar Savigny, membre de l'Institut; ofrant un exposé des caractères naturels des genres avec la distinction des espèces in "Description de l'Egypte ..." Histoire Naturelle 1 (4): 1–339.
- Audouin, V.** 1826 (1827). Explication sommaire des planches d'Arachnides de l'Egypte et de la Syrie, publiees in "Description de l'Egypte ..." Historie Naturelle. Zoologie. 22 (1827): 291–430.
- Banks, N.** 1892a. The spider fauna of the Upper Cayuga Lake Basin. Proceedings of the Academy of Natural Sciences, Philadelphia 1892: 11–81.
- Banks, N.** 1893a. Notes on spiders. Journal of the New York Entomological Society 1: 123–134.
- Banks, N.** 1895c. Some Missouri spiders. Entomological News 6: 204–207.
- Banks, N.** 1895e. Some new Attidae. The Canadian Entomologist 27: 96–102.
- Banks, N.** 1896a. A few new spiders. The Canadian Entomologist 28: 62–65.
- Banks, N.** 1896c. Additions to the list of Long Island spiders. Journal of the New York Entomological Society 4: 190–193.
- Banks, N.** 1896e. New North American spiders and mites. Transactions of the American Entomological Society 23: 57–77.
- Banks, N.** 1897. Descriptions of new spiders. The Canadian Entomologist 29: 193–197.
- Banks, N.** 1898a. Some new spiders. The Canadian Entomologist 30: 185–188.
- Banks, N.** 1898b. Arachnida from Baja California and other parts of Mexico. Proceedings of the California Academy of Sciences (3) 1: 205–308.
- Banks, N.** 1900a. Some new North American spiders. The Canadian Entomologist 32: 96–102.
- Banks, N.** 1901b. Some Arachnida from New Mexico. Proceedings of the Academy of Natural Sciences, Philadelphia 53: 568–597.
- Banks, N.** 1902a. A list of spiders collected in Arizona by Messrs. Schwartz and Barber during the summer of 1901. Proceedings of the U. S. National Museum 25: 211–221.
- Banks, N.** 1904a. New genera and species of Nearctic spiders. Journal of the New York Entomological Society 12: 109–119.
- Banks, N.** 1904b. Some Arachnida from California. Proceedings of the California Academy of Sciences (3) 3: 331–376.
- Banks, N.** 1904c. The Arachnida of Florida. Proceedings of the Academy of Natural Sciences, Philadelphia 56: 120–147.
- Banks, N.** 1905a. Synopses of North American invertebrates. XX. Families and genera of Araneida. American Naturalist 39: 293–323.
- Banks, N.** 1906a. Arachnida from the Bahamas. Bulletin of the American Museum of Natural History 22: 185–189.
- Banks, N.** 1906b. Descriptions of new American spiders. Proceedings of the Entomological Society of Washington 7: 94–100.
- Banks, N.** 1909a. Arachnida from Costa Rica. Proceedings of the Academy of Natural Sciences, Philadelphia 61: 194–234.
- Banks, N.** 1909b. Arachnida of Cuba. Estación Central Agronómica de Cuba, Second Report. II: 150–174.
- Banks, N.** 1910. Catalogue of Nearctic spiders. Bulletin of the U. S. National Museum 72: 1–80.
- Banks, N.** 1913. Notes on the types of some American spiders in European collections. Proceedings of the Academy of Natural Sciences, Philadelphia 65: 177–188.
- Banks, N.** 1921. New Californian spiders. Proceedings of the California Academy of Sciences 11: 90–102.
- Banks, N.** 1929. Spiders from Panama. Bulletin of the Museum of Comparative Zoology, Harvard 69: 53–96.
- Banks, N.** 1932. In: Banks, N. N. M. Newport and R. D. Bird. 1932. Oklahoma spiders. Publications of the University of Oklahoma Biological Survey 4 (1): 7–49.
- Barnes, R. D.** 1955. North American jumping spiders of the genus *Maevia*. American Museum Novitates 1746: 1–13.
- Barnes, R. D.** 1958. North American jumping spiders of the subfamily Marpissinae (Araneae, Salticidae). American Museum Novitates 1867: 1–50.
- Barrows, W. M.** 1919b. New spiders from Ohio. Ohio Journal of Science 19: 355–360.
- Berry & Prószyński, 2001.** Description of *Hakka*, a new genus of jumping spider (Araneae, Salticidae) from Hawaii and East Asia. The Journal of Arachnology 29: 201–204.
- Bertkau, P.** 1880b. Verzeichniss der bisher bei Bonn beobachteten Spinnen. Verhandlungen des Naturhistorischen Vereines der preussischen Rheinlande und Westphalens 37: 215–343.
- Blackwall, J.** 1846a. Notice of spiders captured by Professor Potter in Canada, with descriptions of such species as appear to be new to science. Annals and Magazine of Natural History 17: 30–44, 76–82.
- Blackwall, J.** 1853. Descriptions of some newly discovered species of Araneida. Annals and Magazine of Natural History (2) 11: 14–25.
- Bonnet, P.** 1956. Bibliographia araneorum. Toulouse, 2 (2): 919–1926.
- Bonnet, P.** 1957. Bibliographia araneorum. Toulouse, 2 (3): 1927–3026.
- Bösenberg, W. and E. Strand.** 1906. Japanische Spinnen. Abhandlungen Senckenbergische Naturforschende Gesellschaft 30: 93–422.
- Breene, R. G., D. A. Dean, M. Nyffeler and G. B. Edwards.** 1993. Biology, predation ecology, and significance of spiders in Texas cotton ecosystems with a key to species. Texas Agriculture Experiment Station, College Station. 1–115.

- Bryant, E. B. 1940.** Cuban spiders in the Museum of Comparative Zoology. Bulletin of the Museum of Comparative Zoology, Harvard 86: 247–554.
- Bryant, E. B. 1941.** Notes on the spider fauna of New England. Psyche, Cambridge 48: 129–146.
- Bryant, E. B. 1942a.** Notes on the spiders of the Virgin Islands. Bulletin of the Museum of Comparative Zoology, Harvard 89: 317–366.
- Bryant, E. B. 1942c.** Descriptions of certain North American *Phidippus*. American Midland Naturalist 28: 693–707.
- Bryant, E. B. 1943b.** The salticid spiders of Hispaniola. Bulletin of the Museum of Comparative Zoology, Harvard 92: 445–529.
- Bryant, E. B. 1945b.** Some new or little known southern spiders. Psyche, Cambridge 52: 178–192.
- Bryant, E. B. 1948a.** Some spiders from Acapulco, Mexico. Psyche, Cambridge 55: 55–77.
- BugGuide. 2011.** Family Salticidae—Jumping spiders. Available online at: <http://bugguide.net/node/view/1962>.
- Cala-Riquelme, F. 2010.** Primer registro de *Synemosyna petrunkevitchi* (Chapin, 1922) (Araneae: Salticidae) en Cuba. Novitates Caribaea 3: 85–86.
- Caporiacco, L. di. 1935b.** Aracnidi dell'Himalaia e del Karakoram, raccolti dalla Missione italiana al Karakoram (1929-VII). Memorie della Societa Entomologica Italiana 13: 161–263.
- Caporiacco, L. di. 1947a.** Diagnosi preliminari de specie nuove di aracnidi della Guiana Brittanica raccolte dai professori Beccari e Romiti. Monitore zoologico italiano 56: 20–34.
- Caporiacco, L. di. 1948a.** Arachnida of British Guiana collected in 1931 and 1936 by Professors Beccari and Romiti. Proceedings of the Zoological Society of London 118: 607–747.
- Caporiacco, L. di. 1955.** Estudios sobre los aracnidos de Venezuela. 2a parte: Araneae. Acta Biologica Venezolica 1: 265–448.
- Chamberlin, R. V. 1924a.** Descriptions of new American and Chinese spiders, with notes on other Chinese species. Proceedings of the U. S. National Museum 63 (13): 1–38.
- Chamberlin, R. V. 1924b.** The spider fauna of the shores and islands of the Gulf of California. Proceedings of the California Academy of Sciences 12: 561–694.
- Chamberlin, R. V. 1925c.** New North American spiders. Proceedings of the California Academy of Sciences (4) 14: 105–142.
- Chamberlin, R. V. 1925d.** Diagnoses of new American Arachnida. Bulletin of the Museum of Comparative Zoology, Harvard 67: 209–248.
- Chamberlin, R. V. and W. J. Gertsch. 1929.** New spiders from Utah and California. Journal of Entomology and Zoology, Claremont 21: 101–112.
- Chamberlin, R. V. and W. J. Gertsch. 1930.** On fifteen new North American spiders. Proceedings of the Biological Society of Washington 43: 137–144.
- Chamberlin, R. V. and W. Ivie. 1933a.** Spiders of the Raft River Mountains of Utah. Bulletin of the University of Utah 23 (4): 1–79.
- Chamberlin, R. V. and W. Ivie. 1935b.** Miscellaneous new American spiders. Bulletin of the University of Utah 26 (4): 1–79.
- Chamberlin, R. V. and W. Ivie. 1936a.** New spiders from Mexico and Panama. Bulletin of the University of Utah 27 (5): 1–103.
- Chamberlin, R. V. and W. Ivie. 1941b.** Spiders collected by L. W. Saylor and others, mostly in California. Bulletin of the University of Utah 31 (8): 1–49.
- Chamberlin, R. V. and W. Ivie. 1944.** Spiders of the Georgia region of North America. Bulletin of the University of Utah 35 (9): 1–267.
- Chapin, E. A. 1922.** On *Simonella*, a genus of salticid spiders new to North America. Proceedings of the Biological Society of Washington 35: 129–132.
- Chickering, A. M. 1944.** The Salticidae of Michigan. Papers of the Michigan Academy of Science 29: 139–222.
- Chickering, A. M. 1946.** The Salticidae of Panama. Bulletin of the Museum of Comparative Zoology, Harvard 97: 1–474.
- Clerck, C. 1757.** Svenska spindlar, uti sina hufvud-slägter indelte samt under några och sextio särskilde arter beskrefne och med illuminerade figurer uplyste. Stockholmiae. 1–154.
- Cockerell, T. D. A. 1894b.** The hunting spider of the vine. Entomologist 27: 207–208.
- Cockerell, T. D. A. 1897.** A new attid spider. Canadian Entomologist 29: 223–224.
- Cokendolpher, J. C. and N. V. Horner. 1978.** The spider genus *Poultonella* (Araneae: Salticidae). The Journal of Arachnology 6: 133–139.
- Comstock, J. H. 1912.** The spider book; a manual for the study of the spiders and their near relatives, the scorpions, pseudoscorpions, whipscorpions, harvestmen and other members of the class Arachnida, found in America north of Mexico, with analytical keys for their classification and popular accounts of their habits. Garden City, New York. 1–721.
- Comstock, J. H. 1940.** The spider book, revised and edited by W. J. Gertsch. Cornell University Press, Ithaca. i–xi, 1–727.
- Crane, J. 1943.** Spiders of the families Lyssomanidae and Salticidae from British Guiana and Venezuela. Zoologica, New York 28: 125–138.
- Curtis, J. L. 1892.** A new jumping spider. Zoe 3: 332–337.
- Cutler, B. 1971b.** The spider genus *Semiopyla* (Araneae: Salticidae). Entomological News 82: 141–146.
- Cutler, B. 1980.** Variation in the embolus of *Metaphidippus insignis* (Banks) (Araneae: Salticidae). Journal of the New York Entomological Society 87: 270–274.

- Cutler, B.** 1981a. *Synemosyna bicolor* is the female of *Synemosyna americana* (Araneae, Salticidae). The Journal of Arachnology 9: 342–343.
- Cutler, B.** 1981b. A revision of the spider genus *Paradamoetas* (Araneae, Salticidae). Bulletin of the American Museum of Natural History 170: 207–215.
- Cutler, B.** 1982a. Description of a new species of *Paradamoetas* (Araneae: Salticidae), with a revised key to the genus. Great Lakes Entomologist 15: 219–222.
- Cutler, B.** 1982c. Jumping spiders of the United States and Canada: Additions to the key and list (5). Peckhamia 2: 37.
- Cutler, B.** 1985. Taxonomic notes on Neotropical species in the genus *Synemosyna* (Araneae: Salticidae). Studies on Neotropical Fauna and Environment 20: 83–91.
- Cutler, B.** 1988a. A revision of the American species of the antlike jumping spider genus *Synageles* (Araneae, Salticidae). The Journal of Arachnology 15: 321–348.
- Cutler, B.** 1988b. Middle American *Synemosyna* (Araneae: Salticidae), a key and description of a new species. Studies on Neotropical Fauna and Environment 23: 197–202.
- Cutler, B. and D. T. Jennings.** 1985. A revision of the *Metaphidippus arizonensis* group (Araneae, Salticidae). The Journal of Arachnology 13: 1–8.
- Dahl, F.** 1912b. Über die Fauna des Plagefenn-Gebietes. In: Das Plagefenn bei Choren. ed. H. Conwentz. Berlin. 339–638.
- DeGeer, C.** 1778. Mémoires pour servir à l'histoire des insectes. Stockholm. 7 (3-4): 176–324.
- Dufour, L.** 1831. Descriptions et figures de quelques Arachnides nouvelles ou mal connues et procédé pour conserver à sec ces Invertébrés dans les collections. Annales des Sciences Naturelles, Zoologie et Biologie Animale 22: 355–371.
- Edwards, G. B.** 1977. Comments on some genus and species problems in the Salticidae, including Walckenaerian names. Peckhamia 1: 21–23.
- Edwards, G. B.** 1978. Two new southern *Phidippus* (Araneae: Salticidae). Florida Entomologist 61: 77–82.
- Edwards, G. B.** 1980. Jumping spiders of the United States and Canada: changes in the key and list (4). Peckhamia 2: 11–14.
- Edwards, G. B.** 1999a. The genus *Attidops* (Araneae, Salticidae). The Journal of Arachnology 27: 7–15.
- Edwards, G. B.** 1999b. *Corythalia canosa* (Araneae: Salticidae) reassigned to *Anasaitis*. Insecta Mundi 13: 10.
- Edwards, G. B.** 2003a. A review of the Nearctic jumping spiders (Araneae: Salticidae) of the subfamily Euophryinae north of Mexico. Insecta Mundi 16: 65–75.
- Edwards, G. B.** 2003b (dated 2001). A new species of *Neonella* (Araneae: Salticidae) from southeast Florida. Insecta Mundi 16: 157–159.
- Edwards, G. B.** 2004. Revision of the jumping spiders of the genus *Phidippus* (Araneae: Salticidae). Occasional Papers of the Florida State Collection of Arthropods 11: i–vii, 1–156.
- Edwards, G. B.** 2006 (dated 2005). A review of described *Metacyrba*, the status of *Parkella*, and notes on *Platycryptus* and *Balmaceda*, with a comparison of the genera (Araneae: Salticidae: Marpissinae). Insecta Mundi 19: 193–226.
- Edwards, G. B., and D. E. Hill.** 2008. Representatives of the North American salticid fauna, revisited. Peckhamia 30.2: 1–15.
- Edwards, G. B. and D. T. Jennings.** 2011. A new record for *Pellenes lapponicus* (Araneae: Salticidae) from the Northeastern United States, with notes on synonymies and combinations for the species. Peckhamia 86.2: 1–2.
- Edwards, G. B. and D. B. Richman.** 2005. The first record of *Phidippus bidentatus* (Araneae: Salticidae) in the United States. Insecta Mundi 19 (3): 138.
- Edwards, G. B., I. M. P. Rinaldi & G. R. S. Ruiz.** 2005. A review of some South American species of jumping spiders (Araneae: Salticidae) described by Mello-Leitão from Brasil, with resolution of the genus *Asaphobelis*. Biota Neotropica 5 (2): 1–31.
- Emerton, J. H.** 1891. New England spiders of the family Attidae. Transactions of the Connecticut Academy of Arts and Sciences 8: 220–252.
- Emerton, J. H.** 1894. Canadian spiders. Transactions of the Connecticut Academy of Arts and Sciences 9: 400–429.
- Emerton, J. H.** 1902. The common spiders of the United States. Ginn & Company. Boston. i–xx, 1–227.
- Emerton, J. H.** 1909. Supplement to the New England Spiders. Transactions of the Connecticut Academy of Arts and Sciences 14: 171–236.
- Emerton, J. H.** 1911. New spiders from New England. Transactions of the Connecticut Academy of Arts and Sciences 16: 383–407.
- Emerton, J. H.** 1913b. New and rare spiders from within fifty miles of New York City. Bulletin of the American Museum of Natural History 32: 255–260.
- Emerton, J. H.** 1915b. Canadian spiders, II. Transactions of the Connecticut Academy of Arts and Sciences 20: 145–160.
- Emerton, J. H.** 1917. New spiders from Canada and the adjoining states. Canadian Entomologist 49: 261–272.
- Emerton, J. H.** 1925. New spiders from Canada and the adjoining states, No. 4. Canadian Entomologist 57: 65–69.
- Emerton, J. H.** 1926. New spiders from Canada and the adjoining states, No. 5. Canadian Entomologist 58: 115–119.
- Fabricius, J. C.** 1775. Systema entomologiae, sistens insectorum classes, ordines, genera, species, adiectis, synonymis, locis descriptionibus observationibus. Flensburg and Lipsiae, 1–832.
- Franganillo Balboa, P.** 1930. Arácnidos de Cuba. Mas Arácnidos nuevos de la Isla de Cuba. Instituto Nacional de Investigaciones Científicas, Museo Nacional de Historia Natural 1: 47–99, + reprint, La Habana, 1930, 1–53.
- Galiano, M. E.** 1962b. Redescripciones de especies del género *Lyssomanes* Hentz, 1845, basadas en los ejemplares tipicos. Descripción de una especie nueva (Araneae, Salticidae). Acta Zoológica Lilloana 18: 45–97.

- Galiano, M. E.** 1963a. Las especies americanas de arañas de la familia Salticidae descriptas por Eugène Simon: Redescripciones basadas en los ejemplares típicos. *Physis*, Buenos Aires (C) 23: 273–470.
- Galiano, M. E.** 1964b. Salticidae (Araneae) formiciformes. I. Revisión del género *Martella* Peckham, 1892. *Physis*, Buenos Aires (C) 24: 353–363.
- Galiano, M. E.** 1965b. Salticidae (Araneae) formiciformes IV. Revisión del género *Sarinda* Peckham, 1892. *Revista Museo Argentino de Ciencias Naturales Bernardino Rivadavia (Entomología)* 1: 267–312.
- Galiano, M. E.** 1966a. Salticidae (Araneae) formiciformes V. Revisión del género *Synemosyna* Hentz, 1846. *Revista Museo Argentino de Ciencias Naturales Bernardino Rivadavia (Entomología)* 1: 339–380.
- Galiano, M. E.** 1968c. Revision de los géneros *Acragas*, *Amicus*, *Encolpius*, *Hypaeus*, *Mago* y *Noegus* (Salticidae, Araneae). *Revista Museo Argentino de Ciencias Naturales Bernardino Rivadavia (Entomología)* 2: 267–360.
- Galiano, M. E.** 1969a. Salticidae (Araneae) formiciformes. IX. Adicion a las revisiones de los géneros *Martella* y *Sarinda*. *Physis*, Buenos Aires (C) 28: 247–255.
- Galiano, M. E.** 1969b. Salticidae (Araneae) formiciformes. VII. El género *Myrmarachne* Mac Leay, 1839, en America. *Revista Museo Argentino de Ciencias Naturales Bernardino Rivadavia (Entomología)* 3: 107–148.
- Galiano, M. E.** 1971. Salticidae (Araneae) formiciformes. X. Revisión del género *Fluda* Peckham, 1892. *Physis*, Buenos Aires (C) 30: 573–599.
- Galiano, M. E.** 1972a. Salticidae (Araneae) formiciformes. XIII. Revisión del género *Bellota* Peckham, 1892. *Physis*, Buenos Aires (C) 31: 463–484.
- Galiano, M. E.** 1979b. Revisión del género *Frigga* C. L. Koch, 1851 (Araneae, Salticidae). *Acta Zoologica Lilloana* 33: 113–135.
- Galiano, M. E.** 1980a. Revisión del género *Lyssomanes* Hentz, 1845 (Araneae, Salticidae). *Opera Lilloana* 30: 1–104.
- Galiano, M. E.** 1981a. Catalogo de los especímenes tipicos de Salticidae (Araneae) descriptos por Candido F. de Mello-Leitão. Segunda parte. *Physis*, Buenos Aires (C) 39: 11–17.
- Galiano, M. E.** 1982b. Revisión del género *Nycerella* (Araneae, Salticidae). *Physis*, Buenos Aires (C) 41: 53–63.
- Galiano, M. E.** 1985b. Two new species of *Semiopyla* with notes on *S. cataphracta* (Araneae, Salticidae). *Revue Suisse de Zoologie* 92: 281–290.
- Galiano, M. E.** 1988b. New species of *Neonella* Gertsch, 1936 (Araneae, Salticidae). *Revue Suisse de Zoologie* 95: 439–448.
- Galiano, M. E.** 1991a. Las especies de *Sitticus* Simon del grupo palpalis (Araneae, Salticidae). *Acta Zoológica Lilloana* 40: 59–68.
- Galiano, M. E.** 1994a. Revision of the genus *Pachomius* (Araneae, Salticidae). *Bulletin of the British Arachnological Society* 9: 214–220.
- Galiano, M. E.** 2001. Revisión de las especies de *Freya* del grupo *decorata* (Araneae, Salticidae). *The Journal of Arachnology* 29: 21–41.
- Gardner, B. T.** 1965. Observations on three species of *Phidippus* jumping spiders (Araneae: Salticidae). *Psyche*, Cambridge 72: 133–147.
- Gertsch, W. J.** 1934d. Further notes on American spiders. *American Museum Novitates* 726: 1–26.
- Gertsch, W. J.** 1935a. Spiders from the southwestern United States. *American Museum Novitates* 792: 1–31.
- Gertsch, W. J.** 1936a. Further diagnoses of new American spiders. *American Museum Novitates* 852: 1–27.
- Gertsch, W. J. and W. Ivie.** 1955. The spider genus *Neon* in North America. *American Museum Novitates* 1743: 1–17.
- Gertsch, W. J. & W. L. Jellison.** 1939. Notes on a collection of spiders from Montana. *American Museum Novitates* 1032: 1–13.
- Gertsch, W. J. and S. Mulaik.** 1936a. Diagnoses of new southern Spiders. *American Museum Novitates* 851: 1–21.
- Gertsch, W. J. & S. E. Riechert.** 1976. The spatial and temporal partitioning of a desert spider community, with descriptions of new species. *American Museum Novitates* 2604: 1–25.
- Griswold, C. E.** 1979. New species of *Pellenes* from California (Araneae: Salticidae). *The Journal of Arachnology* 7: 129–138.
- Griswold, C. E.** 1987a. A revision of the jumping spider genus *Habronattus* F. O. P.-Cambridge (Araneae; Salticidae), with phenetic and cladistic analyses. *University of California Publications in Entomology* 107: 1–344.
- Grube, A. E.** 1861. Beschreibung neuer, von den Herren L. v. Schrenck, Maack, C. v. Ditmar u. a. im Amurlande und in Ostsibirien gesammelter Araneiden. *Bulletin de l'Académie Impériale des Sciences de St. Pétersbourg* 4: 161–180, + separate 1–29.
- Guseinov, E. F.** 2004. Natural prey of the jumping spider *Menemerus semilimbatus* (Hahn, 1827) (Araneae: Salticidae), with notes on its unusual predatory behavior. In: *European Arachnology 2003*, ed. D. V. Logunov and D. Penney, KMK Scientific Press Ltd., Moscow, Russia. 93–100.
- Hahn, C. W.** 1829. Monographie der Spinnen, Heft 5. Nürnberg. 1–2, plates 1–4.
- Hentz, N. M.** 1832. On North American spiders. *Sillimans Journal of Science and Arts* 21: 99–122.
- Hentz, N. M.** 1845. Descriptions and figures of the araneides of the United States. *Boston Journal of Natural History* 5: 189–202, plates 16–17.
- Hentz, N. M.** 1846. Descriptions and figures of the araneides of the United States. *Boston Journal of Natural History* 5: 352–370, plates 21–22.
- Hentz, N. M.** 1850. Descriptions and figures of the araneides of the United States. *Boston Journal of Natural History* 6: 18–34, plates 21–22, and 271–295, plates 9–10.

- Hill, D. E.** 1979. The scales of salticid spiders. *Zoological Journal of the Linnean Society*, London 65 (3): 193–218.
- Hoffmann, A.** 1976. Relación bibliográfica preliminar de las Arañas de México (Arachnida: Araneae). *Publicaciones Especiales del Instituto de Biología, Universidad Nacional Autónoma de México* 3: 1–117.
- Ismailova, M. V.** 1989. [in Russian] The spider fauna of the southern part of eastern Siberia. Irkutsk, State University Publication 1–182.
- Jackowska, B. and J. Prószyński.** 1975. In search of the natural system of ant-like Salticidae. *Proceedings of the 6th International Arachnological Congress*: 39–43.
- Jiménez, M. L. and A. Tejas.** 1993. Two new species of the genus *Lyssomanes* (Hentz) from the Cape region, B.C.S., Mexico. *The Journal of Arachnology* 21: 205–208.
- Jiménez-Jiménez, M. L.** 2007c. Descripción de la hembra de *Dendryphantes melanomerus* (Araneae: Salticidae) y nuevos registros para México de arañas saltadoras. Description of the female of *Dendryphantes melanomerus* (Araneae: Salticidae) and new records of jumping spiders from Mexico. *Revista Mexicana de Biodiversidad* 78: 63–68.
- Jones, S. E.** 1945. A new southern spider. *Field and Laboratory*, Dallas 13: 39–41.
- Jung, A. K. S. and V. D. Roth.** 1974. Spiders of the Chiricahua Mountain area, Cochise Co., Arizona. *Journal of the Arizona Academy of Science* 9: 29–34.
- Kaldari, R., G. B. Edwards and R. K. Walton.** 2011. First records of *Hakka* (Araneae: Salticidae) in North America. *Peckhamia* 94.1: 1–6.
- Karsch, F.** 1880c. Arachnologische Blätter (Decas I). *Zeitschrift für die gesammten Naturwissenschaften* 53: 373–409.
- Kaston, B. J.** 1938a. Notes on little known New England spiders. *Canadian Entomologist* 70: 12–17.
- Kaston, B. J.** 1938c. New spiders from New England with notes on other species. *Bulletin of the Brooklyn Entomological Society* 33: 173–191.
- Kaston, B. J.** 1938d. Checklist of the spiders of Connecticut. *Bulletin of the Connecticut Geological and Natural History Survey* 60: 175–201.
- Kaston, B. J.** 1945a. New spiders in the group Dionycha with notes on other species. *American Museum Novitates* 1290: 1–25.
- Kaston, B. J.** 1948. Spiders of Connecticut. *Bulletin of the Connecticut Geological and Natural History Survey* 70: 1–874.
- Kaston, B. J.** 1972a. How to know the spiders. Second edition. Dubuque. 1–289.
- Kaston, B. J.** 1972b. Some name changes in spiders. *Entomological News* 83: 105–106.
- Kaston, B. J.** 1973. Four new species of *Metaphidippus*, with notes on related jumping spiders (Araneae: Salticidae) from the eastern and central United States. *Transactions of the American Microscopical Society* 92: 106–122.
- Kaston, B. J.** 1977. Supplement to the spiders of Connecticut. *The Journal of Arachnology* 4: 1–72.
- Keyserling, E.** 1885 (1884). Neue Spinnen aus Amerika. VI. *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien* 34: 489–534.
- Koch, C. L.** 1834. Arachniden. In: *Faunae Insectorum Germaniae initia, Deutschlands Insekten, Fortgesetzt von G. W. Herrich-Schaeffer*. Heft 122–127.
- Koch, C. L.** 1837b. Übersicht des Arachnidensystems. Nürnberg. 1: 1–39.
- Koch, C. L.** 1846. Die Arachniden. Nürnberg. 13: 1–234, 14: 1–88.
- Koch, C. L.** 1850 (1851). Übersicht des Arachnidensystems. Nürnberg. 5: 1–77.
- Koch, L.** 1876b. Verzeichniss der in Tirol bis jetzt beobachteten Arachniden nebst Beschreibungen einiger neuen oder weniger bekannten Arten. *Zeitschrift des Ferdinandeaums für Tirol und Vorarlberg (Innsbrück)* 3 (20): 221–354.
- Kraus, O.** 1955b. Spinnen aus El Salvador (Arachnoidea, Araneae). *Abhandlungen der Senckenbergische Naturforschende Gesellschaft* 493: 1–112.
- Kronestedt, T. and D. V. Logunov.** 2001. On the separation of *Sitticus ranieri* Peckham & Peckham and *S. saxicola* (C. L. Koch) (Araneae: Salticidae). *Revue Suisse Zoologie* 108: 463–481.
- Kulczyński 1895d.** Attidae musei zoologic Varsoviensis in Siberia orientali collecti. *Rozpr. spraw. Wydz. Mat. Przr. Akad. Umiejętności* 32: 45–98.
- Latreille, P. A.** 1804b. Tableau methodique des Insectes. *Nouveau Dictionnaire d'Histoire Naturelle*. Paris. 24: 129–295.
- Levi, H. W.** 1951. New and rare spiders from Wisconsin and adjacent states. *American Museum Novitates* 1501: 1–41.
- Levi, H. W. and H. M. Field.** 1954. The spiders of Wisconsin. *American Midland Naturalist* 51: 440–467.
- Levi, H. W. and L. R. Levi.** 1951. Report on a collection of spiders and harvestmen from Wyoming and neighboring states. *Zoologica, New York* 36: 219–237.
- Logunov, D. V.** 1992d. Definition of the spider genus *Talavera* (Araneae, Salticidae), with a description of a new species. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique Entomologie* 62: 75–82.
- Logunov, D. V.** 1998a. The spider genus *Neon* Simon, 1876 (Araneae, Salticidae) in SE Asia, with notes on the genitalia and skin pore structures. *Bulletin of the British Arachnological Society* 11: 15–22.
- Logunov, D. V.** 1999a. Redefinition of the genus *Habrocestoides* Prószyński, 1992, with establishment of a new genus, *Chinattus* gen n. (Araneae: Salticidae). *Bulletin of the British Arachnological Society* 11: 139–149.
- Logunov, D. V.** 1999c. Redefinition of the genera *Marpissa* C. L. Koch, 1846 and *Mendoza* Peckham & Peckham, 1894 in the scope of the Holarctic fauna (Araneae, Salticidae). *Revue Arachnologique* 13: 25–60.
- Logunov, D. V.** 2001a. A redefinition of the genera *Bianor* Peckham & Peckham, 1885 and *Harmochirus* Simon, 1885, with the establishment of a new genus *Sibianor* gen. n. (Aranei: Salticidae). *Arthropoda Selecta* 9: 221–286.

- Logunov, D. V.** 2002. New species and new records of *Lyssomanes* Hentz, 1845 from Brazil (Arachnida: Araneae: Salticidae). *Reichenbachia* 34: 229–239.
- Logunov, D. V.** 2004a. Notes on new and poorly known Palaearctic species of the genera *Neon*, *Sitticus* and *Synageles* (Araneae: Salticidae). *Bulletin of the British Arachnological Society* 13: 33–40.
- Logunov, D. V. and B. Cutler.** 1999. Revision of the genus *Paramarpissa* F. O. P.-Cambridge, 1901 (Araneae, Salticidae). *Journal of Natural History* 33: 1217–1236.
- Logunov, D. V. and S. Kopenen.** 2002. Redescription and distribution of *Phlegra hentzi* (Marx, 1890) comb. n. (Araneae, Salticidae). *Bulletin of the British Arachnological Society* 12: 264–267.
- Logunov, D. V. and T. Kronestedt.** 1997. A new Palearctic species of the genus *Sitticus* Simon, with notes on related species in the *floricola* group (Araneae, Salticidae). *Bulletin of the British Arachnological Society* 10: 225–233.
- Logunov, D. V. and T. Kronestedt.** 2003. A review of the genus *Talavera* Peckham and Peckham, 1909 (Araneae, Salticidae). *Journal of Natural History* 37: 1091–1154.
- Logunov, D. V. and Y. M. Marusik.** 2003b. Taxonomic and faunistic notes on *Chinoscopus* Simon, 1900 and *Lyssomanes* Hentz, 1845 from the Neotropical region (Araneae, Salticidae). *Bulletin of the British Arachnological Society* 12: 415–424.
- Logunov, D. V., Y. M. Marusik and S. Y. Rakov.** 1999. A review of the genus *Pellenes* in the fauna of Central Asia and the Caucasus (Araneae, Salticidae). *Journal of Natural History* 33: 89–148.
- Lowrie, D. C. and W. J. Gertsch.** 1955. A list of the spiders of the Grand Teton Park area, with descriptions of some new North American spiders. *American Museum Novitates* 1736: 1–29.
- Lucas, H.** 1833b. Mémoire sur plusieurs Arachnides nouvelles appartenant au genre *Atte* de M. de Walckenaer. *Annales de la Société Entomologique de France* 2: 476–482.
- Lucas, H.** 1836d. Quelques observations sur la manière de pondre chez les Insectes et addition a un travail ayant pour titre: Mémoire sur plusieurs Arachnides nouvelles appartenant au genre *Atte* de M. Walckenaer. *Annales de la Société Entomologique de France* 5: 629–633.
- Lucas, H.** 1857a. Arachnides. In: *Historia física, política y natural de la Isla de Cuba*, ed. R. de la Sagra, Paris. Secunda parte, tomo VII: 69–84.
- Macleay, W. S.** 1839. On some new forms of Arachnida. *Annals of Natural History* 2: 1–14.
- Maddison, W.** 1978. *Bianor aemulus* (Gertsch, 1934), new combination (Araneae: Salticidae). *Peckhamia* 1: 76–77.
- Maddison, W.** 1986. Distinguishing the jumping spiders *Eris militaris* and *Eris flava* in North America (Araneae: Salticidae). *Psyche*, Cambridge 93: 141–149.
- Maddison, W.** 1987. *Marchena* and other jumping spiders with an apparent leg-carapace stridulatory mechanism (Araneae: Salticidae: Heliophaninae and Thiodinae). *Bulletin of the British Arachnological Society* 7: 101–106.
- Maddison, W.** 1994. Jumping spiders of America north of Mexico. Available online at: [http://tolweb.org/accessory/Jumping\\_spiders\\_of\\_America\\_North\\_of\\_Mexico?acc\\_id=66](http://tolweb.org/accessory/Jumping_spiders_of_America_North_of_Mexico?acc_id=66)
- Maddison, W.** 1996. *Pelegrina* Franganillo and other jumping spiders formerly placed in the genus *Metaphidippus* (Araneae: Salticidae). *Bulletin of the Museum of Comparative Zoology, Harvard* 154: 215–368.
- Manolis, T. and J. H. P. Carmichael.** 2010. Discovery of a Mediterranean salticid, *Menemerus semilimbatus* (Hahn 1827) introduced and established in California, U.S.A. *The Pan-Pacific Entomologist* 86(4): 131–134.
- Marusik, Y. M. and D. V. Logunov.** 1996 (dated 1991). Poorly known spider species of the families Salticidae and Thomisidae (Aranei) of the Soviet Far East. In: *Entomological Studies in the North-East of the USSR*, USSR Academy of Sciences, Institute of Biological Problems of the North, Vladivostok. 131–140.
- Marusik, Y. M. and D. V. Logunov.** 1998 (1997). Taxonomic notes on the *Evarcha falcata* species complex (Araneae, Salticidae). *Arthropoda Selecta* 6 (3/4): 101–104.
- Marx, G.** 1890. Catalogue of the described Araneae of temperate North America. *Proceedings of the United States National Museum* 12: 497–594.
- McCook, H. C.** 1883. Note on two new Californian spiders and their nests. *Proceedings of the Academy of Natural Sciences, Philadelphia*, for 1883: 276–278.
- McCook, H. C.** 1894. American spiders and their spinningwork. A natural history of the orbweaving spiders of the United States, with special regard to their industry and habits. *Philadelphia* 3: 1–285.
- Mello-Leitão, C. F. de.** 1932b. Notas sobre o genero *Myrmecium*. *Anais da Academia Brasileira de Ciências* 4: 149–160.
- Mello-Leitão, C. F. de.** 1943b. Araneologica varia brasiliiana. *Anais da Academia Brasileira de Ciências* 15: 255–265.
- Metzner, H.** 1999. Die Springspinnen (Araneae, Salticidae) Griechenlands. *Andrias* 14: 1–279.
- Metzner, H.** 2011. Jumping spiders (Arachnida: Araneae: Salticidae) of the World. Available online at: <http://www.jumping-spiders.com/>
- Muma, M. H.** 1943. Common spiders of Maryland. *Natural History Society of Maryland, Baltimore* 1–179.
- Muma, M. H.** 1944. A report on Maryland spiders. *American Museum Novitates* 1257: 1–14.
- Oehler, C. M.** 1980. Jumping spiders (Araneae: Salticidae) in the Cincinnati region of Ohio, including Butler, Clermont, Hamilton, and Warren Counties. *Ohio Biological Survey, Biological Notes* 13: 1–36.
- Olivier G. and A. Olivier.** 1789. ARAIGNÉE, *Aranea*. In: *Encyclopédie Méthodique. Histoire Naturelle. Tome Quatrième. Insectes*: 173–240.
- Paquin, P. and N. Duperré.** 2003. Guide d'identification des araignées (Araneae) du Québec. *Fabreries, Supplement* 11: 1–251.

- Paquin, P., D. J. Buckle, N. Dupérré and C. D. Dondale.** 2010. Checklist of the spiders (Araneae) of Canada and Alaska. *Zootaxa* 2461: 1–170.
- Peckham, G. W. and E. G. Peckham.** 1883. Descriptions of new or little known spiders of the family Attidae, from various parts of the United States of North America. Milwaukee, Wisconsin. 1–35, plates I–III.
- Peckham, G. W. and E. G. Peckham.** 1885b. On some new genera and species of Attidae from the eastern part of Guatemala. *Proceedings of the Natural History Society of Wisconsin for 1885*: 62–86, plate II.
- Peckham, G. W. and E. G. Peckham.** 1886 (dated 1885). Genera of the family Attidae: with a partial synonymy. *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters* 6: 255–342, tables I–IV.
- Peckham, G. W. and E. G. Peckham.** 1888. Attidae of North America. *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters* 7: 1–104, plates I–VI.
- Peckham, G. W. and E. G. Peckham.** 1892. Ant-like spiders of the family Attidae. *Occasional Papers of the Natural History Society of Wisconsin* 2 (1): 1–83, plates I–VII.
- Peckham, G. W. and E. G. Peckham.** 1894. Spiders of the *Marptusa* group. *Occasional Papers of the Natural History Society of Wisconsin* 2 (2): 83–156, plates VIII–XIV.
- Peckham, G. W. and E. G. Peckham.** 1895. Spiders of the *Homalattus* group of the family Attidae. *Occasional Papers of the Natural History Society of Wisconsin* 2 (3): 157–178, plates XV–XVI, index.
- Peckham, G. W. and E. G. Peckham.** 1896. Spiders of the family Attidae from Central America and Mexico. *Occasional Papers of the Natural History Society of Wisconsin* 3 (1): 1–101, plates I–VII, index.
- Peckham, G. W. and E. G. Peckham.** 1901a. Spiders of the *Phidippus* group of the family Attidae. *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters* 13 (1): 282–358, plates XXIII–XXVIII.
- Peckham, G. W. and E. G. Peckham.** 1901b. On spiders of the family Attidae found in Jamaica. *Proceedings of the Zoological Society of London for 1901* 2: 6–16, plates II–IV.
- Peckham, G. W. and E. G. Peckham.** 1901c. *Pellenes* and some other genera of the family Attidae. *Bulletin of the Wisconsin Natural History Society* 1 (new series) 4: 195–233, plates I–II.
- Peckham, G. W. and E. G. Peckham.** 1909. Revision of the Attidae of North America. *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters*, Vol. XVI, Part 1, No. 5: 355–646.
- Peckham, G. W., E. G. Peckham, and W. H. Wheeler.** 1889 (dated 1888). Spiders of the subfamily Lyssomanae. *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters* 7: 221–256, plates XI, XII.
- Petrunkewitch, A.** 1911. A synonymic index-catalogue of spiders of North, Central and South America with all adjacent islands, Greenland, Bermuda, West Indies, Terra del Fuego, Galapagos, etc. *Bulletin of the American Museum of Natural History* 29: 1–791.
- Petrunkewitch, A.** 1925a. Arachnida from Panama. *Transactions of the Connecticut Academy of Arts and Sciences* 27: 51–248.
- Pickard-Cambridge, F. O.** 1900. Arachnida—Araneida and Opiliones. In: *Biologia Centrali-Americanica, Zoology*. London. 2: 89–192.
- Pickard-Cambridge, F. O.** 1901a. Arachnida—Araneida and Opiliones. In: *Biologia Centrali-Americanica, Zoology*. London. 2: 193–312.
- Pickard-Cambridge, O.** 1881a. The spiders of Dorset, with an appendix containing short descriptions of those British species not yet found in Dorsetshire. *Proceedings of the Dorset Natural History Field Club* 2: 237–625.
- Pickard-Cambridge, O.** 1894a. Arachnida—Araneida. In: *Biologia Centrali-Americanica, Zoology*. London. 1: 121–144.
- Pickard-Cambridge, O.** 1896a. Arachnida—Araneida. In: *Biologia Centrali-Americanica, Zoology*. London. 1: 161–224.
- Piel, W. H.** 1992. The Nearctic jumping spiders of the genus *Admestina* (Araneae: Salticidae). *Psyche*, Cambridge 98: 265–282.
- Pinter, L. J.** 1970. Two new species of *Phidippus* (Salticidae, Araneae) from Mexico. *Contributions to Science of the Santa Barbara Museum of Natural History* 1: 1–5.
- Platnick, N. I.** 1984a. On the pseudoscorpion-mimicking spider *Cheliferoides* (Araneae: Salticidae). *Journal of the New York Entomological Society* 92: 169–173.
- Platnick, N. I.** 2011. The world spider catalog, version 12.0. Current version available online at: <http://research.amnh.org/iz/spiders/catalog/INTRO1.html>
- Prószyński, J.** 1971b. Revision of the spider genus *Sitticus* Simon, 1901 (Aranei, Salticidae). II. *Sitticus saxicola* (C. L. Koch, 1848) and related forms. *Annales Zoologici Warszawa* 28: 183–204. [*Sitticus saxicola* (C. L. Koch, 1846)]
- Prószyński, J.** 1971c. Redescriptions of the A. E. Grube's East Siberian species of Salticidae (Aranei) in the collection of the Wrocław Zoological Museum. *Annales Zoologici Warszawa* 28: 205–226.
- Prószyński, J.** 1971e. Catalogue of Salticidae (Aranei) specimens kept in major collections of the world. *Annales Zoologici Warszawa* 28: 367–519.
- Prószyński, J.** 1973a. Revision of the spider genus *Sitticus* Simon, 1901 (Aranei, Salticidae). III. *Sitticus penicillatus* (Simon, 1875) and related forms. *Annales Zoologici Warszawa* 30: 71–95.
- Prószyński, J.** 1975. Remarks on the origin and composition of the Salticidae fauna of the Nearctic region. *Proceedings of the 6th International Arachnology Congress*. 216–221.
- Prószyński, J.** 1976. Studium systematyczno-zoogeograficzne nad rodziną Salticidae (Aranei) Regionów Palearktycznego i Nearktycznego. *Wyzsza Szkoła Pedagogiczna Siedlcach* 6: 1–260.

- Prószyński, J.** 1979. Systematic studies on East Palearctic Salticidae III. Remarks on Salticidae of the USSR. *Annales Zoologici Warszawa* 34: 299–369.
- Prószyński, J.** 1980. Revision of the spider genus *Sitticus* Simon, 1901 (Aranei, Salticidae). IV. *Sitticus floricola* (C. L. Koch) group. *Annales Zoologici Warszawa* 36: 1–35.
- Prószyński, J.** 1987. Atlas rysunkow diagnostycznych mniej znanych Salticidae 2. *Zeszyty Naukowe Wyzszej Szkoły Rolniczo-Pedagogicznej, Siedlcach.*
- Prószyński, J.** 1990. Catalogue of Salticidae (Araneae): Synthesis of Quotations in the World Literature since 1940, with Basic Taxonomic Data since 1758. *Wyzsza Szkoła Rolniczo-Pedagogiczna W Siedlcach.* 1–366.
- Prószyński, J.** 2002. Remarks on Salticidae (Aranei) from Hawaii, with description of *Havaika* gen.n. *Arthropoda Selecta* 10: 225–241.
- Prószyński, J.** 2003. Salticidae (Araneae) of the Levant. *Annales Zoologici Warszawa* 53: 1–180.
- Prószyński, J.** 2011. Monograph of Salticidae (Araneae) of the World. 1995–2011. Available online at: <http://www.miiz.waw.pl/salticid/main.htm>
- Prószyński, J. and C. L. Deeleman-Reinhold.** 2010. Description of some Salticidae (Araneae) from the Malay Archipelago. I. Salticidae of the Lesser Sunda Islands, with comments on related species. *Arthropoda Selecta* 19: 153–188.
- Reimoser, E.** 1919. Katalog der echten Spinnen (Araneae) des Paläarktischen Gebietes. *Abhandlungen der Zoologisch-Botanischen Gesellschaft in Wien* 10 (2): 1–280.
- Richman, D. B.** 1965. Jumping spiders (Salticidae) from Yuma County Arizona, with a description of a new species and distributional records. *Southwestern Naturalist* 10 (2): 132–135.
- Richman, D. B.** 1973. A new species of *Pellenes* (Araneae, Salticidae) from Arizona. *Journal of the Arizona Academy of Science* 8 (2): 76–78.
- Richman, D. B.** 1977. Review. Proszynski J. 1976. Studium systematyczno-zoogeograficzne nad rodziną Salticidae (Aranei) Regionów Palearktycznego i Nearktycznego. *Peckhamia*. 1 (1): 9–11
- Richman, D. B.** 1978. Some thoughts on Walckenaer's names for Salticidae after an examination of Abbot's drawings. *Peckhamia* 1 (4): 57–61.
- Richman, D. B.** 1981. A revision of the genus *Habrocestum* (Araneae, Salticidae) in North America. *Bulletin of the American Museum of Natural History* 170: 197–206.
- Richman, D. B.** 1989. A revision of the genus *Hentzia* (Araneae, Salticidae). *The Journal of Arachnology* 17: 285–344.
- Richman, D. B.** 2008. Revision of the jumping spider genus *Sassacus* (Araneae, Salticidae, Dendryphantinae) in North America. *The Journal of Arachnology* 36: 26–48.
- Richman, D. B.** 2010. A new species and new records of *Hentzia* (Araneae: Salticidae: Dendryphantinae) from the United States. *The Journal of Arachnology* 38: 73–78.
- Richman, D. B. and B. Cutler.** 1978. A list of the jumping spiders (Araneae: Salticidae) of the United States and Canada. *Peckhamia* 1: 82–110.
- Richman, D. B. and B. Cutler.** 1988. A list of the jumping spiders of Mexico. *Peckhamia* 2: 63–88.
- Richman, D. B. and V. D. Roth.** 1976. A revised list of the jumping spiders of Yuma County, Arizona. *Southwestern Naturalist* 21 (2): 199–202.
- Richman, D. B. and R. S. Vetter.** 2004. A review of the spider genus *Thiodina* (Araneae, Salticidae) in the United States. *The Journal of Arachnology* 32: 418–431.
- Roewer, C. F.** 1951. Neue Namen einiger Araneen-Arten. *Abhandlungen naturforschenden Verein Bremen* 32: 437–456.
- Roewer, C. F.** 1954 (1955c in Platnick, 2011). Katalog der Araneae von 1758 bis 1940 2: 1–1751.
- Ruiz, G. R. S. and A. D. Brescovit.** 2005b. Notes on the Venezuelan jumping spiders described by Caporiacco (Araneae, Salticidae). *Revista Brasileira de Zoologia* 22 (3): 753–760.
- Ruiz, G. R. S. and A. D. Brescovit.** 2007a. On the Venezuelan species of jumping spider described by Schenkel (Araneae, Salticidae). *The Journal of Arachnology* 34: 646–648.
- Ruiz, G. R. S. and A. D. Brescovit.** 2007b. On the neotropical genus *Fuentes* Peckham & Peckham, 1894 (Araneae, Salticidae). *Revista Iberica de Aracnología* 13: 143–146.
- Ruiz, G. R. S., A. D. Brescovit and G. C. C. Freitas.** 2007. Spiders from Fernando de Noronha, Brazil. Part II. Proposal of a new genus and description of three new species of jumping spiders (Araneae, Salticidae). *Revista Brasileira de Zoologia* 24: 771–776.
- Scheffer, T. H.** 1904b. Four new spiders from Kansas. *Entomological News* 15: 257–260.
- Scheffer, T. H.** 1905. Additions to the list of Kansas spiders. *Industrialist* 31: 435–444. Reprinted: 1906, *Transactions of the Kansas Academy of Science* 20: 121–130.
- Schenkel, E.** 1951. Spinnentiere aus dem westlichen Nordamerika, gesammelt von Dr. Hans Schenkel-Rudin. Zweiter Teil. *Verhandlungen der Naturforschenden Gesellschaft in Basel* 62: 24–62.
- Schenkel, E.** 1953a. Bericht über einige Spinnentiere aus Venezuela. *Verhandlungen der Naturforschenden Gesellschaft in Basel* 64: 1–57.
- Shear, W. A.** 1967. Expanding the palpi of male spiders. *Breviora* 259: 1–27.
- Simon, E.** 1864. *Histoire naturelle des araignées (aranéides)*. Paris. 1–540.
- Simon, E.** 1868b. Monographie des espèces européennes de la famille des attides (Attidae Sundewall – Saltigradae Latreille). Annales de la Société Entomologique de France (4) 8: 11–72, 529–726.

- Simon, E.** 1871. Révision des Attidae européens. Supplément à la monographie des Attides (Attidae Sund.). Annales de la Société Entomologique de France (5) 1: 125–230, 330–360.
- Simon, E.** 1876a. Les arachnides de France. Paris, 3: 1–364.
- Simon, E.** 1885d. Matériaux pour servir à la faune arachnologiques de l'Asie méridionale. I. Arachnides recueillis à Wagrar-Karoor près Gundacul, district de Bellary par M. M. Chaper. II. Arachnides recueillis à Ramnad, district de Madura par M. l'abbé Fabre. Bulletin de la Société Zoologique de France 10: 1–39.
- Simon, E.** 1888b. Etudes arachnologiques. 21e Mémoire. XXIX. Descriptions d'espèces et de genres nouveaux de l'Amérique centrale et des Antilles. Annales de la Société Entomologique de France (6) 8: 203–216.
- Simon, E.** 1897a. Histoire naturelle des araignées. Paris. 2: 1–192.
- Simon, E.** 1900b. Descriptions d'arachnides nouveaux de la famille des Attidae. Annales de la Société Entomologique de Belgique 44: 381–407.
- Simon, E.** 1900d. Etudes arachnologiques. 30e Mémoire. XLVII. Descriptions d'espèces nouvelles de la famille des Attidae. Annales de la Société Entomologique de France 69: 27–61.
- Simon, E.** 1901a. Histoire naturelle des araignées. Paris. 2: 381–668.
- Simon, E.** 1902a. Etudes arachnologiques. 31e Mémoire. LI. Descriptions d'espèces nouvelles de la famille des Salticidae (suite). Annales de la Société Entomologique de France 71: 389–421.
- Simon, E.** 1902d. Description d'arachnides nouveaux de la famille des Salticidae (Attidae) (suite). Annales de la Société Entomologique de Belgique 46: 24–56, 363–406.
- Simon, E.** 1903a. Histoire naturelle des araignées. Paris. 2: 669–1080.
- Simon, E.** 1937. Les arachnides de France. Tome VI. Synopsis générale et catalogue des espèces françaises de l'ordre des Araneae. 5e et dernière partie. Paris. 6: 979–1298.
- Sundevall** 1833a. Svenska spindlarnes beskrifning. Fortsättning och slut. Kungliga Svenska Vetenskapsakademiens Handlingar 1832: 172–272.
- Taczanowski, L.** 1871. Les aranéides de la Guyane française. Horae Societatis Entomologicas Rossicae 8: 32–132.
- Thorell, T.** 1875b. Verzeichniss südrussischer Spinnen. Horae Societatis Entomologicas Rossicae 11: 39–122.
- Thorell, T.** 1875c. Descriptions of several European and North African spiders. Kungliga Svenska Vetenskapsakademiens Handlingar 13 (5): 1–203.
- Thorell, T.** 1877c. Descriptions of the Araneae collected in Colorado in 1875, by A. S. Packard jun., M.D. Bulletin of the U. S. Geological Survey 3: 477–529.
- Thorell, T.** 1891. Spindlar från Nikobarerna och andra delar af södra Asien. Kungliga Svenska Vetenskapsakademiens Handlingar 24 (2): 1–149.
- Tullgren, A.** 1901a. On the spiders collected in Florida by Dr Einer Lönnberg 1892-93. Bihang till Svenska Vetenskapsakademiens Handlingar 27: 1–29.
- Walckenaer, C. A.** 1805. Tableau des aranéides ou caractères essentiels des tribus, genres, familles et races que renferme le genre Aranea de Linné, avec la désignation des espèces comprises dans chacune de ces divisions. Paris. 1–88.
- Walckenaer, C. A.** 1826. Aranéides. In: Faune française ou histoire naturelle générale et particulière des animaux qui se trouvent en France, constamment ou passagèrement, à la surface du sol, dans les eaux qui le baignent et dans le littoral des mers qui le borment par Viellot, Desmarrey, Ducrotay, Audinet, Lepelletier et Walckenaer. Paris. Livr. 11–12: 1–96.
- Walckenaer, C. A.** 1837. Histoire naturelle des insectes aptères. Paris. 1: 1–682.
- Walckenaer, C. A.** 1841. Histoire naturelle des insectes aptères. Paris. 2: 1–549.
- Walckenaer, C. A.** 1847a. Dernier Supplément. In: Walckenaer, C. A. and P. Gervais, Histoire naturelles des insectes aptères, Paris. 4: 365–564.
- Wallace, H. K.** 1950. On Tullgren's Florida Spiders. Florida Entomologist 33: 71–83.
- Wanless, F. R.** 1980d. A revision of the spider genera *Asemonea* and *Pandisus* (Araneae: Salticidae). Bulletin of the British Museum of Natural History, Zoology 39: 213–257.
- Wesolowska, W.** 1996. New data on the jumping spiders of Turkmenistan (Aranei Salticidae). Arthropoda Selecta 5(1/2): 17–53.
- Wesolowska, W.** 1999. A revision of the spider genus *Menemerus* in Africa (Araneae: Salticidae). Genus 10 (2): 251–353.
- Westring, N.** 1861. Araneae sveciae. Götheborgs Kongliga Vetenskaps och Vitterhets Samhälles Handlingar 7: 1–615.
- Wikipedia.** 2011. Template: Mexico State-Abbreviation Codes. Available on the Internet at: [http://en.wikipedia.org/wiki/Template:Mexico\\_State-Abbreviation\\_Codes](http://en.wikipedia.org/wiki/Template:Mexico_State-Abbreviation_Codes)
- Workman, T. and M. E. Workman.** 1894. Malaysian spiders. Belfast. 9–24.
- Wunderlich, J.** 2008f. Identification key to the European genera of the jumping spiders (Araneae: Salticidae). Beiträge zur Araneologie 5: 698–719.
- Żabka, M. and J. Prószyński.** 1998 (1997). Middle European *Euophrys* C. L. Koch, 1834 (Araneae: Salticidae)—one, two or three genera? In: Proceedings of the 17th European Colloquium of Arachnology, ed. P. A. Seldon, Edinburgh 1997. 115–120.

## Appendix 1: Updates to this list

### Updated in version 95.2:

1. FL added to range of *Cheliferoides longimanus*.
2. Note: *Eris tricolor* and *Paraphidippus tricolor* may be the same species.
3. *Freya* from FL and TX identified as *Freya perelegans* Simon, 1902.
4. Added to list: *Menemerus semilimbatus* (Hahn, 1829).
5. Mexican states south of COA, SLP and TAM removed from range of *Metacyrba taeniola taeniola*.
6. Note: MI record of *Phidippus otiosus* was also an interception.
7. FL added to range of *Zygoballus nervosus*.

At the present time, nomenclatural acts contained in the electronic version of a publication are not considered to be available under the *International Code of Zoological Nomenclature* (ICZN). To make these acts available, according to a method that assures numerous identical and durable copies, a separate print-only edition of PECKHAMIA (ISSN 2161–8526) is made simultaneously available as of the publication date recorded on the first page of this article. This is done for the purpose of providing a public and permanent scientific record, according to Article 8.1 of the Code. This separate print-only edition is available on request from **The Peckham Society** by sending a request to **The Peckham Society, 213 Wild Horse Creek Drive, Simpsonville, SC 29680-6513, USA** along with a check for \$88 US (to cover printing and postage) payable to 'The Peckham Society'.

The separate print-only edition is identical to this electronic version, but contains a statement in this position that identifies it as the print-only edition.